



VOL 4 WIRE & CABLE

BELDEN
SENDING ALL THE RIGHT SIGNALS



2014EDGE CATALOG

539945 0091000 – 1 #18 PR; 1 RG-6/U COAX

**1 #18 PR; 1 RG-6/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
539945 0091000	0.053	N-A

**1 #18 PR; 1 RG-6/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
539945 009500	0.055	N-A

**1 #18 PR; 1 RG-6/U COAX****Belden**

Coaxial Cables 18AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
539945 0101000	0.053	N-A

**1 #18 PR; 1 RG-6/U COAX****Belden**

Coaxial Cables 18AWG 1C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
539945 010500	0.055	N-A

**5399B5****Belden**


18 AWG bare copper conductor; foam polyolefin insulation; foil plus braid shield(s) as indicated; PVC jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5399B5	N-A	N-A

**1 #16 PR; 1 RG-6/U COAX****Belden**


Coaxial Cables 18AWG 1C UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5399X5 0101000	N-A	N-A

**5400F1****Belden**

20 AWG tinned copper conductors; PVC insulation; cabled with overall water-blocking tape; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5400F1	N-A	N-A

**2 #20 S-R PVC FS PVC****Belden**

Multi-Conductor Cables 20AWG 2C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5400F1 0081000	N-A	N-A

**2 #20 S-R PVC FS PVC Water-Blocked ...****Belden**

20 AWG tinned copper conductors; PVC insulation; cabled with overall water-blocking tape; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5400F1 0101000	N-A	N-A

**5400FE****Belden**

20 AWG bare copper conductors; PP insulation; conductors cabled; Beldfoil 0.001Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5400FE	N-A	N-A

5401FE 008500 – 3 #20 PP FS FRPVC

2 #20 PP FS FRPVC



Belden

Multi-Conductor Cables 20AWG 2C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5400FE 0081000	N-A	N-A

2 #20 PP FRPVC



Belden

2 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5400UE 0081000	N-A	N-A

2 #20 PP FS FRPVC



Belden

Multi-Conductor Cables 20AWG 2C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5400FE 008500	N-A	N-A

2 #20 PP FRPVC



Belden

2 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5400UE 008U1000	N-A	N-A

2 #20 PP FS FRPVC



Belden

2 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5400FE 008U1000	N-A	N-A

5401FE



Belden

20 AWG bare copper conductors; PP insulation; conductors cabled; Beldfoil 0.001Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5401FE	N-A	N-A

2 #20 PP FS FRPVC



Belden

Multi-Conductor Cables 20AWG 2C SHIELD 500ft BOX GRAY

Part Number	Weight	Min. Quantity
5400FE 008U500	N-A	N-A

3 #20 PP FS FRPVC



Belden

Multi-Conductor Cables 20AWG 3C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5401FE 0081000	N-A	N-A

5400UE



Belden

20 AWG bare copper conductors; PP insulation; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5400UE	N-A	N-A

3 #20 PP FS FRPVC



Belden

Multi-Conductor Cables 20AWG 3C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5401FE 008500	N-A	N-A

5401FE 008U1000 – 3 #20 PP FS FRPVC

**3 #20 PP FS FRPVC**

Belden

3 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5401FE 008U1000	N-A	N-A

**3 #20 PP FRPVC**

Belden

3 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5401UE 0081000	N-A	N-A

**3 #20 PP FS FRPVC**

Belden

3 #20 PP FS FRPVC


Part Number	Weight	Min. Quantity
5401FE 008U500	N-A	N-A

**3 #20 PVC FRPVC Commercial Audio Sy...**

Belden

3 #20 PVC FRPVC

Part Number	Weight	Min. Quantity
5401UE 008500	N-A	N-A

**5401GE**

Belden

20 AWG BC conductors; PVC insulation; black/red pair shielded w/ Beldfoil tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.


Part Number	Weight	Min. Quantity
5401GE	N-A	N-A

**3 #20 PP FRPVC**

Belden

3 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5401UE 008U1000	N-A	N-A

**1 FSPR + 1 CDR #20PVCFRPVC**

Belden

1 FSPR + 1 CDR #20PVCFRPVC

Part Number	Weight	Min. Quantity
5401GE 0081000	N-A	N-A

**5402FE**

Belden

20 AWG bare copper conductors; PP insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5402FE	N-A	N-A

**5401UE**

Belden

20 AWG bare copper conductors; PP insulation; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5401UE	N-A	N-A

**4 #20 PP FS FRPVC**

Belden

4 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5402FE 0081000	N-A	N-A

5402UE 0081000 – 4 #20 PP FRPVC




4 #20 PP FS FRPVC

Belden

Multi-Conductor Cables 20AWG 4C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5402FE 008500	N-A	N-A



1 FS PR + 2 #20 PVC PVC

Belden

1 FS PR + 2 #20 PVC PVC

Part Number	Weight	Min. Quantity
5402GE 008U1000	N-A	N-A



4 #20 PP FS FRPVC

Belden

Multi-Conductor Cables 20AWG 4C SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5402FE 008U1000	N-A	N-A



1 FSPR + 2 #20 PVC PVC Commercial A...

Belden

20 AWG BC conductors; PVC insulation; black/red pair shielded w/ Beldfoil®tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5402GE 009U1000	N-A	N-A




4 #20 PP FS FRPVC

Belden

4 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5402FE 008U500	N-A	N-A




1 FSPR + 2 #20 PVC PVC

Belden

1 FSPR + 2 #20 PVC PVC

Part Number	Weight	Min. Quantity
5402GE 010U1000	N-A	N-A



5402GE

Belden

20 AWG BC conductors; PVC insulation; black/red pair shielded w/ Beldfoil®tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5402GE	N-A	N-A




5402UE

Belden

20 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5402UE	N-A	N-A



1 FSPR + 2 #20 PVC PVC

Belden

1 FSPR + 2 #20 PVC PVC

Part Number	Weight	Min. Quantity
5402GE 001U1000	N-A	N-A



4 #20 PP FRPVC

Belden

4 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5402UE 0081000	N-A	N-A



5402UE 008U1000 – 4 #20 PP FRPVC



4 #20 PP FRPVC

Belden

4 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5402UE 008U1000	N-A	N-A



5403FE

Belden

20 AWG bare copper conductors; PP insulation; cabled; Beldfoil 000 shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5403FE	N-A	N-A



5 #20 PP FS FRPVC

Belden

5 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5403FE 008U1000	N-A	N-A



5 #20 PP FS FRPVC

Belden

5 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5403FE 008U1000	N-A	N-A



5403UE

Belden

20 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5403UE	N-A	N-A



5 #20 PP FRPVC

Belden

5 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5403UE 008U1000	N-A	N-A



5 #20 PVC FRPVC Commercial Applicat...

Belden

5 #20 PVC FRPVC

Part Number	Weight	Min. Quantity
5403UE 008U1000	N-A	N-A



5405FE

Belden

20 AWG bare copper conductors; PP insulation; cabled; Beldfoil 000 shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5405FE	N-A	N-A



7 #20 PP FS FRPVC

Belden

Multi-Conductor Cables 22AWG 7C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5405FE 008U1000	N-A	N-A



7 #20 PP FS FRPVC

Belden

7 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5405FE 008U1000	N-A	N-A

**5405UE****Belden**

20 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5405UE	N-A	N-A

**7 #20 PP FRPVC****Belden**

7 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5405UE 0081000	N-A	N-A

**5406UE****Belden**

20 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5406UE	N-A	N-A

**8 #20 PP FRPVC****Belden**

8 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5406UE 0081000	N-A	N-A

**8 #20 PP FRPVC****Belden**

8 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5406UE 008U1000	N-A	N-A

**5407FE****Belden**

20 AWG bare copper conductors; PP insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5407FE	N-A	N-A

**9 #20 PP FS FRPVC****Belden**

9 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5407FE 0081000	N-A	N-A

**5407UE****Belden**


20 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5407UE	N-A	N-A

**9 #20 PP FRPVC****Belden**

9 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5407UE 0081000	N-A	N-A

**5408UE****Belden**

20 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5408UE	N-A	N-A

5408UE 0081000 – 10 #20 PP FRPVC




10 #20 PP FRPVC

Belden

10 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5408UE 0081000	N-A	N-A



5421FE

Belden

20 AWG bare copper conductors; PVC insulation; conductors cabled; Beldfoil00Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5421FE	N-A	N-A



5409UE

Belden

20 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5409UE	N-A	N-A



3 #20 PP FS FRPVC

Belden

3 #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5421FE 008U1000	N-A	N-A



12 #20 PP FRPVC

Belden

12 #20 PP FRPVC

Part Number	Weight	Min. Quantity
5409UE 0081000	N-A	N-A



543945

Belden

20 AWG solid bare copper conductor; foam polyethylene insulation; bare copper braid shield; PVC jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
543945	N-A	N-A



540BUE

Belden

20 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
540BUE	N-A	N-A



RG-59/U COAX

Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
543945 0091000	0.033	N-A



20 #20 PVC PVC

Belden

20 #20 PVC PVC

Part Number	Weight	Min. Quantity
540BUE 0081000	N-A	N-A



RG-59/U COAX

Belden

Coaxial Cables 20AWG 1 SHIELD 500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
543945 009500	0.032	N-A

5439W5 0101000 – #20 PE/GIFHD SH PVC

**RG-59/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
543945 009U1000	0.031	N-A

**RG-59/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft BOX BLACK

Part Number	Weight	Min. Quantity
543945 010U500	0.032	N-A

**RG-59/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft BOX WHITE

Part Number	Weight	Min. Quantity
543945 009U500	0.032	N-A

**5439V5****Belden**

18 AWG solid bare copper conductor; gas-injected foam polyethylene insulation; bare copper braid shield (95&#37; coverage); water resistant tape; PVC jacket.

Part Number	Weight	Min. Quantity
5439V5	N-A	N-A

**RG-59/U COAX****Belden**

Coaxial Cables 20AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
543945 0101000	0.033	N-A

**#20 PE/GIFHD SH PVC****Belden**

#20 PE/GIFHD SH PVC

Part Number	Weight	Min. Quantity
5439V5 0101000	N-A	N-A

**RG-59/U COAX****Belden**

Coaxial Cables 20AWG 1C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
543945 010500	0.032	N-A

**5439W5****Belden**

20 AWG bare copper conductor; foam polyethylene insulation; Duobond shield (100&#37; coverage) plus a tinned copper braid shield (95&#37; coverage); Coreguard flooding grease; PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5439W5	N-A	N-A

**RG-59/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
543945 010U1000	0.031	N-A

**#20 PE/GIFHD SH PVC****Belden**

Coaxial Cables 20AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5439W5 0101000	N-A	N-A



5439W5 010500 – #20 PE/GIFHD SH PVC



#20 PE/GIFHD SH PVC

Belden

Coaxial Cables 20AWG 1C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5439W5 010500	N-A	N-A



#20 PE/GIFHD SH PVC

Belden

#20 PE/GIFHD SH PVC

Part Number	Weight	Min. Quantity
5439W5 010U1000	N-A	N-A



5439X5

Belden

20 AWG solid bare copper conductor; gas-injected foam polyethylene insulation; bare copper braid shield (95%#37; coverage); water resistant tape; PVC jacket.

Part Number	Weight	Min. Quantity
5439X5	N-A	N-A



RG-59/U COAX

Belden

Coaxial Cables 20AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5439X5 0101000	N-A	N-A



5441FE

Belden

20 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5441FE	N-A	N-A



2 PR #20 PP FS FRPVC

Belden

Multi-Paired Cables 22AWG 2PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5441FE 0081000	N-A	N-A



2 PR #20 PVC FS FRPVC Commercial Ap...

Belden

2 PR #20 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5441FE 008500	N-A	N-A



2 PR #20 PP FS FRPVC

Belden

2 PR #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5441FE 008U1000	N-A	N-A



5442FE

Belden

20 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5442FE	N-A	N-A



3 PR #20 PP FS FRPVC

Belden

3 PR #20 PP FS FRPVC


Part Number	Weight	Min. Quantity
5442FE 0081000	N-A	N-A



**3 PR #20 PP FS FRPVC****Belden**

3 PR #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5442FE 008U1000	N-A	N-A

**1#18;1RG-59/U COAX****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
549945 009500	0.053	N-A

**5445FE****Belden**

20 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5445FE	N-A	N-A

**1#18;1RG-59/U COAX****Belden**

Coaxial Cables 20AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
549945 0101000	0.049	N-A

**6 PR #20 PP FS FRPVC****Belden**

6 PR #20 PP FS FRPVC

Part Number	Weight	Min. Quantity
5445FE 0081000	N-A	N-A

**1#18;1RG-59/U COAX****Belden**

Coaxial Cables 20AWG 1C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
549945 010500	0.053	N-A

**549945****Belden**

20 AWG bare copper conductor; gas-injected foam high density polyethylene; bare copper braid shield; PVC jacket.

Part Number	Weight	Min. Quantity
549945	N-A	N-A

**1 #18 PR; 1 RG-59/U COAX****Belden**


Coaxial Cables 20AWG 1C UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5499X5 0101000	N-A	N-A

**1 #18 PR; 1 RG-59/U COAX****Belden**

Coaxial Cables 20AWG 1C SHIELD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
549945 0091000	0.049	N-A


**5500F1****Belden**

22 AWG tinned copper conductors; PVC insulation; cabled with overall water-blocking tape; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5500F1	N-A	N-A



5500F1 0081000 – 2 #22 PVC FS PVC

**2 #22 PVC FS PVC****Belden**


Multi-Conductor Cables 22AWG 2C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5500F1 0081000	17	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5500FE 008500	0.011	N-A

**2 #22 PVC FS PVC****Belden**

Multi-Conductor Cables 22AWG 2C STRAND 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5500F1 0101000	17	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5500FE 008U1000	0.011	N-A

**5500FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5500FE	N-A	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C SHIELD 500ft BOX GRAY

Part Number	Weight	Min. Quantity
5500FE 008U500	0.012	N-A

**2 #22 PP FS FRPVC Commercial Audio ...****Belden**

2 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5500FE 001U1000	N-A	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
5500FE 009U1000	0.011	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5500FE 0081000	0.011	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
5500FE 010U1000	0.011	N-A

5500UG 001U1000 – 2 #22 PP FRPVC Commercial Audio Sys...

5500UE



Belden

22 AWG bare copper conductors; PP insulation; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5500UE	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UE 008U500	N-A	N-A

2 #22 PO FRPVC



Belden

2 #22 PO FRPVC

Part Number	Weight	Min. Quantity
5500UE 005U1000	N-A	N-A

5500UG



Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5500UG	N-A	N-A

2 #22 PP FRPVC




Belden

Multi-Conductor Cables 22AWG 2C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5500UE 0081000	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 001C1000	N-A	N-A

2 #22 PP FRPVC




Belden

Multi-Conductor Cables 22AWG 2C UNSHLD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5500UE 008500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 001C500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UE 008U1000	N-A	N-A

2 #22 PP FRPVC Commercial Audio Sys...



Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5500UG 001U1000	N-A	N-A

5500UG 001U500 – 2 #22 PP FRPVC

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 001U500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 004U500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 003C500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 005C1000	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 003U500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 005C500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 004C1000	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 005U500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 004C500	N-A	N-A



2 #22 PP FRPVC Commercial Audio Sys...


Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5500UG 006C1000	N-A	N-A

5500UG 009C500 – 2 #22 PP FRPVC

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 006C500	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 008C1000	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 006U500	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 008C500	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 007C1000	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 008U1000	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 007C500	N-A	N-A

2 #22 PP FRPVC




Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 009C1000	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 007U500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 009C500	N-A	N-A

5500UG 009U1000 – 2 #22 PP FRPVC

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG 009U1000	N-A	N-A

2 #22 PP FRPVC Commercial Audio Sys...




Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5500UG 009U500	N-A	N-A

2 #22 PP FRPVC



Belden

Multi-Conductor Cables 22AWG 2C UNSHLD 1000ft SPOOL BEIGE

Part Number	Weight	Min. Quantity
5500UG U4FC1000	N-A	N-A

2 #22 PP FRPVC Commercial Audio Sys...



Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5500UG U4FC500	N-A	N-A

2 #22 PP FRPVC



Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5500UG U4FU500	N-A	N-A



5501FE

Belden

22 AWG bare copper conductors; PP insulation; conductors cabled; Beldfoil00Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5501FE	N-A	N-A

3 #22 PP FS FRPVC



Belden

Multi-Conductor Cables 22AWG 3C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5501FE 0081000	N-A	N-A

3 #22 PP FS FRPVC



Belden

Multi-Conductor Cables 22AWG 3C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5501FE 008500	N-A	N-A

3 #22 PP FS FRPVC



Belden

3 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5501FE 008U1000	N-A	N-A

3 #22 PP FS FRPVC




Belden

3 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5501FE 008U500	N-A	N-A

5502FE 0081000 – 4 #22 PP FS FRPVC

**5501G1****Belden**

22 AWG TC cond; PVC insul; black/red cond twisted into a pair and shielded w/Beldfoil tape and drain wire; cabled w/additional insul conductors(s) as indicated; water-blocking tape overall; PVC jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
5501G1	N-A	N-A

**1 FS PR + 1 #22 S-R PVC PVC****Belden**


1 FS PR + 1 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5501G1 0081000	N-A	N-A

**1 FS PR + 1 #22 S-R PVC PVC****Belden**

1 FS PR + 1 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5501G1 0101000	N-A	N-A

**5501GE****Belden**

22 AWG BC conductors; PVC insulation; black/red pair shielded w/Beldfoil tape (alum side facing in) and TC drain wire; cabled w/additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5501GE	N-A	N-A

**1FSPR + 1CDR #22 PVC FRPVC****Belden**

1FSPR + 1CDR #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5501GE 008U1000	N-A	N-A

**5501UE****Belden**

22 AWG bare copper conductors; PP insulation; PVC jacket with ripcord; sequential footage marking every two feet

Part Number	Weight	Min. Quantity
5501UE	N-A	N-A

**3 #22 PP FRPVC****Belden**

3 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5501UE 0081000	N-A	N-A

**3 #22 PP FRPVC****Belden**

3 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5501UE 008U1000	N-A	N-A

**5502FE****Belden**

22 AWG bare copper conductors; PP insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502FE	N-A	N-A

**4 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5502FE 0081000	0.018	N-A

5502FE 008500 – 4 #22 PP FS FRPVC

**4 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5502FE 008500	0.019	N-A

**5502G1****Belden**

22 AWG TC cond; PVC insul; black/red cond twisted into a pair and shielded w/Beldfoil 0.001Ω tape and drain wire; cabled w/additional insul conductors(s) as indicated; water-blocking tape overall; PVC jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
5502G1	N-A	N-A

**4 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5502FE 008U1000	0.019	N-A

**1 FS PR + 2 #22 S-R PVC PVC****Belden**

1 FS PR + 2 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5502G1 0081000	N-A	N-A

**4 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 500ft BOX GRAY

Part Number	Weight	Min. Quantity
5502FE 008U500	0.019	N-A

**1 FS PR + 2 #22 S-R PVC PVC****Belden**

1 FS PR + 2 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5502G1 008500	N-A	N-A

**5502FL****Belden**

22 AWG stranded (7x30) bare copper conductors; PP insulation; cabled; Beldfoil 0.001Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502FL	N-A	N-A

**1 FS PR + 2 #22 S-R PVC PVC Water-B...****Belden**


1 FS PR + 2 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5502G1 0101000	N-A	N-A

**4 #22 PO FS PVC****Belden**

4 #22 PO FS PVC

Part Number	Weight	Min. Quantity
5502FL 002U1000	N-A	N-A


**5502GE****Belden**

22 AWG BC conductors; PP insulation; black/red pair shielded w/ Beldfoil 0.001Ω tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502GE	N-A	N-A




5502UE 008U1000 – 4 #22 PP FRPVC

**1FSPR + 2 CDR #22 PP FRPVC****Belden**


Multi-Conductor Cables 22AWG 1PR STRAND 1000ft BOX BROWN

Part Number	Weight	Min. Quantity
5502GE 001U1000	0.017	N-A

**1FSPR + 2 CDR #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 1PR STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
5502GE 010U1000	0.017	N-A

**1FSPR + 2 CDR #22 PP FRPVC****Belden**


Multi-Conductor Cables 22AWG 1PR STRAND 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5502GE 0081000	0.019	N-A

**5502UE****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502UE	N-A	N-A

**1FSPR + 2 CDR #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 1PR STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5502GE 008U1000	0.017	N-A

**4 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5502UE 0081000	N-A	N-A

**1FSPR + 2 CDR #22 PP FRPVC Commerci...****Belden**

1FSPR + 2 CDR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502GE 008U500	N-A	N-A

**4 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5502UE 008C500	N-A	N-A

**1FSPR + 2 CDR #22 PP FRPVC Commerci...****Belden**

22 AWG BC conductors; PP insulation; black/red pair shielded w/ Beldfoil&reg;tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; Flamarrest&reg;jacket with ripcord. Sequential footage marking every two feet.<

Part Number	Weight	Min. Quantity
5502GE 009U1000	N-A	N-A

**4 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5502UE 008U1000	N-A	N-A



5502UE 008U500 – 4 #22 PP FRPVC



4 #22 PP FRPVC

Belden

Multi-Conductor Cables 22AWG 4C UNSHLD 500ft BOX GRAY

Part Number	Weight	Min. Quantity
5502UE 008U500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UE 0091000	N-A	N-A



4 #22 PP FRPVC Commercial Applicati...

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UE 009C500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UE 009U1000	N-A	N-A



5502UG

Belden

22 AWG stranded (7x30) bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5502UG	N-A	N-A



4 #22 PP FRPVC Commercial Applicati...

Belden

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502UG 001C1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 001C500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 001U1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 003C1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 003C500	N-A	N-A

5502UG 007C500 – 4 #22 PP FRPVC

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 004C1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 006C1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 004C500	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 006C500	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 004U1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 006U1000	N-A	N-A

4 #22 PP FRPVC Commercial Applicati...



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 005C1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 007C1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 005C500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 007C500	N-A	N-A

5502UG 007U1000 – 4 #22 PP FRPVC

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 007U1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 009C1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 008C1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 009C500	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 008C500	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 009U1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 008U1000	N-A	N-A



4 #22 PP FRPVC Commercial Applicati...

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG U4FC1000	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG 008U500	N-A	N-A

4 #22 PP FRPVC



Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG U4FC500	N-A	N-A

5504FE 0081000 – 6 #22 PP FS FRPVC

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5502UG U4FU1000	N-A	N-A

**5502UL****Belden**


22 AWG stranded (7x30) bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5502UL	N-A	N-A

**4 #22 PO PVC****Belden**


4 #22 PO PVC

Part Number	Weight	Min. Quantity
5502UL 002U1000	N-A	N-A

**5503FE****Belden**


22 AWG bare copper conductors; PO insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5503FE	N-A	N-A

**5 #22 PO FS FRPVC****Belden**

5 #22 PO FS FRPVC

Part Number	Weight	Min. Quantity
5503FE 0081000	N-A	N-A

**5503UE****Belden**

22 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5503UE	N-A	N-A

**5 #22 PVC FRPVC****Belden**


5 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5503UE 0081000	N-A	N-A

**5 #22 PVC FRPVC****Belden**

Multi-Conductor Cables 22AWG 5C UNSHLD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5503UE 008U1000	N-A	N-A

**5504FE****Belden**

22 AWG bare copper conductors; PP insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5504FE	N-A	N-A

**6 #22 PP FS FRPVC****Belden**

6 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5504FE 0081000	N-A	N-A

5504FE 008U1000 – 6 #22 PP FS FRPVC

**6 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 6C SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5504FE 008U1000	N-A	N-A

**1 FS PR + 4 #22 S-R PVC PVC****Belden**

1 FS PR + 4 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5504G1 0101000	N-A	N-A

**6 #22 PP FS FRPVC****Belden**


6 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5504FE 008U500	N-A	N-A

**5504UE****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5504UE	N-A	N-A

**5504G1****Belden**

22 AWG TC cond; PVC insul; black/red cond twisted into a pair and shielded w/Beldfoil tape and drain wire; cabled w/additional insul conductors(s) as indicated; water-blocking tape overall; PVC jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
5504G1	N-A	N-A

**6 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 6C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5504UE 0081000	N-A	N-A

**1 FS PR + 4 #22 S-R PVC PVC****Belden**

1 FS PR + 4 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5504G1 0081000	N-A	N-A

**6 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 6C UNSHLD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5504UE 008500	N-A	N-A

**1 FS PR + 4 #22 S-R PVC PVC Water-B...****Belden**

22 AWG TC conductors; PVC insulation; black/red cond twisted into a pair and shielded w/Beldfoil tape and drain wire; cabled w/additional insulation conductors(s) as indicated; water-blocking tape overall; PVC jacket with ripcord. Sequential footage marking every two

Part Number	Weight	Min. Quantity
5504G1 008500	N-A	N-A

**6 #22 PP FRPVC****Belden**

Multi-Conductor Cables 22AWG 6C UNSHLD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5504UE 008U1000	N-A	N-A



**6 #22 PP FRPVC****Belden**

6 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5504UE 009C500	N-A	N-A

**5506FE****Belden**

22 AWG bare copper conductors; PP insulation; cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5506FE	N-A	N-A

**6 #22 PP FRPVC****Belden**

6 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5504UE 009U1000	N-A	N-A

**8 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 8C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5506FE 0081000	N-A	N-A

**6 #22 PP FRPVC****Belden**

6 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5504UE 009U500	N-A	N-A

**8 #22 PP FS FRPVC****Belden**

8 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5506FE 008U1000	N-A	N-A

**5504UL****Belden**

22 AWG stranded (7x30) bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5504UL	N-A	N-A

**8 #22 PP FS FRPVC****Belden**

8 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5506FE 008U500	N-A	N-A

**6 #22 PO PVC****Belden**

6 #22 PO PVC

Part Number	Weight	Min. Quantity
5504UL 002U1000	N-A	N-A

**5506UE****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5506UE	N-A	N-A



5506UE 0081000 – 8 #22 PP FRPVC



8 #22 PP FRPVC

Belden

8 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5506UE 0081000	N-A	N-A



8 #22 PP FRPVC

Belden

8 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5506UE 008U1000	N-A	N-A



5508FE

Belden

22 AWG bare copper conductors; PP insulation; cabled; Beldfoil Ω shield tape (foil side out) with drain wire; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5508FE	N-A	N-A



10 #22 PO FS FRPVC

Belden

10 #22 PO FS FRPVC

Part Number	Weight	Min. Quantity
5508FE 0081000	N-A	N-A



10 #22 PO FS FRPVC

Belden

10 #22 PO FS FRPVC

Part Number	Weight	Min. Quantity
5508FE 008U1000	N-A	N-A



10 #22 PO FS FRPVC

Belden

10 #22 PO FS FRPVC

Part Number	Weight	Min. Quantity
5508FE 008U500	N-A	N-A



5508UE

Belden

22 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5508UE	N-A	N-A



10 #22 PO FRPVC

Belden

10 #22 PO FRPVC

Part Number	Weight	Min. Quantity
5508UE 0081000	N-A	N-A



10 #22 PO FRPVC

Belden

10 #22 PO FRPVC

Part Number	Weight	Min. Quantity
5508UE 008U1000	N-A	N-A



5509UE

Belden


22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5509UE	N-A	N-A

**12 #22 PP FRPVC****Belden**

12 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5509UE 0081000	N-A	N-A

**5520FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors cabled; Beldfoil 008 shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5520FE	N-A	N-A

**12 #22 PP FRPVC****Belden**

12 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5509UE 008U1000	N-A	N-A

**2 #22 PP FS FRPVC****Belden**

2 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5520FE 0081000	N-A	N-A

**12 #22 PP FRPVC Commercial Applicat...****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5509UE 008U500	N-A	N-A

**2 #22 PP FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5520FE 008C1000	N-A	N-A

**551945****Belden**

22 AWG bare copper conductor; foam polyethylene insulation; bare copper braid shield; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
551945	N-A	N-A

**2 #22 PP FS FRPVC****Belden**

2 #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5520FE 008U1000	N-A	N-A

**RG-59/U Coaxial Cable****Belden**

22 AWG bare copper conductor; foam polyethylene insulation; bare copper braid shield; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
551945 010U1000	N-A	N-A

**5520UE****Belden**

22 AWG bare copper conductors; PP insulation; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5520UE	N-A	N-A

5520UE 0081000 – 2 #22 PP FRPVC



2 #22 PP FRPVC

Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5520UE 0081000	N-A	N-A



5520UG

Belden

22 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5520UG	N-A	N-A



2 #22 PP FRPVC

Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5520UE 008C1000	N-A	N-A



5521FE

Belden

22 AWG bare copper conductors; PVC insulation; conductors cabled; Beldfoil® shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5521FE	N-A	N-A



2 #22 PP FRPVC

Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5520UE 008C500	N-A	N-A



3 #22 PVC FS FRPVC

Belden

3 #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5521FE 0081000	N-A	N-A



2 #22 PP FRPVC

Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5520UE 008U1000	N-A	N-A



3 #22 PVC FS FRPVC Commercial Audio...

Belden

22 AWG bare copper conductors; PVC insulation; conductors cabled; Beldfoil® shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5521FE 008U1000	N-A	N-A



2 #22 PP FRPVC

Belden

2 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5520UE 008U500	N-A	N-A



5521G1

Belden

22 AWG solid tinned copper conductors; PVC insulation; 1 pair with Beldfoil® shield and drain wire; inner waterblocking tape cabled with 2 unshielded pairs; overall waterblocking tape; overall PVC jacket.

Part Number	Weight	Min. Quantity
5521G1	N-A	N-A



**1 FS PR + 1 #22 S-R PVC PVC Water-B...****Belden**


1 FS PR + 1 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5521G1 0081000	N-A	N-A

**4 #22 PVC FS FRPVC****Belden**


4 #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5522FL 002U1000	N-A	N-A

**1 FS PR + 1 #22 S-R PVC PVC****Belden**


1 FS PR + 1 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5521G1 008500	N-A	N-A

**5522G1****Belden**

22 AWG TC cond; PVC insul; black/red cond twisted into a pair and shielded w/Beldfoil 00Ω tape and drain wire; cabled w/additional insul conductors(s) as indicated; water-blocking tape overall; PVC jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
5522G1	N-A	N-A

**1 FS PR + 1 #22 S-R PVC PVC****Belden**

1 FS PR + 1 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5521G1 0101000	N-A	N-A

**1 FS PR + 2 #22 S-R PVC PVC Water-B...****Belden**

1 FS PR + 2 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5522G1 0081000	N-A	N-A

**5522FL****Belden**

22 AWG bare copper conductors; PVC insulation; conductors cabled together; Beldfoil 00Ω shield and drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5522FL	N-A	N-A

**1 FS PR + 2 #22 S-R PVC PVC****Belden**

1 FS PR + 2 #22 S-R PVC PVC

Part Number	Weight	Min. Quantity
5522G1 0101000	N-A	N-A

**4 #22 PVC FS FRPVC****Belden**

4 #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5522FL 0021000	N-A	N-A

**5522UE****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5522UE	N-A	N-A

5522UE 0081000 – 4 #22 PP FRPVC

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5522UE 0081000	N-A	N-A

**4 #22 PVC FRPVC Commercial Applicat...****Belden**

22 AWG bare copper conductors; Flamarrest® insulation; cabled together; Flamarrest® jacket with ripcord; shielded version has overall Beldfoil® shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5522UL 0021000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5522UE 008U1000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5522UL 002U1000	N-A	N-A

**5522UG****Belden**

22 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5522UG	N-A	N-A

**5524G1****Belden**

22 AWG solid tinned copper conductors; PVC insulation; 1 pair with Beldfoil® shield and drain wire; inner waterblocking tape cabled with 2 unshielded conductors; overall waterblocking tape; overall PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5524G1	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5522UG 009C500	N-A	N-A

**1 FS PR #22; 4 #22 PVC FS PVC****Belden**

1 FS PR #22; 4 #22 PVC FS PVC

Part Number	Weight	Min. Quantity
5524G1 0081000	N-A	N-A

**5522UL****Belden**

22 AWG bare copper conductors; PVC insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.


Part Number	Weight	Min. Quantity
5522UL	N-A	N-A

**1 FS PR #22; 4 #22 PVC FS PVC****Belden**

1 FS PR #22; 4 #22 PVC FS PVC

Part Number	Weight	Min. Quantity
5524G1 0101000	N-A	N-A

5529UE 008U1000 – 12 #22 PVC FRPVC Commercial Applica...

**5524UE****Belden**

22 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5524UE	N-A	N-A

**8 #22 PVC FRPVC****Belden**

8 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5526UE 0081000	N-A	N-A

**6 #22 PVC FRPVC****Belden**

6 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5524UE 0081000	N-A	N-A

**5526UL****Belden**

22 AWG bare copper conductors; PVC insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5526UL	N-A	N-A

**5524UL****Belden**

22 AWG bare copper conductors; PVC insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5524UL	N-A	N-A

**5529UE****Belden**

22 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5529UE	N-A	N-A

**6 #22 PVC FRPVC****Belden**

6 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5524UL 002U1000	N-A	N-A

**12 #22 PVC FRPVC****Belden**

12 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5529UE 0081000	N-A	N-A

**5526UE****Belden**

22 AWG Bare copper conductors; PVC insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5526UE	N-A	N-A

**12 #22 PVC FRPVC Commercial Applica...****Belden**

12 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5529UE 008U1000	N-A	N-A



5540FT – 5540FT

**5540FT****Belden**

22 AWG stranded (7x30) tinned copper conductors; Datalene insulation; twisted pairs; overall Beldfoil shield (100% coverage); 22 AWG stranded tinned copper drain wire; PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5540FT	N-A	N-A

**2 PR #22 PVC FS FRPVC Commercial Ap...****Belden**

2 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5541FE 008U500	N-A	N-A

**1 FS PR #22 FHDPE FRPVC****Belden**

Multi-Conductor Cables 22AWG 1PR SHIELD 1000ft SPOOL BROWN

Part Number	Weight	Min. Quantity
5540FT 0011000	N-A	N-A

**5541P1****Belden**

22 AWG stranded bare copper conductors; 2 STP; PVC insulation; individual Beldfoil shield and drain wire; individual waterblock tape per pair; overall PVC jacket.

Part Number	Weight	Min. Quantity
5541P1	N-A	N-A

**5541FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5541FE	N-A	N-A

**2 FS PR #22 PVC FS PVC****Belden**

2 FS PR #22 PVC FS PVC

Part Number	Weight	Min. Quantity
5541P1 0081000	N-A	N-A

**2 PR #22 PVC FS FRPVC****Belden**

Multi-Conductor Cables 22AWG 2PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5541FE 0081000	N-A	N-A

**2 FS PR #22 PVC FS PVC****Belden**

2 FS PR #22 PVC FS PVC

Part Number	Weight	Min. Quantity
5541P1 0101000	N-A	N-A

**2 PR #22 PVC FS FRPVC****Belden**

2 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5541FE 008U1000	N-A	N-A

**5541PT****Belden**

22 AWG stranded (7x30) tinned copper conductors; Datalene insulation; Individually Beldfoil shielded twisted pairs each with 22 AWG stranded tinned copper drain wire; PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5541PT	N-A	N-A

**2 FS PR #22 FHDPE FRPVC****Belden**

2 FS PR #22 FHDPE FRPVC

Part Number	Weight	Min. Quantity
5541PT 0011000	N-A	N-A

**5541UE****Belden**

22 AWG bare copper conductors; PO insulation; conductors twisted into pairs; multiple pairs cabled together; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5541UE	N-A	N-A

**2 PR #22 PP FRPVC****Belden**

2 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5541UE 0081000	N-A	N-A

**2 PR #22 PP FRPVC****Belden**

2 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5541UE 008U1000	N-A	N-A

**5542FE****Belden**

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil 00Ω shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5542FE	N-A	N-A

**3 PR #22 PVC FS FRPVC****Belden**


Multi-Paired Cables 22AWG 3PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5542FE 0081000	N-A	N-A

**3 PR #22 PVC FS FRPVC****Belden**

Multi-Paired Cables 22AWG 3PR SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
5542FE 008U1000	N-A	N-A

**5542GE****Belden**

22 AWG BC conductors; PVC insulation; black/red pair shielded w/ Beldfoil 00Ω tape (alum side facing in) and TC drain wire; cabled w/ additional insulated conductor(s) as indicated; PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5542GE	N-A	N-A

**FSPR + 2PR #22 PVC FRPVC****Belden**

FSPR + 2PR #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5542GE 008U1000	N-A	N-A

**5542UE****Belden**

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5542UE	N-A	N-A



5542UE 0081000 – 3 PR #22 PP FRPVC



3 PR #22 PP FRPVC

Belden

3 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5542UE 0081000	N-A	N-A



3 PR #22 PP FRPVC

Belden

3 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5542UE 008U1000	N-A	N-A



3 PR #22 PVC FRPVC Commercial Appli...

Belden

3 PR #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5542UE 008U500	N-A	N-A



5543FE

Belden

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5543FE	N-A	N-A



5543PE

Belden

22 AWG BC conductors; PVC insulation; conductors twisted into pairs and individually shielded with Beldfoil tape (alum side facing in) and a drain wire; multiple pairs cabled together; PVC jacket with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
5543PE	N-A	N-A

4 FS PR #22 PVC PVC

Belden

4 FS PR #22 PVC PVC

Part Number	Weight	Min. Quantity
5543PE 0081000	N-A	N-A

5543UE

Belden

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5543UE	N-A	N-A

4 PR #22 PP FRPVC

Belden

4 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5543UE 0081000	N-A	N-A



4 PR #22 PVC FS FRPVC

Belden

4 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5543FE 0081000	N-A	N-A



4 PR #22 PP FRPVC

Belden

4 PR #22 PP FRPVC

Part Number	Weight	Min. Quantity
5543UE 008U1000	N-A	N-A




5562FE 0081000 – 3 PR #22 PP FS PVC

**5545FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5545FE	N-A	N-A

**5561FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5561FE	N-A	N-A

**6 PR #22 PP FS FRPVC****Belden**

6 PR #22 PP FS FRPVC

Part Number	Weight	Min. Quantity
5545FE 0081000	N-A	N-A

**2 PR #22 PVC FS FRPVC****Belden**


2 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5561FE 0081000	N-A	N-A

**6 PR #22 PVC FS FRPVC Commercial Ap...****Belden**

6 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5545FE 008U1000	N-A	N-A

**2 PR #22 PVC FS FRPVC****Belden**

2 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5561FE 008U1000	N-A	N-A

**5547UE****Belden**

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5547UE	N-A	N-A

**5562FE****Belden**

22 AWG bare copper conductors; PP insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5562FE	N-A	N-A

**9 PR #22 PVC FRPVC****Belden**

9 PR #22 PVC FRPVC


Part Number	Weight	Min. Quantity
5547UE 0081000	N-A	N-A

**3 PR #22 PP FS PVC****Belden**

3 PR #22 PP FS PVC

Part Number	Weight	Min. Quantity
5562FE 0081000	N-A	N-A

5562FE 008U1000 – 3 PR #22 PP FS PVC

**3 PR #22 PP FS PVC****Belden**

3 PR #22 PP FS PVC

Part Number	Weight	Min. Quantity
5562FE 008U1000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE 008U1000	N-A	N-A

**5563FE****Belden**

22 AWG bare copper conductors; PVC insulation; conductors twisted into pairs; multiple pairs cabled together; overall Beldfoil shield (foil side out) and drain wire; overall PVC jacket with rip cord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5563FE	N-A	N-A

**4 #22 PVC FRPVC Commercial Applicat...****Belden**

4 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5582UE 008U500	N-A	N-A

**4 PR #22 PVC FS FRPVC Commercial Ap...****Belden**

4 PR #22 PVC FS FRPVC

Part Number	Weight	Min. Quantity
5563FE 008U1000	N-A	N-A

**4 #22 PVC FRPVC Commercial Applicat...****Belden**

4 #22 PVC FRPVC

Part Number	Weight	Min. Quantity
5582UE 0091000	N-A	N-A

**5582UE****Belden**

22 AWG Bare copper conductors; PP insulation; PVC jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5582UE	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE 009C500	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC


Part Number	Weight	Min. Quantity
5582UE 0081000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE 009U1000	N-A	N-A

5582UG 008U1000 – 4 #22 PP FRPVC Commercial Applicati...

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE U4F1000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 001C500	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE U4FC500	N-A	N-A

**4 #22 PP FRPVC Commercial Applicati...****Belden**

22 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5582UG 001U1000	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UE U4FU500	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 008C1000	N-A	N-A

**5582UG****Belden**

22 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5582UG	N-A	N-A

**4 #22 PP FRPVC****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 008C500	N-A	N-A

**4 #22 PP FRPVC Commercial Applicati...****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 001C1000	N-A	N-A

**4 #22 PP FRPVC Commercial Applicati...****Belden**

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 008U1000	N-A	N-A

5582UG 009C1000 – 4 #22 PP FRPVC



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 009C1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 009C500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG 009U1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG U4FC1000	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG U4FC500	N-A	N-A



4 #22 PP FRPVC

Belden

4 #22 PP FRPVC

Part Number	Weight	Min. Quantity
5582UG U4FU1000	N-A	N-A



5584G1

Belden

22 AWG solid tinned copper conductors; PVC insulation; 1 pair with Beldfoil shield and drain wire; inner waterblocking tape cabled with 2 unshielded pairs; overall waterblocking tape; overall PVC jacket.

Part Number	Weight	Min. Quantity
5584G1	N-A	N-A



1 FS PR; 2 PR #22 PVC PVC

Belden

1 FS PR; 2 PR #22 PVC PVC

Part Number	Weight	Min. Quantity
5584G1 0081000	N-A	N-A



1 FS PR; 2 PR #22 PVC PVC

Belden

1 FS PR; 2 PR #22 PVC PVC

Part Number	Weight	Min. Quantity
5584G1 0101000	N-A	N-A



558AFJ

Belden

3 pr. - 22 stranded (7x30) BC cond.; PVC insul.; Beldfoil shield; drain wire; PVC jacket; 10 cond. - 22 AWG stranded (7x30) & 18 AWG (7x26) BC cond.; PVC insul.; Beldfoil shield; drain wire; PVC jacket with ripcord; overall PVC jacket.

Part Number	Weight	Min. Quantity
558AFJ	N-A	N-A



558GFS 000500 – BONDED FILLER Composite Lock Power;...

COMPOSITE CABLE FRPVC



Belden

COMPOSITE CABLE FRPVC

Part Number	Weight	Min. Quantity
558AFJ 0041000	N-A	N-A

Composite Cable FRPVC Lock Power; C...



Belden

3 pr. - 22 stranded (7x30) BC cond.; PVC insul.; Beldfoil®shield; drain wire; PVC jacket; 10 cond. - 22 AWG stranded (7x30) & 18 AWG (7x26) BC cond.; PVC insul.; Beldfoil®shield; drain wire; PVC jacket with ripcord; overall PVC jacket.

Part Number	Weight	Min. Quantity
558AFJ 004500	N-A	N-A

558AFS



Belden

18 AWG stranded bare copper conductors; PP insulation; PVC jackets; no overall jacket; all cables are Beldfoil®shielded; cable jackets are color coded by application; individual jacket is sequentially marked at two foot intervals.

Part Number	Weight	Min. Quantity
558AFS	N-A	N-A

4C18 + 4C22 + 3P22 + 2C22 SHLD



Belden

Multi-Paired Cables 18AWG 3PR SHIELD 1000ft SPOOL NO COLR

Part Number	Weight	Min. Quantity
558AFS 0001000	N-A	N-A

4C18 + 4C22 + 3P22 + 2C22 SHLD



Belden

Multi-Paired Cables 18AWG 3PR SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
558AFS 000500	N-A	N-A

558ANH



Belden

3 pr. - 22 AWG stranded (7x30) BC conductors; polyolefin insul.; Beldfoil®shield; drain wire; LSZH jacket; ripcord; 10 cond. - (6-22AWG stranded (7x30); 4-18 AWG stranded (7x26) cond.); polyolefin insul.; Beldfoil®shield; drain wire; LSZH jacket; ripcord.

Part Number	Weight	Min. Quantity
558ANH	N-A	N-A

4C18 + 4C22 + 3P22 + 2C22 SHLD



Belden

4C18 + 4C22 + 3P22 + 2C22 SHLD

Part Number	Weight	Min. Quantity
558ANH 0001000	N-A	N-A

558GFS



Belden

6 Pairs - 22 AWG stranded (7x30) BC conductors; F-R PVC insul.; Beldfoil®shield; drain wire; F-R PVC jacket w/ripcord; 6 conductors - 22 & 18 AWG stranded BC conductors; F-R PVC insul.; Beldfoil®shield; drain wire; F-R PVC jacket w/ripcord.

Part Number	Weight	Min. Quantity
558GFS	N-A	N-A

BONDED FILLER Composite Lock Power;...



Belden

6 Pairs - 22 AWG stranded (7x30) BC conductors; LS PVC insul.; Beldfoil®shield; drain wire; LS PVC jacket w/ripcord; 6 conductors - 22 & 18 AWG stranded BC conductors; LS PVC insul.; Beldfoil®shield; drain wire; LS PVC jacket w/ripcord.

Part Number	Weight	Min. Quantity
558GFS 0001000	N-A	N-A

BONDED FILLER Composite Lock Power;...



Belden

6 Pairs - 22 AWG stranded (7x30) BC conductors; LS PVC insul.; Beldfoil®shield; drain wire; LS PVC jacket w/ripcord; 6 conductors - 22 & 18 AWG stranded BC conductors; LS PVC insul.; Beldfoil®shield; drain wire; LS PVC jacket w/ripcord.

Part Number	Weight	Min. Quantity
558GFS 000500	58	N-A



558GMS 0001000 – 4C18 + 4C22 + 6C22 SHLD + 4C22



4C18 + 4C22 + 6C22 SHLD + 4C22

Belden

4C18 + 4C22 + 6C22 SHLD + 4C22

Part Number	Weight	Min. Quantity
558GMS 0001000	N-A	N-A



5600FE

Belden

24 AWG bare copper conductors; PVC insulation; conductors cabled; Beldfoil shield tape (foil side out) with drain wire; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5600FE	N-A	N-A



5624UG

Belden

24 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5624UG	N-A	N-A



6 #24 PP PVC

Belden

6 #24 PP PVC

Part Number	Weight	Min. Quantity
5624UG F6H1000	N-A	N-A



5626UG

Belden

24 AWG solid bare copper conductors; polypropylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
5626UG	N-A	N-A



8 #24 PP PVC

Belden

8 #24 PP PVC

Part Number	Weight	Min. Quantity
5626UG F6H1000	N-A	N-A



5660FT

Belden

24 AWG solid tinned copper conductors; Datalene insulation; twisted pairs; overall Beldfoil shield (100% coverage); 24 AWG solid tinned copper drain wire; PVC jacket. Sequential footage marked every two feet.

Part Number	Weight	Min. Quantity
5660FT	N-A	N-A



1 FS PR #24 FHDPE FRPVC

Belden

1 FS PR #24 FHDPE FRPVC

Part Number	Weight	Min. Quantity
5660FT 0011000	N-A	N-A



5661PT

Belden

24 AWG solid tinned copper conductors; Datalene insulation; Individually Beldfoil shielded twisted pairs each with 24 AWG solid tinned copper drain wire; PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5661PT	N-A	N-A



2 FS PR #24 FHDPE FRPVC Thermostat ...

Belden

2 FS PR #24 FHDPE FRPVC

Part Number	Weight	Min. Quantity
5661PT 0011000	N-A	N-A

5663U6 010500 – 4 PR #24 PO FRPVC

**5662UG****Belden**

24 AWG solid bare copper conductors; polyolefin insulation; PVC jacket; rip cord.

Part Number	Weight	Min. Quantity
5662UG	N-A	N-A

**4 PR #24 PO PVC****Belden**

4 PR #24 PO PVC

Part Number	Weight	Min. Quantity
5663U5 010U500	N-A	N-A

**3 PR #24 PP FRPVC****Belden**

3 PR #24 PP FRPVC

Part Number	Weight	Min. Quantity
5662UG F6H1000	N-A	N-A

**5663U6****Belden**


24 AWG Solid Bare Copper Conductors; Polyolefin Insulation; Twisted Pairs; Ripcord; PVC Jacket.

Part Number	Weight	Min. Quantity
5663U6	N-A	N-A

**5663U5****Belden**

24 AWG solid bare copper conductors; polyolefin insulation; twisted pairs; rip cord; PVC jacket.

Part Number	Weight	Min. Quantity
5663U5	N-A	N-A

**4 PR #24 PO FRPVC****Belden**


4 PR #24 PO FRPVC

Part Number	Weight	Min. Quantity
5663U6 0091000	N-A	N-A

**4 PR #24 PO PVC****Belden**

4 PR #24 PO PVC

Part Number	Weight	Min. Quantity
5663U5 009U1000	N-A	N-A

**4 PR #24 PO FRPVC****Belden**

4 PR #24 PO FRPVC

Part Number	Weight	Min. Quantity
5663U6 0101000	N-A	N-A

**4 PR #24 PO PVC****Belden**

4 PR #24 PO PVC

Part Number	Weight	Min. Quantity
5663U5 010U1000	N-A	N-A

**4 PR #24 PO FRPVC****Belden**

4 PR #24 PO FRPVC

Part Number	Weight	Min. Quantity
5663U6 010500	N-A	N-A

573945 – 573945

**573945****Belden**

25 AWG bare copper conductor; foam polyethylene insulation; bare copper braid shield; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
573945	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0061000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 001U1000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 006U1000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0021000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0091000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0041000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0101000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC

Part Number	Weight	Min. Quantity
573945 0051000	N-A	N-A

**#25 GIFHDPE BRD PVC****Belden**

#25 GIFHDPE BRD PVC


Part Number	Weight	Min. Quantity
573945 010U1000	N-A	N-A



**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
5788AV 0001000	N-A	N-A

**1 #20 PR;1#25 COAX PVC PARA****Belden**

Coaxial Cables 25AWG 1C SHIELD 500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
579945 009500	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
5788AV 000250	N-A	N-A

**1 #20 PR;1#25 COAX PVC PARA****Belden**

Coaxial Cables 25AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
579945 0101000	N-A	N-A

**Bonded Filler Composite Audio and V...****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
5788AV 0091000	N-A	N-A

**580040****Belden**

580040

Part Number	Weight	Min. Quantity
580040	N-A	N-A

**Bonded Filler Composite Audio and V...****Belden**

Coaxial Cables 6CX 25AWG 2PR 22AWG 250' SPOOL WHITE

Part Number	Weight	Min. Quantity
5788AV 009250	N-A	N-A

**580065****Belden**

18 AWG stranded (7x26) bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
580065	N-A	N-A

**579945****Belden**

25 AWG bare copper conductor; foam polyolefin insulation; bare copper braid shield; PVC jacket

Part Number	Weight	Min. Quantity
579945	N-A	N-A

**580088****Belden**

18 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
580088	N-A	N-A

580106 – 580106

**580106****Belden**


12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580106	N-A	N-A

**580120****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
580120	N-A	N-A

**580125****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
580125	N-A	N-A

**580157****Belden**


11 - 14 AWG solid bare copper conductors plus 1 - 12 AWG solid bare copper conductor; PVC/Nylon insulation; LLDPE jacket.

Part Number	Weight	Min. Quantity
580157	N-A	N-A

**580159****Belden**

27 - 14 AWG solid bare copper conductors plus 1 - 10 AWG solid bare copper conductor; PVC/Nylon insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580159	N-A	N-A

**580206****Belden**

14 AWG stranded (19x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
580206	N-A	N-A

**#14 STR PVC/Nylon PVC****Belden**

Color: ORANGE

Part Number	Weight	Min. Quantity
580206 0032500	75	N-A

**#14 STR PVC/Nylon PVC****Belden**

Color: ORANGE

Part Number	Weight	Min. Quantity
580206 0035000	150	N-A

**#14 STR PVC/Nylon PVC****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580206 0102500	75	N-A

**#14 STR PVC/Nylon PVC****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580206 0105000	150	N-A

580461 – 580461

**580228****Belden**

14 AWG solid bare copper conductors; PVC/Nylon insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580228	N-A	N-A

**580307****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580307	N-A	N-A

**580229****Belden**

14 AWG solid bare copper conductors; PVC/Nylon insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580229	N-A	N-A

**580314****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
580314	N-A	N-A

**580263****Belden**

14 AWG stranded (19x26) bare copper conductors; PVC/Nylon insulation; HDPE jacket.

Part Number	Weight	Min. Quantity
580263	N-A	N-A

**580374****Belden**

8 - 14 AWG solid bare copper conductors plus 1 - 12 AWG solid bare copper conductor; PVC/Nylon insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
580374	N-A	N-A

**#14 STR PVC/Nylon HDPE****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580263 0102500	75	N-A

**580382****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
580382	N-A	N-A

**#14 STR PVC/Nylon HDPE****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580263 0105000	150	N-A

**580461****Belden**

20 AWG stranded (7x28) tinned copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
580461	N-A	N-A

580461 0105000 – 3 #20 HDPE FS PVC

**3 #20 HDPE FS PVC****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580461 0105000	200	N-A

**580481****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
580481	N-A	N-A

580706**Belden**

12 AWG stranded (19x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
580706	N-A	N-A

#12 STR PVC/Nylon PVC**Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
580706 0105000	150	N-A

580708**Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
580708	N-A	N-A

**580902****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape; LDPE jacket.

Part Number	Weight	Min. Quantity
580902	N-A	N-A

**580950****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
580950	N-A	N-A

**581061****Belden**

14 AWG stranded (19x27) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
581061	N-A	N-A

2C14 PE OS PE 600V IMSA 50-2**Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
581061 0105000	350	N-A

581164**Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
581164	N-A	N-A



**581258****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
581258	N-A	N-A

**581694****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
581694	N-A	N-A

**581329****Belden**

18 AWG stranded (7x26) bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
581329	N-A	N-A

**581710****Belden**


8 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
581710	N-A	N-A

**581356****Belden**

10 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
581356	N-A	N-A

**581718****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
581718	N-A	N-A

**581570****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
581570	N-A	N-A

**581719****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
581719	N-A	N-A

**581665****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
581665	N-A	N-A

**581735****Belden**

18 AWG stranded (7x26) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
581735	N-A	N-A

581751 – 581751

**581751****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
581751	N-A	N-A

**581923****Belden**

14 AWG stranded (19x26) bare copper conductors; XLPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
581923	N-A	N-A

**581761****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
581761	N-A	N-A

**581959****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
581959	N-A	N-A

**581855****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
581855	N-A	N-A

**581967****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; PVC jacket.

Part Number	Weight	Min. Quantity
581967	N-A	N-A

**581857****Belden**

12 AWG stranded (7x20) bare copper conductors HDPE insulation; steel messenger; PVC jacket.

Part Number	Weight	Min. Quantity
581857	N-A	N-A

**582015****Belden**

18 AWG stranded (7x26) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
582015	N-A	N-A

**581922****Belden**

19 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
581922	N-A	N-A

**582018****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
582018	N-A	N-A

5T00UP 008500 – 2 #10 PVC FRPVC

**582020****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
582020	N-A	N-A

**582021****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
582021	N-A	N-A

**582024****Belden**

16 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
582024	N-A	N-A

**582100****Belden**

14 AWG stranded (19x26) bare copper conductors; XLPE insulation.

Part Number	Weight	Min. Quantity
582100	N-A	N-A

**582115****Belden**

14 AWG stranded (19x26) bare copper conductors; XLPE insulation; HDPE jacket.

Part Number	Weight	Min. Quantity
582115	N-A	N-A

**582116****Belden**


12 AWG stranded (19x24) bare copper conductors; PVC/Nylon insulation; HDPE jacket.

Part Number	Weight	Min. Quantity
582116	N-A	N-A

**#12 STR PVC/Nylon HDPE Polyvinyl Ch...****Belden**

12 AWG stranded (19x24) bare copper conductors; PVC/Nylon insulation; HDPE jacket.

Part Number	Weight	Min. Quantity
582116 0105000	150	N-A

**5T00UP****Belden**

10 AWG bare high-conductivity ETP copper conductors; highly stranded for ultra flexibility; high-grade PVC insulation; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5T00UP	N-A	N-A

**2 #10 PVC FRPVC****Belden**

Multi-Conductor Cables 10AWG 2C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5T00UP 0081000	95	N-A

**2 #10 PVC FRPVC****Belden**

Multi-Conductor Cables 10AWG 2C UNSHLD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
5T00UP 008500	49	N-A

5T00UP 0091000 – 2 #10 PVC FRPVC Commercial Audio Sy...



2 #10 PVC FRPVC Commercial Audio Sy...

Belden

10 AWG bare copper conductors; Flamarrest® insulation; conductors cabled; Flamarrest® jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
5T00UP 0091000	N-A	N-A



2 #12 FLRST FS FLRST

Belden

2 #12 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6000FL 0021000	N-A	N-A



2 #10 PVC FRPVC

Belden

Multi-Conductor Cables 10AWG 2C UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
5T00UP 0101000	95	N-A



6000UE

Belden

12 AWG bare copper conductors; Flamarrest® insulation; conductors cabled; Flamarrest® jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6000UE	N-A	N-A



6000FE

Belden

12 AWG bare copper conductors; Flamarrest® insulation; conductors cabled; Overall Beldfoil® tape shield (foil side out) and drain wire; Flamarrest® jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6000FE	N-A	N-A



2 #12 FLRST FLRST

Belden

Multi-Conductor Cables 12AWG 2C STRAND 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
6000UE 0101000	0.055	N-A



2 #12 FLRST FS FLRST

Belden

Multi-Conductor Cables 12AWG 2C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6000FE 8771000	0.068	N-A



2 #12 FLRST FLRST

Belden

Multi-Conductor Cables 12AWG 2C STRAND 1SPOOL PINK

Part Number	Weight	Min. Quantity
6000UE 0121000	55	N-A



2 #12 FLRST FS FLRST Commercial Aud...

Belden

2 #12 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6000FE 877500	N-A	N-A



2 #12 FLRST FLRST

Belden

Multi-Conductor Cables 12AWG 2C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6000UE 8771000	0.055	N-A

601137 0105000 – 4C14 PE PVC 600V IMSA 19-1 Multicon...

**2 #12 FLRST FLRST****Belden**

Multi-Conductor Cables 12AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6000UE 877500	0.056	N-A

**4 #12 FLRST FLRST****Belden**

Multi-Conductor Cables 12AWG 4C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6002UE 8771000	N-A	N-A

**2 #12 FLRST FLRST****Belden**

2 #12 FLRST FLRST

Part Number	Weight	Min. Quantity
6000UL 0021000	N-A	N-A

**1 RG59 + 1 UTP 23 + 2C18****Belden**

Multi-Paired Cables 20AWG 1C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
600PTZ 0001000	N-A	N-A

**6001UE****Belden**

12 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6001UE	N-A	N-A

**1 RG59 + 1 UTP 23 + 2C18 Composite ...****Belden**

1 RG59 + 1 UTP 23 + 2C18

Part Number	Weight	Min. Quantity
600PTZ 000500	N-A	N-A

**3 #12 FLRST FLRST****Belden**

3 #12 FLRST FLRST

Part Number	Weight	Min. Quantity
6001UE 8771000	N-A	N-A

**601137****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601137	N-A	N-A

**6002UE****Belden**

12 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6002UE	N-A	N-A

**4C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601137 0105000	550	N-A



601140 – 601140

**601140****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601140	N-A	N-A

**601143****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601143	N-A	N-A

**601141****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601141	N-A	N-A

**601144****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601144	N-A	N-A

**3C14 PE PE 600V IMSA 20-1 Multicond...****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601141 0105000	350	N-A

**601145****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601145	N-A	N-A

**601142****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601142	N-A	N-A

**601146****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601146	N-A	N-A

**4C14 PE PE 600V IMSA 20-1 Multicond...****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601142 0105000	500	N-A

**601147****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601147	N-A	N-A

**601148****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601148	N-A	N-A

**601158****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601158	N-A	N-A

**601150****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601150	N-A	N-A

**601176****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601176	N-A	N-A

**601153****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601153	N-A	N-A

**3C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601176 0102500	200	N-A

**601154****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601154	N-A	N-A

**3C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601176 0105000	400	N-A

**601157****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601157	N-A	N-A

**601177****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601177	N-A	N-A

601179 – 601179

**601179****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601179	N-A	N-A

**601188****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601188	N-A	N-A

**601180****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601180	N-A	N-A

**601189****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601189	N-A	N-A

**601181****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601181	N-A	N-A

**601190****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601190	N-A	N-A

**601182****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601182	N-A	N-A

**601192****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601192	N-A	N-A

**601186****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601186	N-A	N-A

**601193****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601193	N-A	N-A

**601194****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601194	N-A	N-A

**601195****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601195	N-A	N-A

**3C14 PE PE 600V IMSA 20-1 Multicond...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601195 0102500	175	N-A

**3C14 PE PE 600V IMSA 20-1 Multicond...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601195 0105000	400	N-A

**601196****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601196	N-A	N-A

**4C14 PEPE 600V IMSA 20-1 Multicondu...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601196 0105000	500	N-A

**601197****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601197	N-A	N-A

**601198****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601198	N-A	N-A

**601199****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601199	N-A	N-A

**601200****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601200	N-A	N-A

601201 – 601201

**601201****Belden**


14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601201	N-A	N-A

**601202****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601202	N-A	N-A

**601203****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601203	N-A	N-A

**3C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601203 0102500	200	N-A

**3C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601203 0105000	400	N-A

**601204****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601204	N-A	N-A

**601205****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601205	N-A	N-A

**601206****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601206	N-A	N-A

**601207****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601207	N-A	N-A

**601208****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601208	N-A	N-A

**601209****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601209	N-A	N-A

**601214****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601214	N-A	N-A

**601210****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601210	N-A	N-A

**601216****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601216	N-A	N-A

**601211****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601211	N-A	N-A

**601217****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601217	N-A	N-A

**601212****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601212	N-A	N-A

**601218****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601218	N-A	N-A

**601213****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601213	N-A	N-A

**601219****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601219	N-A	N-A

601221 – 601221

**601221****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
601221	N-A	N-A

**601258****Belden**

12 AWG solid bare copper covered steel conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601258	N-A	N-A

**601222****Belden**

16 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
601222	N-A	N-A

**601316****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601316	N-A	N-A

**601227****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601227	N-A	N-A

**601320****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601320	N-A	N-A

**601256****Belden**

12 AWG solid bare copper covered steel conductors; HDPE insulation.

Part Number	Weight	Min. Quantity
601256	N-A	N-A

**601321****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601321	N-A	N-A

**601257****Belden**

14 AWG solid bare copper covered steel conductors; HDPE insulation.

Part Number	Weight	Min. Quantity
601257	N-A	N-A

**601322****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601322	N-A	N-A

**601324****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
601324	N-A	N-A

**601334****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601334	N-A	N-A

601325**Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601325	N-A	N-A

**601337****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601337	N-A	N-A

**601326****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601326	N-A	N-A

**601338****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601338	N-A	N-A

**601329****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601329	N-A	N-A

**601339****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601339	N-A	N-A

601331**Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601331	N-A	N-A

**601340****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601340	N-A	N-A




601352 – 601352

**601352****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601352	N-A	N-A

**601364****Belden**

12 AWG solid hard drawn copper conductors; HDPE insulation.

Part Number	Weight	Min. Quantity
601364	N-A	N-A

**601406****Belden**

12 AWG solid hard drawn copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601406	N-A	N-A

**601410****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601410	N-A	N-A

**601411****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601411	N-A	N-A

**601412****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601412	N-A	N-A

**601415****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601415	N-A	N-A

**601417****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601417	N-A	N-A

**601429****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601429	N-A	N-A

**601430****Belden**

8 AWG stranded (19x21) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601430	N-A	N-A

**601431****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601431	N-A	N-A

**601450****Belden**

10 AWG solid bare copper covered steel conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601450	N-A	N-A

**601437****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601437	N-A	N-A

**601454****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601454	N-A	N-A

**601443****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601443	N-A	N-A

**601455****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601455	N-A	N-A

**601446****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601446	N-A	N-A

**2C14 PE PVC 600V IMSA 19-1 Multicon...****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601455 0105000	300	N-A

**601448****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601448	N-A	N-A

**601456****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601456	N-A	N-A

601457 – 601457

**601457****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601457	N-A	N-A

**601467****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601467	N-A	N-A

**2C14 PE PVC 600V IMSA Multiconductor...****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601457 0105000	350	N-A

**601468****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601468	N-A	N-A

**601458****Belden**

16 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
601458	N-A	N-A

**601472****Belden**

12 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601472	N-A	N-A

**601460****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; PVC outer jacket.

Part Number	Weight	Min. Quantity
601460	N-A	N-A

**601475****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601475	N-A	N-A

**601466****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601466	N-A	N-A

**601479****Belden**

12 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601479	N-A	N-A

**601491****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601491	N-A	N-A

**601530****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601530	N-A	N-A

**601496****Belden**


12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601496	N-A	N-A

**601534****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601534	N-A	N-A

**601500****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601500	N-A	N-A

**601539****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601539	N-A	N-A

**601510****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape; LDPE jacket.

Part Number	Weight	Min. Quantity
601510	N-A	N-A

**601540****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601540	N-A	N-A

**601518****Belden**

12 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601518	N-A	N-A

**601563****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601563	N-A	N-A

601569 – 601569

**601569****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601569	N-A	N-A

**601591****Belden**

10 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601591	N-A	N-A

**601570****Belden**

10 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601570	N-A	N-A

**601594****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601594	N-A	N-A

**601578****Belden**

12 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601578	N-A	N-A

**601605****Belden**

601605

Part Number	Weight	Min. Quantity
601605	N-A	N-A

**601583****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601583	N-A	N-A

**601617****Belden**

14 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601617	N-A	N-A

**601587****Belden**

12 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601587	N-A	N-A

**601622****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601622	N-A	N-A

**601633****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601633	N-A	N-A

**601671****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601671	N-A	N-A

**601765****Belden**

14 AWG stranded (19x27) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601765	N-A	N-A

**2C14 PE OS PE 600V IMSA 50-2 Loop D...****Belden**

14 AWG stranded (19x27) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601765 0102500	150	N-A

**2C14 PE OS PE 600V IMSA 50-2 Loop D...****Belden**

14 AWG stranded (19x27) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
601765 0105000	300	N-A

**601803****Belden**

14 AWG solid hard drawn copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601803	N-A	N-A

**601820****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601820	N-A	N-A

**601826****Belden**

14 AWG solid bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601826	N-A	N-A

**601850****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601850	N-A	N-A

**601890****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601890	N-A	N-A

601900 – 601900

**601900****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
601900	N-A	N-A

**601930****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601930	N-A	N-A

**601948****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
601948	N-A	N-A

**601975****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
601975	N-A	N-A

**1 RG59 + 1 STP 22 + 2C18****Belden**

Multi-Paired Cables 20AWG 1C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
601PTZ 0001000	N-A	N-A

**1 RG59 + 1 STP 22 + 2C18****Belden**


Multi-Paired Cables 20AWG 1C SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
601PTZ 000500	N-A	N-A

**6020FL****Belden**

12 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6020FL	N-A	N-A

**2 #12 FLRST FS FLRST****Belden**

2 #12 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6020FL 0021000	N-A	N-A

**2 #12 FLRST FS FLRST Commercial App...****Belden**

2 #12 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6020FL 002500	N-A	N-A

**6020UL****Belden**

12 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6020UL	N-A	N-A

603133 0105000 – 2C16 PE OS PE 600V IMSA 50-2 Loop D...

**2 #12 FLRST FLRST****Belden**

2 #12 FLRST FLRST

Part Number	Weight	Min. Quantity
6020UL 0021000	N-A	N-A

**603104****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
603104	N-A	N-A

**1 RG59 + 2C18 SH + 2C18****Belden**

Multi-Paired Cables 20AWG 1C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
602PTZ 0001000	N-A	N-A

**603131****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
603131	N-A	N-A

**1 RG59 + 2C18 SH + 2C18****Belden**

Multi-Paired Cables 20AWG 1C SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
602PTZ 000500	N-A	N-A

**603133****Belden**

16 AWG stranded (19x29) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603133	N-A	N-A

**603057****Belden**

10 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape; LDPE outer jacket.

Part Number	Weight	Min. Quantity
603057	N-A	N-A

**2C16 PE OS PE 600V IMSA 50-2 Loop D...****Belden**

16 AWG stranded (19x29) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603133 0102500	100	N-A

**603061****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
603061	N-A	N-A

**2C16 PE OS PE 600V IMSA 50-2 Loop D...****Belden**

16 AWG stranded (19x29) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603133 0105000	200	N-A

603149 – 603149

**603149****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603149	N-A	N-A

**603298****Belden**

8 AWG stranded (19x21) bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
603298	N-A	N-A

**603155****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603155	N-A	N-A

**603314****Belden**

10 AWG stranded (7x18) bare copper conductors; HDPE insulation; PVC jacket.

Part Number	Weight	Min. Quantity
603314	N-A	N-A

**603164****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; PVC outer jacket.

Part Number	Weight	Min. Quantity
603164	N-A	N-A

**603343****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; PVC jacket.

Part Number	Weight	Min. Quantity
603343	N-A	N-A

**603223****Belden**

16 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
603223	N-A	N-A

**603378****Belden**

12 AWG stranded (19x25) tinned copper conductors; LDPE insulation; overall aluminum foil-polyester tape shield (100% coverage); drain wire; LDPE jacket.

Part Number	Weight	Min. Quantity
603378	N-A	N-A

**603234****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; steel messenger; PVC jacket.

Part Number	Weight	Min. Quantity
603234	N-A	N-A

**2C16 PE OS PE 600V IMSA 50-2 Loop D...****Belden**


12 AWG stranded (19x25) tinned copper conductors; LDPE insulation; overall aluminum foil-polyester tape shield (100% coverage); drain wire; LDPE jacket.

Part Number	Weight	Min. Quantity
603378 0105000	450	N-A

**603403****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
603403	N-A	N-A

**603515****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603515	N-A	N-A

**603407****Belden**

14 AWG solid bare copper conductors; HDPE insulation; steel messenger; PVC jacket.

Part Number	Weight	Min. Quantity
603407	N-A	N-A

**603555****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
603555	N-A	N-A

**603414****Belden**

19 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
603414	N-A	N-A

**603568****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603568	N-A	N-A

**603434****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; PVC jacket.

Part Number	Weight	Min. Quantity
603434	N-A	N-A

**603569****Belden**

19 AWG solid bare copper conductors; HDPE insulation; LDPE inner jacket; corrugated copper tape shield; LDPE outer jacket.

Part Number	Weight	Min. Quantity
603569	N-A	N-A

**603458****Belden**

12 stranded (7x20) bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603458	N-A	N-A

**603668****Belden**

19 AWG stranded (7x27) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603668	N-A	N-A

603680 – 603680

**603680****Belden**

19 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603680	N-A	N-A

**603916****Belden**

16 AWG stranded (19x29) tinned copper conductors; HDPE insulation; aluminum foil-polyester tape shield; HDPE jacket.

Part Number	Weight	Min. Quantity
603916	N-A	N-A

**603723****Belden**

14 AWG solid bare copper conductors; HDPE insulation; corrugated copper tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603723	N-A	N-A

**603980****Belden**

18 AWG stranded (16x30) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603980	N-A	N-A

**603730****Belden**

12 AWG stranded (7x20) bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603730	N-A	N-A

**2C16 PE OS PE 600V IMSA 50-2 Loop D...****Belden**

18 AWG stranded (16x30) tinned copper conductors; LDPE insulation; aluminum foil-polyester tape shield; LDPE jacket.

Part Number	Weight	Min. Quantity
603980 0105000	150	N-A

**603804****Belden**

14 AWG stranded (7x22) bare copper conductors; HDPE insulation; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603804	N-A	N-A

**603993****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; corrugated copper tape shield; steel messenger; LDPE jacket.

Part Number	Weight	Min. Quantity
603993	N-A	N-A

**603870****Belden**

14 AWG solid bare copper conductors; HDPE insulation; LDPE jacket.

Part Number	Weight	Min. Quantity
603870	N-A	N-A

**603994****Belden**

16 AWG stranded (7x24) bare copper conductors; HDPE insulation; corrugated copper tape shield; PE jacket.

Part Number	Weight	Min. Quantity
603994	N-A	N-A

6100FL 0021000 – 2 #14 FLRST FS FLRST



6051

Belden

Composite 14 AWG stranded (7x22) and 10 AWG stranded (7x18) bare copper conductors; 12 AWG bare copper ground wire; .031x1A; (.79mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6051	N-A	N-A



2 #14 FLRST FS FLRST

Belden

Multi-Conductor Cables 14AWG 2C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6100FE 8771000	0.051	N-A




6054

Belden

Composite 14 AWG stranded (7x22) and 12 AWG stranded (7x20) bare copper conductors; 14 AWG bare copper ground wire; .031x1A; (.79mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6054	N-A	N-A



2 #14 FLRST FS FLRST

Belden

Multi-Conductor Cables 14AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6100FE 877500	0.05	N-A



6059

Belden

Composite 14 AWG stranded (7x22) and 8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; .046x1A; (1.17mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6059	N-A	N-A



2 #14 FLRST FS FLRST

Belden

Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6100FE 877U1000	0.049	N-A




6060

Belden

Composite 14 AWG stranded (7x22) and 6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; .061x1A; (1.55mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6060	N-A	N-A




6100FL

Belden

14 AWG stranded (19x27) bare copper conductors; Flamarrest 000 insulation; conductors cabled; Overall Beldfoil 000 tape shield (foil side out) and drain wire; Flamarrest 000 jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6100FL	N-A	N-A



6100FE

Belden

14 AWG bare copper conductors; Flamarrest 000 insulation; conductors cabled; Overall Beldfoil 000 tape shield (foil side out) and drain wire; Flamarrest 000 jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6100FE	N-A	N-A



2 #14 FLRST FS FLRST

Belden

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6100FL 0021000	N-A	N-A




6100FL 002U1000 – 2 #14 FLRST FS FLRST

**2 #14 FLRST FS FLRST****Belden**

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6100FL 002U1000	N-A	N-A

**2 #14 FLRST FLRST****Belden**

Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6100UE 010U1000	0.039	N-A

**6100UE****Belden**

14 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6100UE	N-A	N-A

**2 #14 FLRST FLRST****Belden**

Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6100UE 8771000	0.038	N-A

**2 #14 FLRST FLRST****Belden**

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6100UE 004U1000	0.039	N-A

**2 #14 FLRST FLRST****Belden**


Multi-Conductor Cables 14AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6100UE 877500	0.039	N-A

**2 #14 FLRST FLRST****Belden**


Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6100UE 008U1000	0.039	N-A

**2 #14 FLRST FLRST****Belden**


Multi-Conductor Cables 14AWG 2C STRAND 5000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6100UE 8775000	0.039	N-A

**2 #14 FLRST FLRST****Belden**

Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6100UE 009U1000	0.039	N-A

**2 #14 FLRST FLRST****Belden**

Multi-Conductor Cables 14AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6100UE 877U1000	0.039	N-A

6102UE 8771000 – 4 #14 FLRST FLRST

6100UL



Belden

14 AWG stranded (19x27) bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6100UL	N-A	N-A

2 #14 FLRST FLRST



Belden

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6100UL 0021000	N-A	N-A

2 #14 FLRST FLRST




Belden

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6100UL 002U1000	N-A	N-A

6101FE



Belden

14 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Overall Beldfoil tape shield (foil side out) and drain wire; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6101FE	N-A	N-A

3 #14 FLRST FS FLRST



Belden

3 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6101FE 8771000	N-A	N-A

6101UE



Belden

14 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6101UE	N-A	N-A

3 #14 FLRST FLRST



Belden

3 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6101UE 8771000	N-A	N-A

4 #14 FLRST FS FLRST



Belden

4 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6102FL 0021000	N-A	N-A

6102UE



Belden

14 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6102UE	N-A	N-A

4 #14 FLRST FLRST



Belden

Multi-Conductor Cables 14AWG 4C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6102UE 8771000	0.069	N-A

6102UL 0021000 – 4 #14 FLRST FLRST



4 #14 FLRST FLRST

Belden

4 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6102UL 0021000	N-A	N-A



2 #14 FLRST FS FLRST Commercial App...

Belden

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6120FL 0041000	N-A	N-A



6120FL

Belden

14 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6120FL	N-A	N-A



6120UJ

Belden

14 AWG bare copper conductors; FEP insulation; cabled together; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6120UJ	N-A	N-A



2 #14 FLRST FS FLRST

Belden

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6120FL 0021000	N-A	N-A



2 #14 FEP FLRST

Belden

2 #14 FEP FLRST

Part Number	Weight	Min. Quantity
6120UJ 0021000	N-A	N-A



2 #14 FLRST FS FLRST

Belden

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6120FL 002500	N-A	N-A



6120UL

Belden

14 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6120UL	N-A	N-A



2 #14 FLRST FS FLRST Commercial App...

Belden

2 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6120FL 0031000	N-A	N-A



2 #14 FLRST FLRST

Belden

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6120UL 0011000	N-A	N-A

6122UL 002500 – 4 #14 FLRST Commercial Applications...

**2 #14 FLRST FLRST****Belden**

Multi-Conductor Cables 14AWG 2C UNSHLD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
6120UL 0021000	N-A	N-A

**4 #14 FLRST FS FLRST****Belden**

4 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6122FL 0021000	N-A	N-A

**2 #14 FLRST FLRST****Belden**

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6120UL 002500	N-A	N-A

**4 #14 FLRST FS FLRST Commercial App...****Belden**

4 #14 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6122FL 002500	N-A	N-A

**2 #14 FLRST FLRST****Belden**

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6120UL 0101000	N-A	N-A

**6122UL****Belden**

14 AWG bare copper conductors; Flamarrest00Ω insulation; cabled together; Flamarrest00Ω jacket with ripcord; shielded version has overall Beldfoil00Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6122UL	N-A	N-A

**2 #14 FLRST FLRST****Belden**

2 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6120UL D151000	N-A	N-A

**4 #14 FLRST FLRST****Belden**

4 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6122UL 0021000	N-A	N-A

**6122FL****Belden**

14 AWG bare copper conductors; Flamarrest00Ω insulation; cabled together; Flamarrest00Ω jacket with ripcord; shielded version has overall Beldfoil00Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6122FL	N-A	N-A

**4 #14 FLRST Commercial Applications...****Belden**

4 #14 FLRST FLRST

Part Number	Weight	Min. Quantity
6122UL 002500	N-A	N-A



613948 – 613948

**613948****Belden**

14 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; Flammarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
613948	N-A	N-A

**6139B8****Belden**

14 AWG solid BC conductor; foam FEP insulation; foil plus aluminum braid shield(s) as indicated; fluorocopolymer jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6139B8	N-A	N-A

**NUT; NICKEL PLATED****Belden**

NUT; NICKEL PLATED

Part Number	Weight	Min. Quantity
6150N	N-A	N-A

**WASHER ALUM.382 X .050****Belden**

WASHER ALUM.382 X .050

Part Number	Weight	Min. Quantity
6155	N-A	N-A

**6163****Belden**


3/0 AWG (19x10) bare copper conductors; XLPE insulation; 4 AWG bare copper ground wire; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6163	N-A	N-A

**6178****Belden**

4/0 AWG (19x9) bare copper conductors; XLPE insulation; 4 AWG bare copper ground wire; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
6178	N-A	N-A

**6200FE****Belden**


16 AWG bare copper conductors; Flammarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flammarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6200FE	N-A	N-A

**2 #16 FLRST FS FLRST****Belden**

Multi-Conductor Cables 16AWG 2C SHIELD 1000ft SPOOLNATURAL

Part Number	Weight	Min. Quantity
6200FE 8771000	0.033	N-A

**2 #16 FLRST FS FLRST****Belden**

Multi-Conductor Cables 16AWG 2C SHIELD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6200FE 877500	0.033	N-A

**6200FL****Belden**

16 AWG stranded (19x29) bare copper conductors; Flammarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flammarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6200FL	N-A	N-A



6200UE 8771000 – 2 #16 FLRST FLRST

**2 #16 FLRST FS FLRST****Belden**

2 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6200FL 0021000	N-A	N-A

**2 #16 FLRST FS FLRST****Belden**

2 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6200FL 002U1000	N-A	N-A

**6200UE****Belden**

16 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6200UE	N-A	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 15POOL YELLOW

Part Number	Weight	Min. Quantity
6200UE 0041000	26	N-A

**2 #16 FLRST FLRST****Belden**


Multi-Conductor Cables 16AWG 2C STRAND 15POOL VIOLET

Part Number	Weight	Min. Quantity
6200UE 0071000	26	N-A

**DELETE****Belden**

DELETE

Part Number	Weight	Min. Quantity
6200UE 0081000	N-A	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6200UE 008U1000	0.025	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6200UE 009U1000	0.025	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6200UE 010U1000	0.025	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6200UE 8771000	0.026	N-A

6200UE 877500 – 2 #16 FLRST FLRST

**2 #16 FLRST FLRST****Belden**


Multi-Conductor Cables 16AWG 2C UNSHLD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6200UE 877500	0.026	N-A

**3 #16 FLRST FS FLRST****Belden**

3 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6201FE 8771000	N-A	N-A

**2 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6200UE 877U1000	0.025	N-A

**3 #16 FLRST FS FLRST****Belden**

3 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6201FE 877500	N-A	N-A

**6200UL****Belden**

16 AWG stranded (19x29) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6200UL	N-A	N-A

**3 #16 FLRST FS FLRST****Belden**

3 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6201FE 877U1000	N-A	N-A

**2 #16 FLRST FLRST****Belden**

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6200UL 002U1000	N-A	N-A

**6201UE****Belden**

16 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6201UE	N-A	N-A

**6201FE****Belden**

16 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6201FE	N-A	N-A

**3 #16 FLRST FLRST****Belden**

3 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6201UE 8771000	N-A	N-A

6202UE 877500 – 4 #16 FLRST FLRST



3 #16 FLRST FLRST Commercial Audio ...

Belden

3 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6201UE 877500	N-A	N-A



6202FL

Belden

16 AWG stranded (19x29) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6202FL	N-A	N-A

3 #16 FLRST FLRST

Belden

3 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6201UE 877U1000	N-A	N-A

4 #16 FLRST FS FLRST

Belden

4 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6202FL 002U1000	N-A	N-A

6202FE

Belden

16 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6202FE	N-A	N-A

6202UE

Belden

16 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6202UE	N-A	N-A

4 #16 FLRST FS FLRST

Belden

4 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6202FE 8771000	N-A	N-A

4 #16 FLRST FLRST

Belden

Multi-Conductor Cables 16AWG 2C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6202UE 8771000	0.048	N-A

4 #16 FLRST FS FLRST Commercial App...

Belden

4 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6202FE 877500	N-A	N-A

4 #16 FLRST FLRST

Belden

Multi-Conductor Cables 16AWG 2C STRAND 500ft SPOOL NATURAL


Part Number	Weight	Min. Quantity
6202UE 877500	0.048	N-A

6202UE 877U1000 – 4 #16 FLRST FLRST

**4 #16 FLRST FLRST****Belden**

Multi-Conductor Cables 16AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6202UE 877U1000	0.046	N-A

**2 #16 FLRST FS FLRST****Belden**

Multi-Conductor Cables 16AWG 2C SHIELD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
6220FL 0021000	N-A	N-A

**4 #16 FLRST FLRST****Belden**

4 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6202UL 0021000	N-A	N-A

**2 #16 FLRST FS FLRST****Belden**

2 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6220FL D151000	N-A	N-A

**6220FK****Belden**

16 AWG bare copper conductors; FEP insulation; cabled together; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220FK	N-A	N-A

**6220UJ****Belden**

16 AWG bare copper conductors; FEP insulation; cabled together; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220UJ	N-A	N-A

**2 #16 FEP FS FLRST****Belden**

2 #16 FEP FS FLRST

Part Number	Weight	Min. Quantity
6220FK 0021000	N-A	N-A

**2 #16 FEP FLRST****Belden**

2 #16 FEP FLRST

Part Number	Weight	Min. Quantity
6220UJ 0021000	N-A	N-A

**6220FL****Belden**

16 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220FL	N-A	N-A

**6220UL****Belden**

16 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220UL	N-A	N-A



6220UL 007U1000 – 2 #16 FLRST FLRST

2 #16 FLRST FLRST Commercial Applic...



Belden

16 AWG bare copper conductors; PP insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220UL 0011000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 003C500	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 001U1000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 003U1000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 0021000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 004C500	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 002500	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 004U1000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 002U1000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL 007U1000	N-A	N-A



6220UL 009U1000 – 2 #16 FLRST FLRST Commercial Applic...



2 #16 FLRST FLRST Commercial Applic...

Belden

16 AWG bare copper conductors; PP insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6220UL 009U1000	N-A	N-A



4 #16 FLRST FLRST

Belden

4 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6222UL 0021000	N-A	N-A



2 #16 FLRST FLRST

Belden

2 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6220UL D15U1000	N-A	N-A



4 #16 FLRST FLRST

Belden

4 #16 FLRST FLRST

Part Number	Weight	Min. Quantity
6222UL 002500	N-A	N-A



6222FL

Belden

16 AWG bare copper conductors; Flamarrest00Ω insulation; cabled together; Flamarrest00Ω jacket with ripcord; shielded version has overall Beldfoil00Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6222FL	N-A	N-A



ADAPTOR HOUSING TERMINATOR HV

Belden

ADAPTOR HOUSING TERMINATOR HV

Part Number	Weight	Min. Quantity
625TRBHV	N-A	N-A



4 #16 FLRST FS FLRST

Belden

4 #16 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6222FL 0021000	N-A	N-A



6284UE

Belden

23 AWG solid BC conductors; FEP insulation; plus 2 power conductors; 16 AWG stranded (19x29) tinned copper conductors; FEP insulation; unshielded; overall Flamarrest00Ω jacket

Part Number	Weight	Min. Quantity
6284UE	N-A	N-A



6222UL

Belden

16 AWG bare copper conductors; Flamarrest00Ω insulation; cabled together; Flamarrest00Ω jacket with ripcord; shielded version has overall Beldfoil00Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6222UL	N-A	N-A



2 PR #23 + 2 #16 FEP FLRST

Belden

2 PR #23 + 2 #16 FEP FLRST

Part Number	Weight	Min. Quantity
6284UE 0091000	N-A	N-A



6288US 0091000 – COMPOSITE CABLE FLRST PARA

2 PR #23 + 2 #16 FEP FLRST



Belden

2 PR #23 + 2 #16 FEP FLRST

Part Number	Weight	Min. Quantity
6284UE 009500	N-A	N-A

2 PR #23 + 2 #16 FEP FLRST



Belden

2 PR #23 + 2 #16 FEP FLRST

Part Number	Weight	Min. Quantity
6284UE 0101000	N-A	N-A

2 PR #23 + 2 #16 FEP FLRST



Belden

2 PR #23 + 2 #16 FEP FLRST

Part Number	Weight	Min. Quantity
6284UE 010500	N-A	N-A

6284US



Belden

24 AWG solid BC conductors; FEP insulation; plus 2 power conductors; 16 AWG stranded (19x29) tinned copper conductors; Flamarrest 00Ω insulation; unshielded; overall Flamarrest 00Ω jacket.

Part Number	Weight	Min. Quantity
6284US	N-A	N-A

COMPOSITE CABLE FLRST PARA



Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6284US 0091000	N-A	N-A

COMPOSITE CABLE FLRST PARA



Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6284US 009500	N-A	N-A

Composite Cable; FLRST PARA CCTV an...



Belden

24 AWG solid BC conductors; polyolefin insulation; plus 2 power conductors; 16 AWG stranded (19x29) tinned copper conductors; polypropylene insulation; unshielded; overall F-R PVC jacket.

Part Number	Weight	Min. Quantity
6284US 0101000	N-A	N-A

COMPOSITE CABLE FLRST PARA



Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6284US 010500	N-A	N-A

6288US



Belden

23 AWG solid BC conductors; FEP insulation; plus 2 power conductors; 16 AWG stranded (19x29) tinned copper conductors; FEP insulation; unshielded; overall Flamarrest 00Ω jacket.

Part Number	Weight	Min. Quantity
6288US	N-A	N-A

COMPOSITE CABLE FLRST PARA



Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6288US 0091000	N-A	N-A

6288US 0101000 – COMPOSITE CABLE FLRST PARA




COMPOSITE CABLE FLRST PARA

Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6288US 0101000	N-A	N-A



6300FE

Belden

18 AWG bare copper conductors; Flammarrest 000 insulation; conductors cabled; Overall Beldfoil 000 tape shield (foil side out) and drain wire; Flammarrest 000 jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6300FE	N-A	N-A



COMPOSITE CABLE FLRST PARA

Belden

COMPOSITE CABLE FLRST PARA

Part Number	Weight	Min. Quantity
6288US 010500	N-A	N-A



2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6300FE 008U1000	0.023	N-A



6300FC

Belden

18 AWG bare copper conductors; FEP insulation; cabled with a Beldfoil 000 shield tape and drain wire; Flammarrest 000 jacket.

Part Number	Weight	Min. Quantity
6300FC	N-A	N-A



2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6300FE 009U1000	0.023	N-A



#18 FEP FS FLRST

Belden

#18 FEP FS FLRST

Part Number	Weight	Min. Quantity
6300FC 8771000	N-A	N-A




2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6300FE 010U1000	0.023	N-A



2 #18 FEP FS FLRST

Belden

2 #18 FEP FS FLRST

Part Number	Weight	Min. Quantity
6300FC 877U1000	N-A	N-A



2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6300FE 8771000	0.023	N-A

6300UE 0071000 – 2 #18 FLRST FLRST



2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6300FE 877500	0.024	N-A



2 #18 FLRST FS FLRST

Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6300FL 002U1000	N-A	N-A



2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6300FE 877U1000	0.023	N-A



6300UE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6300UE	N-A	N-A




2 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
6300FE 877U500	0.024	N-A



2 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
6300UE 0041000	0.018	N-A




6300FL

Belden

18 AWG stranded (7x26) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6300FL	N-A	N-A



2 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX YELLOW

Part Number	Weight	Min. Quantity
6300UE 004U1000	0.018	N-A




2 #18 FLRST FS FLRST

Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6300FL 0021000	N-A	N-A



2 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
6300UE 0071000	0.018	N-A

6300UE 0081000 – 2 #18 FLRST FLRST

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
6300UE 0081000	0.014	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 5000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
6300UE 0105000	0.018	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6300UE 008U1000	0.014	N-A

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6300UE 010U1000	0.018	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 500ft BOX GRAY

Part Number	Weight	Min. Quantity
6300UE 008U500	0.015	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 500ft BOX BLACK

Part Number	Weight	Min. Quantity
6300UE 010U500	0.019	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6300UE 009U1000	0.018	N-A

2 #18 FLRST FLRST




Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft BOX PINK

Part Number	Weight	Min. Quantity
6300UE 012U1000	0.018	N-A

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
6300UE 0101000	0.018	N-A

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C STRAND 1000ft SPOOL LT GRN

Part Number	Weight	Min. Quantity
6300UE 3371000	0.018	N-A

6301FE 877U1000 – 3 #18 FLRST FS FLRST

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6300UE 8771000	0.018	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6300UL 0021000	N-A	N-A

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6300UE 877500	0.019	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6300UL 002U1000	N-A	N-A


2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6300UE 877U1000	0.018	N-A




6301FE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6301FE	N-A	N-A

2 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 2C STRAND 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
6300UE 877U500	0.019	N-A



3 #18 FLRST FS FLRST

Belden

3 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6301FE 8771000	N-A	N-A

6300UL



Belden

18 AWG stranded (7x26) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6300UL	N-A	N-A



3 #18 FLRST FS FLRST


Belden

3 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6301FE 877U1000	N-A	N-A

6301FE 877U500 – 3 #18 FLRST FS FLRST

3 #18 FLRST FS FLRST



Belden

3 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6301FE 877U500	N-A	N-A

6301UE



Belden

18 AWG bare copper conductors; Flamarrest 000 insulation; conductors cabled; Flamarrest 000 jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6301UE	N-A	N-A

3 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 3C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6301UE 8771000	N-A	N-A

3 #18 FLRST FLRST



Belden

Multi-Conductor Cables 18AWG 3C UNSHLD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6301UE 877500	N-A	N-A

3 #18 FLRST FLRST



Belden

3 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6301UE 877U1000	N-A	N-A

6301UL



Belden

18 AWG stranded (7x26) bare copper conductors; Flamarrest 000 insulation; conductors cabled; Flamarrest 000 jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6301UL	N-A	N-A

3 #18 FLRST FLRST



Belden

3 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6301UL 002U1000	N-A	N-A

6302FC



Belden

18 AWG bare copper conductors; FEP insulation; cabled with a Beldfoil 000 shield tape and drain wire; Flamarrest 000 jacket.

Part Number	Weight	Min. Quantity
6302FC	N-A	N-A

4 #18 FEP FS FLMRST



Belden

Multi-Paired Cables 18AWG 4C SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302FC 8771000	N-A	N-A

6302FE



Belden

18 AWG bare copper conductors; Flamarrest 000 insulation; conductors cabled; overall Beldfoil 000 tape shield (foil side out) and drain wire; Flamarrest 000 jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6302FE	N-A	N-A

6302UE 004U1000 – 4 #18 FLRST FLRST



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302FE 8771000	0.035	N-A



6302FL

Belden

18 AWG stranded (7x26) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6302FL	N-A	N-A



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302FE 877500	0.036	N-A



4 #18 FLRST FS FLRST

Belden

4 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6302FL 002U1000	N-A	N-A



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 250ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302FE 877C250	8.75	N-A



6302UE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6302UE	N-A	N-A



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6302FE 877U1000	0.035	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
6302UE 0041000	0.031	N-A



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
6302FE 877U500	0.036	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft BOX YELLOW

Part Number	Weight	Min. Quantity
6302UE 004U1000	0.031	N-A

6302UE 0071000 – 4 #18 FLRST FLRST



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
6302UE 0071000	0.031	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6302UE 877U1000	0.031	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
6302UE 0101000	0.031	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C STRAND 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
6302UE 877U500	0.036	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302UE 8771000	0.035	N-A



6302UL

Belden

18 AWG stranded (7x26) bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6302UL	N-A	N-A



4 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 4C UNSHLD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6302UE 877500	0.032	N-A



4 #18 FLRST FLRST

Belden

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6302UL 002U1000	N-A	N-A



4 #18 FLRST Commercial Applications...

Belden

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6302UE 877C500	N-A	N-A



6303UE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6303UE	N-A	N-A

6304UE 8771000 – 6 #18 FLRST FLRST




5 #18 FLRST FLRST

Belden

5 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6303UE 8771000	N-A	N-A



6 #18 flrst fs flrst

Belden

6 #18 flrst fs flrst

Part Number	Weight	Min. Quantity
6304FE 877U500	N-A	N-A



5 #18 FLRST FLRST

Belden

5 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6303UE 877U1000	N-A	N-A



6304UE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6304UE	N-A	N-A



6304FE

Belden

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6304FE	N-A	N-A




6 #18 FLRST FLRST

Belden

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6304UE 0071000	N-A	N-A



6 #18 FLRST FS FLRST

Belden

6 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6304FE 0071000	N-A	N-A



6 #18 FLRST FLRST

Belden

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6304UE 012U1000	N-A	N-A



6 #18 FLRST FS FLRST

Belden

6 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6304FE 8771000	N-A	N-A



6 #18 FLRST FLRST

Belden

Multi-Conductor Cables 18AWG 6C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6304UE 8771000	N-A	N-A



6304UE 877500 – 6 #18 FLRST FLRST

**6 #18 FLRST FLRST****Belden**

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6304UE 877500	N-A	N-A

**6306UE****Belden**

18 AWG bare copper conductors; Flamarrest 00Ω insulation; conductors cabled; Flamarrest 00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6306UE	N-A	N-A

**6 #18 Flrst flrst****Belden**

6 #18 Flrst flrst

Part Number	Weight	Min. Quantity
6304UE 877U500	N-A	N-A

**8 #18 FLRST FLRST****Belden**

8 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6306UE 8771000	N-A	N-A

**6 #18 FLRST FLRST****Belden**

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6304UL 0021000	N-A	N-A

**8 #18 FLRST FLRST****Belden**

8 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6306UE 877500	N-A	N-A

**6306FE****Belden**


18 AWG bare copper conductors; Flamarrest 00Ω insulation; conductors cabled; overall Beldfoil 00Ω tape shield (foil side out) and drain wire; Flamarrest 00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6306FE	N-A	N-A

**8 #18 FLRST FLRST****Belden**

8 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6306UL 0021000	N-A	N-A

**8 #18 FLRST FS FLRST****Belden**

8 #18 FLRST FS FLRST


Part Number	Weight	Min. Quantity
6306FE 8771000	N-A	N-A

**6307FE****Belden**

18 AWG bare copper conductors; Flamarrest 00Ω insulation; conductors cabled; overall Beldfoil 00Ω tape shield (foil side out) and drain wire; Flamarrest 00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6307FE	N-A	N-A

6309FE 877500 – 12 #18 FLRST FS FLRST

**9 #18 FLRST FS FLRST****Belden**


9 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6307FE 8771000	N-A	N-A

**10 #18 FLRST FLRST****Belden**

10 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6308UE 8771000	N-A	N-A

**9 #18 FLRST FS FLRST****Belden**

9 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6307FE 877500	N-A	N-A

**10 #18 FLRST FLRST****Belden**

10 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6308UL 0021000	N-A	N-A

**6307UE****Belden**

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6307UE	N-A	N-A

**6309FE****Belden**

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6309FE	N-A	N-A

**9 #18 FLRST FLRST****Belden**

9 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6307UE 8771000	N-A	N-A

**12 #18 FLRST FS FLRST****Belden**


12 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6309FE 8771000	N-A	N-A

**6308UE****Belden**

18 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6308UE	N-A	N-A

**12 #18 FLRST FS FLRST****Belden**

12 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6309FE 877500	N-A	N-A



6309UE – 6309UE

**6309UE****Belden**

18 AWG bare copper conductors; Flammarrest insulation; conductors cabled; Flammarrest jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6309UE	N-A	N-A

**2 #18 FEP FS FLRST****Belden**

2 #18 FEP FS FLRST

Part Number	Weight	Min. Quantity
6320FK 0021000	N-A	N-A

12 #18 FLRST FLRST**Belden**


12 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6309UE 8771000	N-A	N-A

**2 #18 FEP FS FLRST Commercial Appli...****Belden**

2 #18 FEP FS FLRST

Part Number	Weight	Min. Quantity
6320FK 002500	N-A	N-A

**6320FE****Belden**

18 AWG bare copper conductors; Flammarrest insulation; conductors cabled; Overall Beldfoil tape shield (foil side out) and drain wire; Flammarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320FE	N-A	N-A

**2 #18 FEP FS FLRST****Belden**


2 #18 FEP FS FLRST

Part Number	Weight	Min. Quantity
6320FK 002U1000	N-A	N-A

2 #18 FLRST FS FLRST**Belden**

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6320FE 8771000	N-A	N-A

**6320FL****Belden**


18 AWG bare copper conductors; Flammarrest insulation; cabled together; Flammarrest jacket with ripcord; shielded version has overall Beldfoil tape shield (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320FL	N-A	N-A

6320FK**Belden**

18 AWG bare copper conductors; FEP insulation; cabled together; Flammarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320FK	N-A	N-A

**2 #18 FLRST FS FLRST****Belden**

Multi-Conductor Cables 18AWG 2C SHIELD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
6320FL 0021000	N-A	N-A

6320UJ 0021000 – 2 #18 FEP FLRST

2 #18 FLRST FS FLRST



Belden

Multi-Conductor Cables 18AWG 2C SHIELD 1000ft BOX RED

Part Number	Weight	Min. Quantity
6320FL 002U1000	N-A	N-A

2 #18 FLRST FS FLRST Commercial Aud...



Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6320FL 007U1000	N-A	N-A

2 #18 FLRST FS FLRST Commercial Aud...



Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6320FL 009U1000	N-A	N-A

2 #18 FLRST FS FLRST



Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6320FL 009U1000	N-A	N-A

2 #18 FLRST FS FLRST



Belden

2 #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6320FL 010U1000	N-A	N-A



2 #18 FLRST FS FLRST Commercial App...

Belden

18 AWG bare copper conductors; Flamarrest®insulation; cabled together; Flamarrest®jacket with ripcord; shielded version has overall Beldfoil®shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320FL D151000	N-A	N-A

6320UE



Belden

18 AWG bare copper conductors; Flamarrest®insulation; conductors cabled; Flamarrest®jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320UE	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UE 877U1000	N-A	N-A

6320UJ



Belden

18 AWG bare copper conductors; FEP insulation; cabled together; Flamarrest®jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320UJ	N-A	N-A

2 #18 FEP FLRST



Belden

2 #18 FEP FLRST

Part Number	Weight	Min. Quantity
6320UJ 0021000	N-A	N-A

6320UL – 6320UL

**6320UL****Belden**

18 AWG bare copper conductors; Flammarrest insulation; two cabled together; unshielded; Flammarrest jacket with ripcord.

Part Number	Weight	Min. Quantity
6320UL	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 0031000	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 0021000	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 003U1000	N-A	N-A

**2 #18 FLRST Commercial Applications...****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 002C500	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 004U1000	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 002U1000	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 0051000	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 002U500	N-A	N-A

**2 #18 FLRST FLRST****Belden**

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 005U1000	N-A	N-A



6320UL 012U1000 – 2 #18 FLRST FLRST

2 #18 FLRST Commercial Applications...



Belden

18 AWG bare copper conductors; Flamarrest®; insulation; cabled together; Flamarrest®; jacket with ripcord; shielded version has overall Beldfoil®; shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320UL 0071000	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 007C500	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 007U1000	N-A	N-A

2 #18 FLRST Commercial Applications...



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 0091000	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 009C500	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 009U1000	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 0101000	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 010C500	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 010U1000	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL 012U1000	N-A	N-A

6320UL D151000 – 2 #18 FLRST Commercial Applications...



2 #18 FLRST Commercial Applications...

Belden

18 AWG bare copper conductors; PP insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6320UL D151000	N-A	N-A



6321UL

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; cabled together; Flamarrest Ω jacket with ripcord; shielded version has overall Beldfoil Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6321UL	N-A	N-A

2 #18 FLRST FLRST



Belden

2 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6320UL D15C500	N-A	N-A



3 #18 FLRST FLRST

Belden

3 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6321UL 0021000	N-A	N-A

6321UE



Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; conductors cabled; Flamarrest Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6321UE	N-A	N-A



6322FL

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; cabled together; Flamarrest Ω jacket with ripcord; shielded version has overall Beldfoil Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6322FL	N-A	N-A


3 #18 FLRST FLRST



Belden

3 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6321UE 8771000	N-A	N-A



4 #18 FLRST FS FLRST

Belden

Multi-Conductor Cables 18AWG 4C SHIELD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
6322FL 0021000	N-A	N-A

3 #18 FLRST Commercial Applications...



Belden

3 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6321UE 877U1000	N-A	N-A



6322UE

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; conductors cabled; Flamarrest Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6322UE	N-A	N-A

**4 #18 FLRST FLRST****Belden**

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6322UE 877U1000	N-A	N-A

**4 #18 FLRST FLRST****Belden**

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6322UL 002U1000	N-A	N-A

**6322UL****Belden**

18 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6322UL	N-A	N-A

**6324UL****Belden**

18 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6324UL	N-A	N-A

**#18 FLRST FLRST****Belden**

#18 FLRST FLRST

Part Number	Weight	Min. Quantity
6322UL 0021000	N-A	N-A

**6 #18 FLRST FLRST****Belden**

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6324UL 0021000	N-A	N-A

**4 #18 FLRST Commercial Applications...****Belden**

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6322UL 002C250	N-A	N-A

**6 #18 FLRST FLRST****Belden**

6 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6324UL 002U1000	N-A	N-A

**4 #18 FLRST FLRST****Belden**

4 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6322UL 002C500	N-A	N-A

**6326UL****Belden**

18 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6326UL	N-A	N-A



6326UL 0021000 – 8 #18 FLRST FLRST

**8 #18 FLRST FLRST****Belden**

8 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6326UL 0021000	N-A	N-A

**6328UL****Belden**

18 AWG bare copper conductors; Flamarrest[®] insulation; cabled together; Flamarrest[®] jacket with ripcord; shielded version has overall Beldfoil[®] shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6328UL	N-A	N-A

**10 #18 FLRST FLRST****Belden**

10 #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6328UL 0021000	N-A	N-A

**633938****Belden**

18 AWG solid BC conductor; foam FEP insulation; foil plus aluminum braid shield(s) as indicated; Flamarrest[®] jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
633938	N-A	N-A

**633948****Belden**

18 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; Flamarrest[®] jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
633948	N-A	N-A

**#18 FFEP SH PVC****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
633948 0041000	0.042	N-A

**#18 FFEP SH PVC****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
633948 0071000	0.042	N-A

**#18 FFEP SH PVC****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
633948 008U1000	0.04	N-A

**#18 FFEP SH PVC****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
633948 009U1000	0.04	N-A

**#18 FFEP SH PVC****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
633948 010U1000	0.04	N-A



#18 FFEP SH PVC



Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL PINK

Part Number	Weight	Min. Quantity
633948 0121000	0.042	N-A

#18 FFEP SH PVC



Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL LT GRN

Part Number	Weight	Min. Quantity
633948 3371000	0.042	N-A

#18 FFEP SH PVC



Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
633948 8771000	0.042	N-A

#18 FFEP SH PVC



Belden

Coaxial Cables 18AWG 1C SOLID 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
633948 877500	0.041	N-A

#18 FFEP SH PVC



Belden

Coaxial Cables 18AWG 1C SOLID 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
633948 877U1000	0.04	N-A



#18 FFEP SH PVC

Belden

Coaxial Cables 18AWG 1C SOLID 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
633948 877U500	0.041	N-A

6339Q8



Belden

18 AWG solid BC conductor; foam FEP insulation; foil plus aluminum braid shield(s) as indicated; Flammarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6339Q8	N-A	N-A

#18 RG-6 PLENUM QUAD SH



Belden

#18 RG-6 PLENUM QUAD SH

Part Number	Weight	Min. Quantity
6339Q8 8771000	N-A	N-A

#18 RG-6 PLENUM QUAD SH



Belden

#18 RG-6 PLENUM QUAD SH

Part Number	Weight	Min. Quantity
6339Q8 877U1000	N-A	N-A

6340FT



Belden

18 AWG stranded (7x26) tinned copper conductors; foam FEP insulation; twisted pairs; overall Beldfoil00Ω shield (100% coverage); 18AWG stranded tinned copper drain wire; Flammarrest00Ω jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6340FT	N-A	N-A

6340FT 0011000 – 1 FS PR #18 FFEP FLRST

**1 FS PR #18 FFEP FLRST****Belden**

1 FS PR #18 FFEP FLRST

Part Number	Weight	Min. Quantity
6340FT 0011000	N-A	N-A

**6341PC****Belden**

18 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil shield (alum side facing in); drain wire; multiple pairs cabled together; Flamarrest jacket; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6341PC	N-A	N-A

**2 #18 FS PR FEP FLRST****Belden**

2 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6341PC 8771000	N-A	N-A

**2 #18 FS PR FEP FLRST****Belden**

2 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6341PC 877500	N-A	N-A

**2 #18 FS PR FEP FLRST****Belden**

2 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6341PC 877U1000	N-A	N-A

**6341PT****Belden**

18 AWG stranded (7x26) tinned copper conductors; foam FEP insulation; twisted pairs; overall Beldfoil shield (100% coverage); 18 AWG stranded tinned copper drain wire; Flamarrest jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6341PT	N-A	N-A

**2 PR #18 FFEP FS FLRST****Belden**

2 PR #18 FFEP FS FLRST

Part Number	Weight	Min. Quantity
6341PT 0011000	N-A	N-A

**6341UE****Belden**

18 AWG bare copper conductors; Flamarrest insulation; twisted into pairs; multiple pairs cabled together; Flamarrest jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6341UE	N-A	N-A

**2 PR #18 FLRST FLRST****Belden**

2 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6341UE 0101000	N-A	N-A

**2 PR #18 FLRST FLRST****Belden**

Multi-Conductor Cables 18AWG 2PR BC 1000FT SPOOL NATURAL

Part Number	Weight	Min. Quantity
6341UE 8771000	N-A	N-A

6342UE 8771000 – 3 PR #18 FLRST FLRST

**2 PR #18 FLRST FLRST****Belden**

2 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6341UE 877500	N-A	N-A

**2 PR #18 FLRST FLRST****Belden**


2 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6341UE 877U1000	N-A	N-A

**6342FE****Belden**

18 AWG bare copper conductors; Flamarrest insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil shield tape (foil side out) w/drain wire; Flamarrest jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6342FE	N-A	N-A

**3 PR #18 FLRST FS FLRST****Belden**

3 PR #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6342FE 8771000	N-A	N-A

**3 PR #18 FLRST FS FLRST Commercial ...****Belden**

18 AWG bare copper conductors; Flamarrest insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil shield tape (foil side out) w/drain wire; Flamarrest jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6342FE 877500	N-A	N-A

**6342PC****Belden**

18 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil tape (alum side facing in); drain wire; multiple pairs cabled together; Flamarrest jacket; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6342PC	N-A	N-A

**3 #18 FS PR FEP FLRST****Belden**

3 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6342PC 8771000	N-A	N-A

**3 #18 FS PR FEP FLRST Pro Audio and...****Belden**

3 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6342PC 877500	N-A	N-A

**6342UE****Belden**

18 AWG bare copper conductors; Flamarrest insulation; twisted into pairs; multiple pairs cabled together; Flamarrest jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6342UE	N-A	N-A

**3 PR #18 FLRST FLRST****Belden**

3 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6342UE 8771000	N-A	N-A



6342UE 877U1000 – 3 PR #18 FLRST FLRST



3 PR #18 FLRST FLRST

Belden

3 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6342UE 877U1000	N-A	N-A



4 #18 FS PR FEP FLRST

Belden

4 #18 FS PR FEP FLRST

Part Number	Weight	Min. Quantity
6343PC 8771000	N-A	N-A

6343FE

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil Ω shield tape (foil side out) w/drain wire; Flamarrest Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6343FE	N-A	N-A



6343UE

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; twisted into pairs; multiple pairs cabled together; Flamarrest Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6343UE	N-A	N-A



4 PR #18 FLRST FS FLRST

Belden

4 PR #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6343FE 8771000	N-A	N-A



4 PR #18 FLRST FLRST

Belden

4 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6343UE 8771000	N-A	N-A



4 PR #18 FLRST FS FLRST

Belden

4 PR #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6343FE 877500	N-A	N-A



4 PR #18 FLRST FLRST

Belden

4 PR #18 FLRST FLRST

Part Number	Weight	Min. Quantity
6343UE 877500	N-A	N-A



6343PC

Belden

18 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil Ω tape (alum side facing in); drain wire; multiple pairs cabled together; Flamarrest Ω jkt; ripcord. Seq fgt marking every two ft.

Part Number	Weight	Min. Quantity
6343PC	N-A	N-A



6345FE

Belden

18 AWG bare copper conductors; Flamarrest Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil Ω shield tape (foil side out) w/drain wire; Flamarrest Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6345FE	N-A	N-A



**6 PR #18 FLRST FS FLRST****Belden**

Multi-Paired Cables 18AWG 6PR SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6345FE 8771000	N-A	N-A

**6 PR #18 FLRST FS FLRST****Belden**


6 PR #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6345FE 877500	N-A	N-A

**6345PC****Belden**

18 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil00Ω tape (alum side facing in); drain wire; multiple pairs cabled together; Flamarrest00Ω jkt; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6345PC	N-A	N-A

**6 FSPR #18 FEP FLRST****Belden**

6 FSPR #18 FEP FLRST

Part Number	Weight	Min. Quantity
6345PC 8771000	N-A	N-A

**6345UE****Belden**


18 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6345UE	N-A	N-A

**6 PR #18 FLRST FLRST****Belden**

Multi-Paired Cables 18AWG 6PR UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6345UE 8771000	N-A	N-A

**6347FE****Belden**

18 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil00Ω shield tape (foil side out) w/drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6347FE	N-A	N-A

**9 PR #18 FLRST FS FLRST****Belden**

9 PR #18 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6347FE 8771000	N-A	N-A

**6347UE****Belden**

18 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6347UE	N-A	N-A

**638AFS****Belden**

18 AWG stranded bare copper conductors; Flamarrest00Ω insulation and jackets; no overall jacket; all cables are Beldfoil00Ω shielded; cable jackets are color coded by application; individual jacket is sequentially marked at two foot intervals.

Part Number	Weight	Min. Quantity
638AFS	N-A	N-A



638AFS 0001000 – 4C16 + 4C18 + 3P18 + 2C18 SHLD



4C16 + 4C18 + 3P18 + 2C18 SHLD

Belden

4C16 + 4C18 + 3P18 + 2C18 SHLD

Part Number	Weight	Min. Quantity
638AFS 0001000	N-A	N-A



2 #20 FEP FS FLRST

Belden

2 #20 FEP FS FLRST

Part Number	Weight	Min. Quantity
6400FC 877U1000	N-A	N-A

639948



Belden

18 AWG bare copper conductor; foam fluorinated ethylene propylene insulation; bare copper braid shield; PVC jacket.

Part Number	Weight	Min. Quantity
639948	N-A	N-A



6400FE

Belden

20 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Overall Beldfoil shield tape shield (foil side out) and drain wire; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6400FE	N-A	N-A

#18 FFEP SH +1 PR#18 FEPPVCSIAM



Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
639948 8771000	59	N-A



2 #20 FLRST FS FLRST

Belden

2 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6400FE 8771000	N-A	N-A

#18 FFEP SH +1 PR#18 FEPPVCSIAM



Belden

Coaxial Cables 18AWG 1C SOLID 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
639948 877500	31	N-A



2 #20 FLRST FS FLRST

Belden

2 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6400FE 877U1000	N-A	N-A

6400FC



Belden

20 AWG bare copper conductors; FEP insulation; cabled with a Beldfoil shield tape and drain wire; Flamarrest jacket.

Part Number	Weight	Min. Quantity
6400FC	N-A	N-A



6400UE

Belden

20 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6400UE	N-A	N-A

**2 #20 FLRST FLRST****Belden**

2 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6400UE 8771000	N-A	N-A

**3 #20 FLRST FS FLRST****Belden**

3 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6401FE 8771000	N-A	N-A

**2 #20 FLRST Commercial Audio System...****Belden**

2 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6400UE 877500	N-A	N-A

**3 #20 FLRST FS FLRST Commercial Aud...****Belden**

3 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6401FE 877U1000	N-A	N-A

**2 #20 FLRST FLRST****Belden**

2 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6400UE 877C500	N-A	N-A

**6401GE****Belden**

20 AWG BC conductors; Flamarrest 00Ω insulation; black/red twisted pair shielded w/Beldfoil 00Ω tape (alum side facing in); drain wire; cabled with additional insul conductor(s) as indicated; Flamarrest 00Ω jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
6401GE	N-A	N-A

**2 #20 FLRST FLRST****Belden**


2 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6400UE 877U1000	N-A	N-A

**1FSPR+1CDR#20FLRSTFLRST****Belden**

1FSPR+1CDR#20FLRSTFLRST

Part Number	Weight	Min. Quantity
6401GE 8771000	N-A	N-A

**6401FE****Belden**

20 AWG bare copper conductors; Flamarrest 00Ω insulation; conductors cabled; Overall Beldfoil 00Ω tape shield (foil side out) and drain wire; Flamarrest 00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6401FE	N-A	N-A

**6401UE****Belden**

20 AWG bare copper conductors; Flamarrest 00Ω insulation; conductors cabled; Flamarrest 00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6401UE	N-A	N-A



6401UE 8771000 – 3 #20 FLRST FLRST

**3 #20 FLRST FLRST****Belden**

3 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6401UE 8771000	N-A	N-A

**4 #20 flrst fs flrst****Belden**

4 #20 flrst fs flrst

Part Number	Weight	Min. Quantity
6402FE 877500	N-A	N-A

**3 #20 FLRST FLRST****Belden**

3 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6401UE 8775000	N-A	N-A

**4 #20 FLRST FS FLRST****Belden**

4 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6402FE 877U1000	N-A	N-A

**3 #20 FLRST FLRST****Belden**

3 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6401UE 877U1000	N-A	N-A

**6402UE****Belden**

20 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; Flamarrest[®] jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6402UE	N-A	N-A

**6402FE****Belden**

20 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; overall Beldfoil[®] tape shield (foil side out) and drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6402FE	N-A	N-A

**4 #20 FLRST FLRST****Belden**

4 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6402UE 004U1000	N-A	N-A

**4 #20 FLRST FS FLRST****Belden**

4 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6402FE 8771000	N-A	N-A

**4 #20 FLRST FLRST****Belden**

4 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6402UE 8771000	N-A	N-A

6407FE 8771000 – 9 #20 FLRST FS FLRST



4 #20 FLRST FLRST

Belden

4 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6402UE 877U1000	N-A	N-A

7 #20 FLRST FS FLRST

Belden

7 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6405FE 8771000	N-A	N-A




6403UE

Belden

20 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6403UE	N-A	N-A



6406UE

Belden

20 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6406UE	N-A	N-A



5 #20 FLRST FLRST

Belden

5 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6403UE 8771000	N-A	N-A



8 #20 FLRST FLRST

Belden

8 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6406UE 8771000	N-A	N-A



5 #20 FLRST Commercial Applications...

Belden

5 #20 FLRST FLRST

Part Number	Weight	Min. Quantity
6403UE 877U1000	N-A	N-A



6407FE

Belden

20 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6407FE	N-A	N-A



6405FE

Belden

20 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6405FE	N-A	N-A



9 #20 FLRST FS FLRST

Belden

9 #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6407FE 8771000	N-A	N-A



643948 – 643948

**643948****Belden**

20 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; Flammarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
643948	N-A	N-A

**#20 FPFA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
643948 8771000	0.029	N-A

**#20 FPFA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
643948 0101000	0.029	N-A

**#20 FPFA BRD FLRST Teflon Coaxial C...****Belden**

#20 FPFA BRD FLRST

Part Number	Weight	Min. Quantity
643948 877500	N-A	N-A

**#20 FPFA BRD FLRST Teflon Coaxial C...****Belden**

#20 FPFA BRD FLRST

Part Number	Weight	Min. Quantity
643948 010500	N-A	N-A

**#20 FPFA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
643948 877U1000	0.028	N-A

**#20 FPFA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
643948 010U1000	0.028	N-A

**#20 FFPA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
643948 877U500	0.03	N-A

**#20 FPFA BRD FLRST****Belden**

Coaxial Cables 18AWG 1C SOLID 500ft BOX BLACK

Part Number	Weight	Min. Quantity
643948 010U500	0.03	N-A

**6439C8****Belden**

20 AWG solid BC conductor; foam FEP insulation; foil plus aluminum braid shield(s) as indicated; Flammarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6439C8	N-A	N-A



649948 877500 – PLENUM RG59;1PR18SIAMASE

**6439Q8****Belden**

20 AWG solid BC conductor; foam FEP insulation; foil plus aluminum braid shield(s) as indicated; Flamarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6439Q8	N-A	N-A

**RG-59/U QUAD SHLD FLRST****Belden**

RG-59/U QUAD SHLD FLRST

Part Number	Weight	Min. Quantity
6439Q8 877U1000	N-A	N-A

**4 PR #20 FLRST FS FLRST****Belden**

4 PR #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6443FE 8771000	N-A	N-A

**4 PR #20 FLRST FS FLRST****Belden**

4 PR #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6443FE 877U1000	N-A	N-A

**6441FE****Belden**


20 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil00Ω shield tape (foil side out) w/drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6441FE	N-A	N-A

**649948****Belden**

20 AWG bare copper conductor; foam fluorinated ethylene propylene insulation; bare copper braid shield; PVC jacket.

Part Number	Weight	Min. Quantity
649948	N-A	N-A

**2 PR #20 FLRST FS FLRST****Belden**

2 PR #20 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6441FE 8771000	N-A	N-A

**PLENUM RG59;1PR18SIAMASE****Belden**

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
649948 8771000	0.048	N-A

**6443FE****Belden**

20 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil00Ω shield tape (foil side out) w/drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6443FE	N-A	N-A

**PLENUM RG59;1PR18SIAMASE****Belden**


Coaxial Cables 18AWG 1C SOLID 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
649948 877500	0.051	N-A



6500FC – 6500FC

6500FC




Belden

22 AWG bare copper conductors; FEP insulation; cabled with a Beldfoil shield tape and drain wire; Flamarrest jacket.

Part Number	Weight	Min. Quantity
6500FC	N-A	N-A

2 #22 FEP FS FLRST




Belden

2 #22 FEP FS FLRST

Part Number	Weight	Min. Quantity
6500FC 8771000	N-A	N-A

2 #22 FEP FS FLRST



Belden

2 #22 FEP FS FLRST

Part Number	Weight	Min. Quantity
6500FC 877U1000	N-A	N-A

6500FE



Belden

22 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Overall Beldfoil shield tape (foil side out) and drain wire; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6500FE	N-A	N-A

2 #22 FLRST FS FLRST



Belden

Multi-Conductor Cables 22AWG 2C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6500FE 008U1000	0.012	N-A



2 #22 FLRST FS FLRST

Belden

Multi-Conductor Cables 22AWG 2C SHIELD 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6500FE 009U1000	0.012	N-A

2 #22 FLRST FS FLRST



Belden

Multi-Conductor Cables 22AWG 2C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6500FE 010U1000	0.012	N-A

2 #22 FLRST FS FLRST



Belden

Multi-Conductor Cables 22AWG 2C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6500FE 8771000	0.012	N-A

2 #22 FLRST FS FLRST



Belden

Multi-Conductor Cables 22AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6500FE 877500	0.012	N-A

2 #22 FLRST FS FLRST



Belden

Multi-Conductor Cables 22AWG 2C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6500FE 877C500	5.5	N-A

**2 #22 FLRST FS FLRST****Belden**

Multi-Conductor Cables 22AWG 2C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6500FE 877U1000	0.012	N-A

**6500UE****Belden**

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6500UE	N-A	N-A

**2 #22 FLRST FS FLRST****Belden**


Multi-Conductor Cables 22AWG 2C STRAND 500ft BOX NATURAL

Part Number	Weight	Min. Quantity
6500FE 877U500	0.013	N-A

**2 #22 FLRST FLRST****Belden**


2 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6500UE 8771000	N-A	N-A

**6500PE****Belden**

22 AWG tinned copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side in) and drain wire; Flamarrest00Ω jacket bonded to shield tape; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6500PE	N-A	N-A

**2 #22 FLRST FLRST****Belden**


2 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6500UE 877C1000	N-A	N-A

**2 #22 FLRST FS FLRST****Belden**

2 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6500PE 0091000	N-A	N-A

**2 #22 FLRST FLRST****Belden**


2 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6500UE 877U1000	N-A	N-A

**2 #22 FLRST FS FLRST****Belden**

2 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6500PE 0101000	N-A	N-A

**6501FE****Belden**

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6501FE	N-A	N-A



6501FE 8771000 – 3 #22 FLRST FS FLRST




3 #22 FLRST FS FLRST

Belden

3 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6501FE 8771000	N-A	N-A



6501UE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; Flamarrest[®] jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6501UE	N-A	N-A



3 #22 FLRST FS FLRST Commercial Aud...

Belden

3 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6501FE 877500	N-A	N-A



3 #22 FLRST FLRST

Belden

3 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6501UE 8771000	N-A	N-A



3 #22 FLRST FS FLRST

Belden

3 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6501FE 877U1000	N-A	N-A



3 #22 FLRST FLRST

Belden

3 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6501UE 877U1000	N-A	N-A



6501GE

Belden

22 AWG BC conductors; Flamarrest[®] insulation; black/red twisted pair shielded w/Beldfoil[®] tape (alum side facing in); drain wire; cabled with additional insul conductor(s) as indicated; Flamarrest[®] jkt with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
6501GE	N-A	N-A



6502FC

Belden

22 AWG bare copper conductors; FEP insulation; cabled with a Beldfoil[®] shield tape and drain wire; Flamarrest[®] jacket.

Part Number	Weight	Min. Quantity
6502FC	N-A	N-A



1FSR+1CDR#22FLRSTFLRST

Belden

1FSR+1CDR#22FLRSTFLRST

Part Number	Weight	Min. Quantity
6501GE 8771000	N-A	N-A



4 #22 FEP FS FLRST

Belden

4 #22 FEP FS FLRST

Part Number	Weight	Min. Quantity
6502FC 8771000	N-A	N-A

6502GE 877U1000 – 1FSPR+2CDR#22 FLRSTFLRST

**6502FE****Belden**

22 AWG bare copper conductors; Flamarrest insulation; conductors cabled; overall Beldfoil tape shield (foil side out) and drain wire; Flamarrest jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6502FE	N-A	N-A

**4 #22 FLRST FS FLRST****Belden**

Multi-Conductor Cables 22AWG 4C SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6502FE 8771000	0.019	N-A

**4 #22 FLRST FS FLRST****Belden**


Multi-Conductor Cables 22AWG 4C STRAND 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6502FE 877500	0.019	N-A

**4 #22 FLRST FS FLRST****Belden**


Multi-Conductor Cables 22AWG 4C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6502FE 877U1000	0.019	N-A

**6502GE****Belden**

22 AWG BC conductors; Flamarrest insulation; black/red twisted pair shielded w/Beldfoil tape (alum side facing in); drain wire; cabled with additional insulated conductor(s) as indicated; Flamarrest jacket with ripcord. Seq footage marking every two feet.

Part Number	Weight	Min. Quantity
6502GE	N-A	N-A

**1 FSPR + 2 CDR #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C STRAND 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
6502GE 008U1000	0.021	N-A

**1 FSPR + 2 CDR #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C STRAND 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
6502GE 009U1000	0.021	N-A

**1 FSPR + 2 CDR #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C STRAND 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
6502GE 010U1000	0.021	N-A

**1FSPR+2CDR#22 FLRSTFLRST****Belden**

Multi-Conductor Cables 22AWG 4C STRAND 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6502GE 8771000	0.021	N-A

**1FSPR+2CDR#22 FLRSTFLRST****Belden**

Multi-Conductor Cables 22AWG 4C STRAND 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6502GE 877U1000	0.021	N-A

6502UE – 6502UE

**6502UE****Belden**

22 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; Flamarrest[®] jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6502UE	N-A	N-A

**4 #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 1000ft BOX NATURAL

Part Number	Weight	Min. Quantity
6502UE 877U1000	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6502UE 004U1000	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6502UE 877U500	N-A	N-A

**4 #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6502UE 8771000	N-A	N-A

**6502UL****Belden**

22 AWG stranded (7x30) bare copper conductors; Flamarrest[®] insulation; conductors cabled; Flamarrest[®] jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6502UL	N-A	N-A

**4 #22 FLRST FLRST****Belden**

Multi-Conductor Cables 22AWG 4C UNSHLD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6502UE 877500	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6502UL 002U1000	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6502UE 877C500	N-A	N-A


**6504FE****Belden**

22 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; overall Beldfoil[®] tape shield (foil side out) and drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6504FE	N-A	N-A



6504UE 8771000 – 6 #22 FLRST FLRST

**6 #22 FLRST FS FLRST****Belden**


6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 0041000	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**

6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 877C500	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**


6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 004U1000	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**

6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 877U1000	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**


6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 0071000	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**

6 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6504FE 877U500	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**


Multi-Conductor Cables 22AWG 6C SHIELD 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6504FE 8771000	N-A	N-A

**6504UE****Belden**

22 AWG bare copper conductors; Flamarrest 000 insulation; conductors cabled; Flamarrest 000 jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6504UE	N-A	N-A

**6 #22 FLRST FS FLRST****Belden**

Multi-Conductor Cables 22AWG 6C SHIELD 500ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
6504FE 877500	N-A	N-A

**6 #22 FLRST FLRST****Belden**

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6504UE 8771000	N-A	N-A

6504UE 877500 – 6 #22 FLRST FLRST

**6 #22 FLRST FLRST**

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6504UE 877500	N-A	N-A

**6506FE**

Belden

22 AWG bare copper conductors; Flamarrest $\text{\textcircled{O}}$ insulation; conductors cabled; overall Beldfoil $\text{\textcircled{O}}$ tape shield (foil side out) and drain wire; Flamarrest $\text{\textcircled{O}}$ jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6506FE	N-A	N-A

**6 #22 FLRST FLRST**

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6504UE 877C500	N-A	N-A

**8 #22 FLRST FS FLRST**

Belden

8 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6506FE 8771000	N-A	N-A

**6 #22 FLRST FLRST**

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6504UE 877U1000	N-A	N-A

**8 #22 FLRST FS FLRST**

Belden

8 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6506FE 877500	N-A	N-A

**6504UL**

Belden

22 AWG stranded (7x30) bare copper conductors; Flamarrest $\text{\textcircled{O}}$ insulation; conductors cabled; Flamarrest $\text{\textcircled{O}}$ jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6504UL	N-A	N-A

**8 #22 FLRST FS FLRST**

Belden

8 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6506FE 877U1000	N-A	N-A

**6 #22 FLRST FLRST**

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6504UL 002U1000	N-A	N-A

**6506UE**

Belden

22 AWG bare copper conductors; Flamarrest $\text{\textcircled{O}}$ insulation; conductors cabled; Flamarrest $\text{\textcircled{O}}$ jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6506UE	N-A	N-A

**8 #22 FLRST FLRST**

Belden

8 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6506UE 8771000	N-A	N-A

**10 #22 FLRST FS FLRST**

Belden

10 #22 FLRST FS FLRST


Part Number	Weight	Min. Quantity
6508FE 877U1000	N-A	N-A

**8 #22 FLRST FLRST**

Belden

8 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6506UE 877U1000	N-A	N-A

**6508UE**

Belden

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6508UE	N-A	N-A

**8 #22 FLRST FLRST**

Belden

8 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6506UE 877U500	N-A	N-A

**10 #22 FLRST FLRST Commercial Appli...**

Belden

10 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6508UE 8771000	N-A	N-A

**6508FE**

Belden

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; overall Beldfoil00Ω tape shield (foil side out) and drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6508FE	N-A	N-A

**10 #22 FLRST FLRST**

Belden

10 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6508UE 877U1000	N-A	N-A

**10 #22 FLRST FS FLRST**

Belden

10 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6508FE 8771000	N-A	N-A

**6509UE**

Belden

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6509UE	N-A	N-A

6509UE 8771000 – 12 #22 FLRST FLRST



12 #22 FLRST FLRST

Belden

12 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6509UE 8771000	N-A	N-A



12 #22 FLRST FLRST

Belden

12 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6509UE 877U1000	N-A	N-A




12 #22 FLRST Commercial Application...

Belden

12 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6509UE 877U500	N-A	N-A



6520FE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; Overall Beldfoil[®] tape shield (foil side out) and drain wire; Flamarrest[®] jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6520FE	N-A	N-A



2 #22 FLST FS FLRST

Belden

2 #22 FLST FS FLRST

Part Number	Weight	Min. Quantity
6520FE 877C1000	N-A	N-A

2 #22 FLRST FS FLRST

Belden

2 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6520FE 877U1000	N-A	N-A

6520UE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; conductors cabled; Flamarrest[®] jacket with ripcord; sequential footage marking every two feet


Part Number	Weight	Min. Quantity
6520UE	N-A	N-A

2 #22 FLRST FLRST

Belden

Multi-Conductor Cables 22AWG 2C UNSHIELD 1000FT SPOOL NATURAL

Part Number	Weight	Min. Quantity
6520UE 8771000	N-A	N-A



2 #22 FLRST FS FLRST

Belden

2 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6520FE 8771000	N-A	N-A



2 #22 FLRST Commercial Audio System...

Belden

Color: NATURAL

Part Number	Weight	Min. Quantity
6520UE 877U1000	10	N-A

6522UL 0021000 – 4 #22 FLRST FLRST

**6521FE****Belden**

22 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Overall Beldfoil tape shield (foil side out) and drain wire; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6521FE	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6522UE 8771000	N-A	N-A

**3 #22 FLRST FS FLRST****Belden**

3 #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6521FE 8771000	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6522UE 877U1000	N-A	N-A

**6521UE****Belden**

22 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6521UE	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6522UE 877U500	N-A	N-A

**3 #22 FLRST FLRST****Belden**

3 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6521UE 8771000	N-A	N-A

**6522UL****Belden**

22 AWG bare copper conductors; Flamarrest insulation; cabled together; Flamarrest jacket with ripcord; shielded version has overall Beldfoil shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6522UL	N-A	N-A

**6522UE****Belden**

22 AWG bare copper conductors; Flamarrest insulation; conductors cabled; Flamarrest jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6522UE	N-A	N-A

**4 #22 FLRST FLRST****Belden**

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6522UL 0021000	N-A	N-A



6522UL 002U1000 – 4 #22 FLRST FLRST



4 #22 FLRST FLRST

Belden

4 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6522UL 002U1000	N-A	N-A



6524UE

Belden

22 AWG bare copper conductors; Flamarrest00Ω insulation; conductors cabled; Flamarrest00Ω jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6524UE	N-A	N-A



6 #22 FLRST FLRST

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6524UE 877C500	N-A	N-A



6 #22 FLRST FLRST

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6524UE 877U1000	N-A	N-A



6524UL

Belden

22 AWG bare copper conductors; Flamarrest00Ω insulation; cabled together; Flamarrest00Ω jacket with ripcord; shielded version has overall Beldfoil00Ω shield tape (foil side out) and drain wire; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6524UL	N-A	N-A



6 #22 FLRST Commercial Applications...

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6524UL 0021000	N-A	N-A



6 #22 FLRST FLRST

Belden

6 #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6524UL 002C500	N-A	N-A



6 #22 FLRST Commercial Applications...

Belden

22 AWG bare copper conductors; PVC insulation; conductors cabled together; PVC jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6524UL 002U1000	N-A	N-A



6539Y8

Belden

22 AWG bare copper-covered steel conductor; foam FEP insulation; bare copper braid shield; Flamarrest00Ω jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6539Y8	N-A	N-A



6540FT

Belden

22 AWG stranded (7x30) tinned copper conductors; foam FEP insulation; twisted pairs; overall Beldfoil00Ω shield (100% coverage); 22 AWG stranded tinned copper drain wire; Flamarrest00Ω jacket. Sequential footage marking every two feet.


Part Number	Weight	Min. Quantity
6540FT	N-A	N-A



1 FS PR #22 FFEP FLRST**Belden**


1 FS PR #22 FFEP FLRST

Part Number	Weight	Min. Quantity
6540FT 0011000	N-A	N-A

6541FE**Belden**

22 AWG bare copper conductors; Flamarrest[®] insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil[®] shield tape (foil side out) w/drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6541FE	N-A	N-A

2 PR #22 FLRST FS FLRST**Belden**

2 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6541FE 8771000	N-A	N-A

2 PR #22 FLRST FS FLRST**Belden**

2 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6541FE 877U1000	N-A	N-A

2 PR #22 FLRST FS FLRST**Belden**

2 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6541FE 877U500	N-A	N-A

**6541PA****Belden**

22 AWG BC conductors; FEP insulation; conductors twisted into pairs and individually shielded w/Beldfoil[®] tape (alum side facing in). Each pair has a 24 AWG TC drain wire; pairs cabled together; Fluorocopolymer jacket; ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6541PA	N-A	N-A

2 FSPR #22 FEP SLF**Belden**

Multi-Paired Cables 22AWG 2PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
6541PA 0081000	N-A	N-A

2 FSPR #22 FEP SLF Pro Audio and In...**Belden**

2 FSPR #22 FEP SLF

Part Number	Weight	Min. Quantity
6541PA 008500	N-A	N-A

2 FSPR #22 FEP SLF**Belden**

2 FSPR #22 FEP SLF

Part Number	Weight	Min. Quantity
6541PA 008U1000	N-A	N-A

6541PT**Belden**

22 AWG stranded (7x30) tinned copper conductors; foam FEP insulation; twisted pairs; overall Beldfoil[®] shield (100% coverage); 22 AWG stranded tinned copper drain wire; Flamarrest[®] jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6541PT	N-A	N-A

6541PT 0011000 – 2 PR #22 FFEP FS FLRST Thermostat a...

2 PR #22 FFEP FS FLRST Thermostat a...



Belden

22 AWG stranded (7x30) tinned copper conductors; Datalene® insulation; Individually Beldfoil® shielded twisted pairs each with 22 AWG stranded tinned copper drain wire; PVC jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6541PT 0011000	N-A	N-A

6541UE



Belden

22 AWG bare copper conductors; Flammarrest® insulation; twisted into pairs; multiple pairs cabled together; Flammarrest® jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6541UE	N-A	N-A

2 PR #22 FLRST FLRST



Belden

Multi-Conductor Cables 22AWG 2PR BC 1000FT SPOOL NATURAL

Part Number	Weight	Min. Quantity
6541UE 8771000	N-A	N-A

2 PR #22 FLRST FLRST




Belden

2 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6541UE 877U1000	N-A	N-A

6542FE



Belden

22 AWG bare copper conductors; Flammarrest® insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil® shield tape (foil side out) w/drain wire; Flammarrest® jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6542FE	N-A	N-A

3 PR #22 FLRST FS FLRST



Belden

3 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6542FE 8771000	N-A	N-A

3 PR #22 FLRST FS FLRST



Belden

3 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6542FE 877U1000	N-A	N-A

6542PA



Belden

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil® tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flammarrest® (18 AWG) jkt; ripcord. Seq fgtg marking every two ft.

Part Number	Weight	Min. Quantity
6542PA	N-A	N-A

3 FSPR #22 FEP SLF



Belden

3 FSPR #22 FEP SLF

Part Number	Weight	Min. Quantity
6542PA 0081000	N-A	N-A

6542UE



Belden

22 AWG bare copper conductors; Flammarrest® insulation; twisted into pairs; multiple pairs cabled together; Flammarrest® jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6542UE	N-A	N-A

6545FE 8771000 – 6 PR #22 FLRST FS FLRST



3 PR #22 FLRST FLRST

Belden

3 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6542UE 8771000	N-A	N-A



4 FS PR #22 FEP SLF

Belden

Multi-Paired Cables 22AWG 4PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
6543PA 0081000	N-A	N-A



6543FE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil[®] shield tape (foil side out) w/drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6543FE	N-A	N-A



6543UE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; twisted into pairs; multiple pairs cabled together; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6543UE	N-A	N-A



4 PR #22 FLRST FS FLRST

Belden

4 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6543FE 8771000	N-A	N-A



4 PR #22 FLRST FLRST

Belden

4 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6543UE 8771000	N-A	N-A



4 PR #22 FLRST FS FLRST Commercial ...

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil[®] shield tape (foil side out) w/drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6543FE 877U1000	N-A	N-A



6545FE

Belden

22 AWG bare copper conductors; Flamarrest[®] insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil[®] shield tape (foil side out) w/drain wire; Flamarrest[®] jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6545FE	N-A	N-A



6543PA

Belden

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil[®] tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flamarrest[®] (18 AWG) jkt; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6543PA	N-A	N-A



6 PR #22 FLRST FS FLRST

Belden

6 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6545FE 8771000	N-A	N-A



6545FE 877U1000 – 6 PR #22 FLRST FS FLRST

**6 PR #22 FLRST FS FLRST****Belden**

6 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6545FE 877U1000	N-A	N-A

**6546PA****Belden**

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil 000 tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flamarrest 000 (18 AWG) jkt; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6546PA	N-A	N-A

6545PA**Belden**

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil 000 tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flamarrest 000 (18 AWG) jkt; ripcord. Seq ftg marking every two ft.

Part Number	Weight	Min. Quantity
6545PA	N-A	N-A

**8 FS PR #22 FEP SLF****Belden**

8 FS PR #22 FEP SLF

Part Number	Weight	Min. Quantity
6546PA 0081000	N-A	N-A

**6 FS PR #22 FEP SLF****Belden**

6 FS PR #22 FEP SLF

Part Number	Weight	Min. Quantity
6545PA 0081000	N-A	N-A

**6547FE****Belden**

22 AWG bare copper conductors; Flamarrest 000 insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil 000 shield tape (foil side out) w/drain wire; Flamarrest 000 jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6547FE	N-A	N-A

**6545UE****Belden**

22 AWG bare copper conductors; Flamarrest 000 insulation; twisted into pairs; multiple pairs cabled together; Flamarrest 000 jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6545UE	N-A	N-A

**9PR #22FLRST FS FLRST****Belden**

9PR #22FLRST FS FLRST

Part Number	Weight	Min. Quantity
6547FE 8771000	N-A	N-A

6 PR #22 FLRST FLRST**Belden**

6 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6545UE 8771000	N-A	N-A

**6547UE****Belden**

22 AWG bare copper conductors; Flamarrest 000 insulation; twisted into pairs; multiple pairs cabled together; Flamarrest 000 jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6547UE	N-A	N-A

**9 PR #22 FLRST FLRST****Belden**

9 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6547UE 8771000	N-A	N-A

**6561FE****Belden**

22 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; overall Beldfoil00Ω shield tape (foil side out) w/drain wire; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6561FE	N-A	N-A

6548PA**Belden**

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil00Ω tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flamarrest00Ω (18 AWG) jkt; ripcord. Seq fgt marking every two ft.

Part Number	Weight	Min. Quantity
6548PA	N-A	N-A

2 PR #22 FLRST FS FLRST**Belden**

2 PR #22 FLRST FS FLRST

Part Number	Weight	Min. Quantity
6561FE 8771000	N-A	N-A

12 FS PR #22 FEP SLF**Belden**

12 FS PR #22 FEP SLF

Part Number	Weight	Min. Quantity
6548PA 0081000	N-A	N-A

6561UE**Belden**

22 AWG bare copper conductors; Flamarrest00Ω insulation; twisted into pairs; multiple pairs cabled together; Flamarrest00Ω jacket with ripcord. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6561UE	N-A	N-A

6549PA**Belden**

22 AWG BC cond; FEP insul; cond twisted into pairs and individually shielded w/Beldfoil00Ω tape (alum side facing in); drain wire; multiple pairs cabled together; Fluorocopolymer (22 AWG) or Flamarrest00Ω (18 AWG) jkt; ripcord. Seq fgt marking every two ft.

Part Number	Weight	Min. Quantity
6549PA	N-A	N-A

2 PR #22 FLRST FLRST**Belden**

2 PR #22 FLRST FLRST

Part Number	Weight	Min. Quantity
6561UE 8771000	N-A	N-A

16 FS PR #22 FEP SLF**Belden**

16 FS PR #22 FEP SLF

Part Number	Weight	Min. Quantity
6549PA 0081000	N-A	N-A

658AFJ**Belden**

3 pr. - 22 stranded (7x30) BC cond.; Flamarrest00Ω insul.; Beldfoil00Ω shield; drain wire; Flamarrest00Ω jacket; 10 cond. - 22 AWG stranded (7x30) & 18 AWG (7x26) BC cond.; Flamarrest00Ω insul.; Beldfoil00Ω shield; drain wire; Flamarrest00Ω jacket with ripcord; overall Flamarrest00Ω jacket.

Part Number	Weight	Min. Quantity
658AFJ	N-A	N-A



658AFJ 0041000 – 4C18+4C22+3P22+2C22 SHLD FLMST



4C18+4C22+3P22+2C22 SHLD FLMST

Belden

4C18+4C22+3P22+2C22 SHLD FLMST

Part Number	Weight	Min. Quantity
658AFJ 0041000	N-A	N-A



658GFS

Belden

6 Pairs - 22 AWG stranded (7x30) BC conductors; LS PVC insul.; Beldfoil00Ω shield; drain wire; LS PVC jacket w/ripcord; 6 conductors - 22 & 18 AWG stranded BC conductors; LS PVC insul.; Beldfoil00Ω shield; drain wire; LS PVC jacket w/ripcord.

Part Number	Weight	Min. Quantity
658GFS	N-A	N-A



FS SLF Composite Cable - Lock Power...

Belden

FS COMPOSITE CABLE SLF

Part Number	Weight	Min. Quantity
658AFJ 004500	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
658GFS 0001000	N-A	N-A



658AFS

Belden

18 AWG stranded bare copper conductors; Flamarrest00Ω insulation and jackets; no overall jacket; all cables are Beldfoil00Ω shielded; cable jackets are color coded by application; individual jacket is sequentially marked at two foot intervals.

Part Number	Weight	Min. Quantity
658AFS	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
658GFS 000500	N-A	N-A



4C18 + 4C22 + 3P22 + 2C22 SHLD

Belden

Multi-Paired Cables 22AWG 3PR SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
658AFS 0001000	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
658GMS 0001000	N-A	N-A



4C18 + 4C22 + 3P22 + 2C22 SHLD

Belden

Multi-Paired Cables 22AWG 3PR SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
658AFS 000500	N-A	N-A



6624UG

Belden

24 AWG solid bare copper conductors; FEP insulation; Flamarrest00Ω jacket.

Part Number	Weight	Min. Quantity
6624UG	N-A	N-A

**6 #24 FEP FLRST****Belden**

6 #24 FEP FLRST

Part Number	Weight	Min. Quantity
6624UG F6H1000	N-A	N-A

**6626UG****Belden**

24 AWG solid bare copper conductors; FEP insulation; Flamarrest shield jacket.

Part Number	Weight	Min. Quantity
6626UG	N-A	N-A

**8 #24 FEP FLRST****Belden**

8 #24 FEP FLRST

Part Number	Weight	Min. Quantity
6626UG F6H1000	N-A	N-A

**6641FC****Belden**

24 AWG bare copper conductors; FEP insulation; twisted pairs cabled with a Beldfoil shield tape (foil side out); drain wire; Flamarrest shield jacket.

Part Number	Weight	Min. Quantity
6641FC	N-A	N-A

**2 PR #24 FEP FS FLRST****Belden**

2 PR #24 FEP FS FLRST

Part Number	Weight	Min. Quantity
6641FC 877U500	N-A	N-A

**6660FT****Belden**

24 AWG solid tinned copper conductors; FFEP insulation; twisted pairs; overall Beldfoil shield (100% coverage); 24 AWG solid tinned copper drain wire; Flamarrest shield jacket. Sequential footage marked every two feet.

Part Number	Weight	Min. Quantity
6660FT	N-A	N-A

**1 FS PR #24 FFEP FLRST****Belden**

1 FS PR #24 FFEP FLRST

Part Number	Weight	Min. Quantity
6660FT 0011000	N-A	N-A

**6661PT****Belden**

24 AWG solid tinned copper conductors; foam FEP insulation; twisted pairs; overall Beldfoil shield (100% coverage); 24 AWG solid tinned copper drain wire; Flamarrest shield jacket. Sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6661PT	N-A	N-A

**2 PR #24 FFEP FS FLRST****Belden**

2 PR #24 FFEP FS FLRST

Part Number	Weight	Min. Quantity
6661PT 0011000	N-A	N-A

**6662UG****Belden**

24 AWG solid bare copper conductors; FEP insulation; Flamarrest shield jacket; rip cord.

Part Number	Weight	Min. Quantity
6662UG	N-A	N-A

6662UG F6H1000 – 3 PR #24 FEP FLRST




3 PR #24 FEP FLRST

Belden

3 PR #24 FEP FLRST

Part Number	Weight	Min. Quantity
6662UG F6H1000	N-A	N-A



4 PR #23 FRPO/FEP FLRST

Belden

4 PR #23 FRPO/FEP FLRST

Part Number	Weight	Min. Quantity
6663U6 0101000	N-A	N-A

6663U5

Belden

24 AWG solid bare copper conductors; dual FRPO/FEP insulation; Flamarrest® jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6663U5	N-A	N-A



4 PR #23 FRPO/FEP FLRST

Belden

4 PR #23 FRPO/FEP FLRST

Part Number	Weight	Min. Quantity
6663U6 010500	N-A	N-A



4 PR #24 FRPO/FEP FLRST

Belden

4 PR #24 FRPO/FEP FLRST

Part Number	Weight	Min. Quantity
6663U5 010U1000	N-A	N-A



673948

Belden

25 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; Flamarrest® jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
673948	N-A	N-A



4 PR #24 FRPO/FEP FLRST

Belden

4 PR #24 FRPO/FEP FLRST

Part Number	Weight	Min. Quantity
6663U5 010U500	N-A	N-A



#25 FPFA BRD PVC

Belden

#25 FPFA BRD PVC

Part Number	Weight	Min. Quantity
673948 8771000	N-A	N-A

6663U6

Belden

23 AWG Solid Bare Copper Conductors; Dual FRPO/FEP Insulation; Twisted Pairs; Ripcord; Flamarrest® Jacket.

Part Number	Weight	Min. Quantity
6663U6	N-A	N-A



#25 FPFA BRD PVC Foam Fluorinated E...

Belden

25 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; Flamarrest® jacket; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
673948 877U1000	N-A	N-A





#25 FPFA BRD PVC

Belden

#25 FPFA BRD PVC

Part Number	Weight	Min. Quantity
673948 877U500	N-A	N-A



#25 FFEP BRD+1PR #20 FEP PARA Foam ...

Belden

25 AWG bare copper conductor; foam polyolefin insulation; bare copper braid shield; PVC jacket

Part Number	Weight	Min. Quantity
679948 0091000	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
6788AV 0001000	N-A	N-A



#25 Foam Fluorinated Ethylene Propy...

Belden

25 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; PVC jacket.

Part Number	Weight	Min. Quantity
679948 009500	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
6788AV 000250	N-A	N-A



#25 FFEP BRD+1PR #20 FEP PARA Foam ...

Belden

25 AWG bare copper conductor; foam polyolefin insulation; bare copper braid shield; PVC jacket

Part Number	Weight	Min. Quantity
679948 0101000	N-A	N-A



BONDED FILLER COMPOSITE

Belden

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
6788AV 009250	N-A	N-A



#25 FFEP BRD+1PR #20 FEP PARA Foam ...

Belden

#25 FFEP BRD+1PR #20 FEP PARA

Part Number	Weight	Min. Quantity
679948 010500	N-A	N-A




679948

Belden

25 AWG bare copper conductor; foam FEP insulation; bare copper braid shield; PVC jacket.

Part Number	Weight	Min. Quantity
679948	N-A	N-A



6T00UP

Belden

10 AWG bare copper conductors; Flamarrest 000 insulation; conductors cabled; Flamarrest 000 jacket with ripcord; sequential footage marking every two feet.

Part Number	Weight	Min. Quantity
6T00UP	N-A	N-A



6T00UP 0091000 – 1 PR #10 FLRST FLRST

1 PR #10 FLRST FLRST



Belden

Coaxial Cables 10AWG 2C UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
6T00UP 0091000	85	N-A



FOPC;SX3.0;ST/PC-ST/PC;

Belden

FOPC;SX3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70100229	N-A	N-A

FOPC;B0;ST/PC-ST/PC;



Belden

FOPC;B0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70100090_CN	N-A	N-A



FOPC;SX3.0;ST/PC-ST/PC;

Belden

FOPC;SX3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70100229_CN	N-A	N-A

FOPC;SX0.9;ST/PC-OPEN ;



Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100139_CN	N-A	N-A



FOPC;SX3.0;ST/PC-ST/PC;

Belden

FOPC;SX3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70100229_TW	N-A	N-A

FOPC;SX0.9;ST/PC-OPEN ;



Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100139_TW	N-A	N-A



FOPC;SX0.9;ST/PC-OPEN ;

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100390_CN	N-A	N-A

FOPC;SX3.0;ST/PC-OPEN ;



Belden

FOPC;SX3.0;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100228	N-A	N-A



FOPC;SX0.9;ST/PC-OPEN ;

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100390_TW	N-A	N-A

70101274_TW – FOPC;SX3.0;SC/PC-SC/PC;

**FOPC;SX0.9;ST/PC-OPEN ;**

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100649_CN	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70101161_CN	N-A	N-A

**FOPC;SX0.9;ST/PC-OPEN ;**

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100649_TW	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70101161_TW	N-A	N-A

**FOPC;SX0.9;ST/PC-OPEN ;**

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100856_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101274	N-A	N-A

**FOPC;SX0.9;ST/PC-OPEN ;**

Belden

FOPC;SX0.9;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70100856_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101274_CN	N-A	N-A

**FOPC;B0;ST/PC-ST/PC;**

Belden

FOPC;B0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70100940	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101274_TW	N-A	N-A

70101275_CN – FOPC;SX3.0;SC/PC-SC/PC;

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101275_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101376_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101275_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101376_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-OPEN ;**

Belden

FOPC;SX3.0;SC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70101374	N-A	N-A

**FOPC;SX3.0;ST/PC-OPEN ;**

Belden

FOPC;SX3.0;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70101600	N-A	N-A

**FOPC;SX3.0;FC/PC-OPEN ;**

Belden

FOPC;SX3.0;FC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70101375	N-A	N-A

**FOPC;SX3.0;ST/PC-OPEN ;**

Belden

FOPC;SX3.0;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70101600_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70101376	N-A	N-A

**FOPC;SX3.0;ST/PC-OPEN ;**

Belden

FOPC;SX3.0;ST/PC-OPEN ;

Part Number	Weight	Min. Quantity
70101600_TW	N-A	N-A

70102342_TW – FOPC;SX3.0;SC/PC-ST/PC;

**FOPC;B0;ST/PC-ST/PC;**

Belden

FOPC;B0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70101632	N-A	N-A

**FOPC;B0;ST/PC-ST/PC;**

Belden

FOPC;B0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102008	N-A	N-A

**FOPC;SX0.9;SC/PC-OPEN**

Belden

FOPC;SX0.9;SC/PC-OPEN

Part Number	Weight	Min. Quantity
70101714_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102341	N-A	N-A

**FOPC;SX0.9;SC/PC-OPEN;**

Belden

FOPC;SX0.9;SC/PC-OPEN;

Part Number	Weight	Min. Quantity
70101714_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102342	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70101721_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102342_CN	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70101721_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102342_TW	N-A	N-A

70102343 – FOPC;SX3.0;SC/PC-ST/PC;

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102343	N-A	N-A

**FOPC;SX0.9;FC/PC-OPEN ;**

Belden

FOPC;SX0.9;FC/PC-OPEN ;


Part Number	Weight	Min. Quantity
70102392_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102343_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;


Part Number	Weight	Min. Quantity
70102419_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102343_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;


Part Number	Weight	Min. Quantity
70102419_TW	N-A	N-A

**FOPC;SX0.9;FC/PC-OPEN ;**

Belden

FOPC;SX0.9;FC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70102392	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102420_CN	N-A	N-A

**FOPC;SX0.9;FC/PC-OPEN ;**

Belden

FOPC;SX0.9;FC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70102392_CN	N-A	N-A


**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102420_TW	N-A	N-A

70102547_CN – FOPC;SX3.0;SC/PC-OPEN ;

**FOPC;DZ3.0;ST/PC-ST/PC;****Belden**

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102447_CA	N-A	N-A

**FOPC;SX3.0;ST/PC-SC/PC;****Belden**

FOPC;SX3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102541	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;****Belden**

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102447_CN	N-A	N-A

**FOPC;SX3.0;ST/PC-SC/PC;****Belden**

FOPC;SX3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102541_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;****Belden**

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102447_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;****Belden**

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102542	N-A	N-A

**FOPC;DZ3.0;SC/PC-ST/PC;****Belden**

FOPC;DZ3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102515	N-A	N-A

**FOPC;SX3.0;SC/PC-OPEN ;****Belden**

FOPC;SX3.0;SC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70102547	N-A	N-A

**FOPC;DZ3.0;SC/PC-ST/PC;****Belden**

FOPC;DZ3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102515_TW	N-A	N-A

**FOPC;SX3.0;SC/PC-OPEN ;****Belden**

FOPC;SX3.0;SC/PC-OPEN ;

Part Number	Weight	Min. Quantity
70102547_CN	N-A	N-A

70102548 – FOPC;DZ3.0;SC/PC-SC/PC;

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102548	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102677	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102548_CN	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102677_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102672	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102687	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102672_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102687_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102672_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102726	N-A	N-A



70102735_CN – FOPC;DZ3.0;ST/PC-ST/PC;

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102726_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102730_TW	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102729	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102731	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102729_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-SC/PC;**

Belden

FOPC;SX3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102731_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102730	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102735	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102730_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102735_CN	N-A	N-A

70102735_TW – FOPC;DZ3.0;ST/PC-ST/PC;

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102735_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102759_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102736	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102761	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102736_TW	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102761_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102759	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102767	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102759_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102767_CN	N-A	N-A



70102874 – FOPC;SX3.0;FC/PC-FC/PC;

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102767_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102826	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102780	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102826_TW	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102780_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102867	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102809	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102867_TW	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102809_CN	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70102874	N-A	N-A

70102874_CN – FOPC;SX3.0;FC/PC-FC/PC;

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70102874_CN	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102924_TW	N-A	N-A

**FOPC;SX3.0;FC/PC-FC/PC;**

Belden

FOPC;SX3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70102874_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102958	N-A	N-A

**FOPC;DZ3.0;FC/PC-FC/PC;**

Belden

FOPC;DZ3.0;FC/PC-FC/PC;

Part Number	Weight	Min. Quantity
70102917	N-A	N-A

**FOPC;DZ3.0;ST/PC-ST/PC;**

Belden

FOPC;DZ3.0;ST/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102958_TW	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102924	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102991	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70102924_CN	N-A	N-A

**FOPC;SX3.0;SC/PC-ST/PC;**

Belden

FOPC;SX3.0;SC/PC-ST/PC;

Part Number	Weight	Min. Quantity
70102991_TW	N-A	N-A

7101A 0031000 – 3C 20 74/38 Bc Polyvinyl Chloride P...

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70103011	N-A	N-A

**USE W/709 CONN. FOR 3-WAY SPL.**

Belden

USE W/709 CONN. FOR 3-WAY SPL.

Part Number	Weight	Min. Quantity
709CD	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70103011_TW	N-A	N-A

**709 CONN ASSEM W/POT - CLEAR**

Belden

709 CONN ASSEM W/POT - CLEAR

Part Number	Weight	Min. Quantity
709SC	N-A	N-A

**FOPC;DZ3.0;SC/PC-SC/PC;**

Belden

FOPC;DZ3.0;SC/PC-SC/PC;

Part Number	Weight	Min. Quantity
70103031	N-A	N-A

**709 CONN ASSEM W/O POT YELLOW**

Belden

709 CONN ASSEM W/O POT YELLOW

Part Number	Weight	Min. Quantity
709SD	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70103032	N-A	N-A

**7101A**

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7101A	N-A	N-A

**FOPC;DZ3.0;ST/PC-SC/PC;**

Belden

FOPC;DZ3.0;ST/PC-SC/PC;

Part Number	Weight	Min. Quantity
70103032_TW	N-A	N-A

**3C 20 74/38 Bc Polyvinyl Chloride P...**

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7101A 0031000	N-A	N-A



7101A 003250 – 3C 20 74/38 Bc Polyvinyl Chloride P...



3C 20 74/38 Bc Polyvinyl Chloride P...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7101A 003250	N-A	N-A



7102A

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7102A	N-A	N-A



3C 20 74/38 Bc Polyvinyl Chloride P...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7101A 003500	N-A	N-A



4C 20 74/38 Bc Polyvinyl Chloride; ...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7102A 0031000	N-A	N-A



7101W

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7101W	N-A	N-A



4C 20 74/38 Bc Polyvinyl Chloride; ...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7102A 003250	N-A	N-A



2 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 3C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7101W 0031000	N-A	N-A



4C 20 74/38 BC PVC Multiconductor C...

Belden

4C 20 74/38 BC PVC; PVC

Part Number	Weight	Min. Quantity
7102A 003500	N-A	N-A



2 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 3C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7101W 003250	N-A	N-A



7102W

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7102W	N-A	N-A



7106A 003250 – 12C 20 74/38 Bc Polyvinyl Chloride ...

**3 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 4C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7102W 0031000	N-A	N-A

**7105W****Belden**

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7105W	N-A	N-A

**3 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 4C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7102W 003250	N-A	N-A

**8 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 9C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7105W 0031000	N-A	N-A

**7105A****Belden**

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7105A	N-A	N-A

**8 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 9C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7105W 003250	N-A	N-A

**9C 20 74/38 BC PVC****Belden**

Color: ORANGE

Part Number	Weight	Min. Quantity
7105A 0031000	50	N-A

**7106A****Belden**

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7106A	N-A	N-A

**9C 20 74/38 Bc Polyvinyl Chloride P...****Belden**

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7105A 003500	N-A	N-A

**12C 20 74/38 Bc Polyvinyl Chloride ...****Belden**

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7106A 003250	N-A	N-A



7106A 003500 – 12C 20 74/38 Bc Polyvinyl Chloride ...



12C 20 74/38 Bc Polyvinyl Chloride ...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7106A 003500	N-A	N-A



11 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 12C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7106W 0031000	N-A	N-A



7106AS

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; tinned copper braid shield (85% Coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7106AS	N-A	N-A



11 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 12C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7106W 003250	N-A	N-A



12C 20 74/38 Bc Polyvinyl Chloride ...

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; tinned copper braid shield (85% Coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7106AS 003250	N-A	N-A



11 #20 + GRD PVC TPE BRD TPE

Belden

Multi-Conductor Cables 20AWG 12C SHIELD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7106WS 0031000	N-A	N-A



12C 20 74/38 BC PVC PVCBRD Multicon...

Belden

12C 20 74/38 BC PVC PVCBRD PVC

Part Number	Weight	Min. Quantity
7106AS 003500	N-A	N-A



11 #20 + GRD PVC TPE BRD TPE

Belden

Multi-Conductor Cables 20AWG 12C SHIELD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7106WS 003250	N-A	N-A



7106W

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7106W	N-A	N-A



7107A

Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7107A	N-A	N-A



7110A 0031000 – Order As Special

18C 20 74/38 Bc Polyvinyl Chloride ...



Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7107A 003500	N-A	N-A

25C 20 74/38 Bc Polyvinyl Chloride;...



Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7108A 003500	N-A	N-A

17 #20 + GRD PVC TPE



Belden

Multi-Conductor Cables 20AWG 18C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7107W 0031000	N-A	N-A

24 #20 + GRD PVC TPE



Belden

Multi-Conductor Cables 20AWG 25C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7108W 0031000	N-A	N-A

17 #20 + GRD PVC TPE



Belden

Multi-Conductor Cables 20AWG 18C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7107W 003250	N-A	N-A

24 #20 + GRD PVC TPE



Belden

Multi-Conductor Cables 20AWG 25C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7108W 003250	N-A	N-A

7108A



Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7108A	N-A	N-A

7110A



Belden

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7110A	N-A	N-A

25C 20 74/38 Bc Polyvinyl Chloride;...



Belden

20 AWG stranded (74x38) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7108A 003250	N-A	N-A



Order As Special

Belden

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7110A 0031000	N-A	N-A

7110A 003500 – 3C 18 114/38 BC PVC Multiconductor ...



3C 18 114/38 BC PVC Multiconductor ...

Belden

3C 18 114/38 BC PVC PVC

Part Number	Weight	Min. Quantity
7110A 003500	N-A	N-A



7110W

Belden

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7110W	N-A	N-A



2 #18 + GRD PVC/NYL TPE

Belden

2 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7110W 0031000	N-A	N-A



2 #18 + GRD PVC/NYL TPE

Belden

2 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7110W 003250	N-A	N-A



7111AS

Belden

18 AWG stranded (114x38) bare copper conductors; PVC Insulation; tinned copper braid shield (85% coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7111AS	N-A	N-A



4C 18 114/38 Bc Polyvinyl Chloride ...

Belden

18 AWG stranded (114x38) bare copper conductors; PVC Insulation; tinned copper braid shield (85% coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7111AS 003250	N-A	N-A



4C 18 114/38 Bc Polyvinyl Chloride ...

Belden

18 AWG stranded (114x38) bare copper conductors; PVC Insulation; tinned copper braid shield (85% coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7111AS 003500	N-A	N-A



7111W

Belden

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7111W	N-A	N-A



3 #18 + GRD PVC/NYL TPE

Belden

3 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7111W 0031000	N-A	N-A



7111WS

Belden

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; Braid Shield; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7111WS	N-A	N-A

7115A 003500 – 12C 18 114/38 BC PVC Multiconductor...

3 #18 + GRD PVC/NYL TPE BRDTPE



Belden

3 #18 + GRD PVC/NYL TPE BRDTPE

Part Number	Weight	Min. Quantity
7111WS 0031000	N-A	N-A

6 #18 + GRD PVC/NYL TPE



Belden

6 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7113W 0031000	N-A	N-A

7113A



Belden

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7113A	N-A	N-A

6 #18 + GRD PVC/NYL TPE



Belden

6 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7113W 003250	N-A	N-A

7C 18 114/38 Bc Polyvinyl Chloride ...



Belden

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7113A 003250	N-A	N-A



7115A

Belden

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7115A	N-A	N-A

7C 18 114/38 BC PVC Multiconductor ...



Belden

7C 18 114/38 BC PVC PVC

Part Number	Weight	Min. Quantity
7113A 003500	N-A	N-A



12C 18 114/38 BC PVC Multiconductor...

Belden

12C 18 114/38 BC PVC PVC

Part Number	Weight	Min. Quantity
7115A 003250	N-A	N-A

7113W



Belden

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7113W	N-A	N-A



12C 18 114/38 BC PVC Multiconductor...

Belden

12C 18 114/38 BC PVC PVC

Part Number	Weight	Min. Quantity
7115A 003500	N-A	N-A



7115AS – 7115AS

**7115AS****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC Insulation; tinned copper braid shield (85% coverage); PVC inner jacket; oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7115AS	N-A	N-A

**18C 18 114/38 Bc Polyvinyl Chloride...****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7116A 003500	N-A	N-A

**12C 18 114/38 BC PVC; PVC SH Multic...****Belden**

12C 18 114/38 BC PVC; PVC SH

Part Number	Weight	Min. Quantity
7115AS 003250	N-A	N-A

**7116W****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7116W	N-A	N-A

**12C 18 114/38 BC PVC; PVC SH Multic...****Belden**

12C 18 114/38 BC PVC; PVC SH

Part Number	Weight	Min. Quantity
7115AS 003500	N-A	N-A

**17 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 18C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7116W 0031000	N-A	N-A

**7116A****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7116A	N-A	N-A

**17 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 18C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7116W 003250	N-A	N-A

**18C 18 114/38 Bc Polyvinyl Chloride...****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7116A 003250	N-A	N-A

**7117A****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7117A	N-A	N-A

7123AS 003250 – 4C 16 190/38 Bc Polyvinyl Chloride ...

**7117W****Belden**

18 AWG stranded (114x38) bare copper conductors; PVC-Nylon insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7117W	N-A	N-A

**7122W****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7122W	N-A	N-A

**24 #18 + GRD PVC/NYL TPE****Belden**

24 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7117W 0031000	N-A	N-A

**2 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7122W 0031000	N-A	N-A

**24 #18 + GRD PVC/NYL TPE****Belden**

24 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7117W 003250	N-A	N-A

**2 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7122W 003250	N-A	N-A

**7122A****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7122A	N-A	N-A

**7123AS****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7123AS	N-A	N-A

**3C 16 190/38 Bc Polyvinyl Chloride;...****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7122A 003250	N-A	N-A

**4C 16 190/38 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7123AS 003250	N-A	N-A



7123AS 003500 – 4C 16 190/38 Bc Polyvinyl Chloride ...



4C 16 190/38 Bc Polyvinyl Chloride ...

Belden

16 AWG stranded (190x38) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7123AS 003500	N-A	N-A



7C 16 190/38 Bc Polyvinyl Chloride ...

Belden

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7125A 003250	N-A	N-A



7123WS

Belden

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; braid shielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7123WS	N-A	N-A



7125W

Belden

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7125W	N-A	N-A



3#16 + GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 16AWG 4C SHIELD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7123WS 0031000	N-A	N-A



6 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 7C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7125W 0031000	N-A	N-A



3#16 + GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 16AWG 4C SHIELD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7123WS 003250	N-A	N-A



6 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 7C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7125W 003250	N-A	N-A



7125A

Belden

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7125A	N-A	N-A



7126A

Belden

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7126A	N-A	N-A

**9C 16 190/38 Bc Polyvinyl Chloride;...****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7126A 003250	N-A	N-A

**12C 16 190/38 Bc Polyvinyl Chloride...****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7127A 003250	N-A	N-A

**7126W****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7126W	N-A	N-A

**7127W****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7127W	N-A	N-A

**8 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 9C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7126W 0031000	N-A	N-A

**11 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 12C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7127W 0031000	N-A	N-A

**8 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 9C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7126W 003250	N-A	N-A

**11 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 12C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7127W 003250	N-A	N-A

**7127A****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7127A	N-A	N-A

**7128A****Belden**

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7128A	N-A	N-A

7128A 003500 – 18C 16 190/38 BC PVC Multiconductor...



18C 16 190/38 BC PVC Multiconductor...

Belden

18C 16 190/38 BC PVC PVC

Part Number	Weight	Min. Quantity
7128A 003500	N-A	N-A




24 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 25C UNSHLD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7129W 003250	N-A	N-A



7129A

Belden

16 AWG stranded (190x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7129A	N-A	N-A



7129WS

Belden

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; braid shield. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7129WS	N-A	N-A



25C 16 190/38 BC PVC Multiconductor...

Belden

25C 16 190/38 BC PVC;PVC

Part Number	Weight	Min. Quantity
7129A 003250	N-A	N-A



24#16+ GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 16AWG 25C SHIELD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7129WS 0031000	N-A	N-A



7129W

Belden

16 AWG stranded (190x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7129W	N-A	N-A



24#16+ GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 16AWG 25C SHIELD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7129WS 003250	N-A	N-A



24 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 25C UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7129W 0031000	N-A	N-A



7136A

Belden

14 AWG stranded (266x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7136A	N-A	N-A



7145A 003250 – 4C 12 413/38 Bc Polyvinyl Chloride ...



4C 14 266/38 Bc Polyvinyl Chloride;...

Belden

14 AWG stranded (266x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7136A 003250	N-A	N-A



4C 14 266/38 Bc Polyvinyl Chloride;...

Belden

14 AWG stranded (266x38) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7136A 003500	N-A	N-A



7136AS

Belden

14 AWG stranded (266x38) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7136AS	N-A	N-A



4C 14 266/38 Bc Polyvinyl Chloride;...

Belden

14 AWG stranded (266x38) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7136AS 003250	N-A	N-A



4C 14 266/38 BC PVC; PVC SH Multico...

Belden

Color: ORANGE

Part Number	Weight	Min. Quantity
7136AS 003500	145	N-A



7136WS

Belden

14 AWG stranded (266x38) bare copper conductors; PVC-Nylon insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7136WS	N-A	N-A



3 #14+GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 14AWG 4C SHIELD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7136WS 0031000	N-A	N-A



3 #14+GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 14AWG 4C SHIELD 250ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
7136WS 003250	N-A	N-A



7145A

Belden

12 AWG stranded (413x38); bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7145A	N-A	N-A



4C 12 413/38 Bc Polyvinyl Chloride ...

Belden

12 AWG stranded (413x38); bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7145A 003250	N-A	N-A



7145A 003500 – 4C 12 413/38 Bc Polyvinyl Chloride ...



4C 12 413/38 Bc Polyvinyl Chloride ...

Belden

12 AWG stranded (413x38); bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7145A 003500	N-A	N-A



7145w

Belden

12 AWG stranded (413x38) bare copper conductors; PVC-Nylon insulation; unshielded. oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7145w	N-A	N-A



SNS; SERIES 11 W/ 7/16 NUT

Belden

SNS; SERIES 11 W/ 7/16 NUT

Part Number	Weight	Min. Quantity
716SNS1P11	N-A	N-A



ProSNS; RG11 PLENUM F W/

Belden

ProSNS; RG11 PLENUM F W/

Part Number	Weight	Min. Quantity
716SNS1P11HPLA	N-A	N-A



SNS 11 SERIES W/7/16 NUT FOR

Belden

SNS 11 SERIES W/7/16 NUT FOR

Part Number	Weight	Min. Quantity
716SNS1P11PLA	N-A	N-A



F-MALE PUSH-ON TEST CONNECTOR

Belden

F-MALE PUSH-ON TEST CONNECTOR

Part Number	Weight	Min. Quantity
717017	N-A	N-A



7200A

Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil 100% (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7200A	N-A	N-A



2 #24 FHDPE/HDPE SH PVC

Belden

Multi-Conductor Cables 24AWG 1PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7200A X4P1000	N-A	N-A



2 #24 FHDPE/HDPE SH PVC

Belden

Multi-Conductor Cables 24AWG 1PR SHIELD 500ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7200A X4P500	N-A	N-A



1-SOLID LIFT OFF SIDE PA


Belden

1-SOLID LIFT OFF SIDE PA

Part Number	Weight	Min. Quantity
7201-SP-3	N-A	N-A

7203A X4P500 – 4 PR #24 FHDPE/HDPE SH PVC

7201A



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil 0.001 (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7201A	N-A	N-A

2 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 2PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7201A X4P1000	N-A	N-A

2 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 2PR SHIELD 500ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7201A X4P500	N-A	N-A

2-Solid LIFT Off SIDE PA



Belden

2-SOLID LIFT OFF SIDE PA

Part Number	Weight	Min. Quantity
7202-SP-3	N-A	N-A

7202A



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil 0.001 (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7202A	N-A	N-A

3 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 3PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7202A X4P1000	N-A	N-A

3 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 3PR SHIELD 500ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7202A X4P500	N-A	N-A

7203A



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil 0.001 (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7203A	N-A	N-A

4 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 4PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7203A X4P1000	N-A	N-A

4 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 4PR SHIELD 500ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7203A X4P500	N-A	N-A



7205A – 7205A

7205A



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil shield (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7205A	N-A	N-A



734A1

Belden

20 AWG solid .032 (.81mm) bare copper conductor(s); gas-injected FHDPE insulation; Beldfoil shield (85% coverage); tinned copper braid shield (85% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
734A1	N-A	N-A

1 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 1PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7205A X4P1000	N-A	N-A



#20 LDPE/FHDPE SH PVC

Belden

#20 LDPE/FHDPE SH PVC

Part Number	Weight	Min. Quantity
734A1 0081000	N-A	N-A

1 PR #24 FHDPE/HDPE SH PVC Multicon...



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil shield (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7205A X4P500	N-A	N-A



#20 LDPE/FHDPE SH PVC

Belden

Coaxial Cables 20AWG 1C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
734A1 008500	N-A	N-A

7206A



Belden

24 AWG stranded (41x40) bare copper conductors; twisted pairs; foam polyethylene insulation with skin; overall Beldfoil shield (100% coverage); tinned copper braid shield (85% coverage); oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7206A	N-A	N-A



734A12

Belden

20 AWG solid .032 (.81mm) bare copper conductor(s); gas-injected FHDPE insulation; Beldfoil shield (85% coverage); tinned copper braid shield (85% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
734A12	N-A	N-A

1 PR #24 FHDPE/HDPE SH PVC



Belden

Multi-Conductor Cables 24AWG 1PR SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
7206A X4P1000	N-A	N-A



12 #20 PE/FHDPE SH PVC FRPVC

Belden

12 #20 PE/FHDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734A12 0081000	N-A	N-A

734AS3P 008500 – BONDED FILLER COMPOSITE

**12 #20 PE/FHDPE SH PVC FRPVC****Belden**

12 #20 PE/FHDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734A12 008500	N-A	N-A

**6 #20 PE/FHDPE SH PVC FRPVC****Belden**

6 #20 PE/FHDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734A6 0081000	N-A	N-A

**734A1P****Belden**

20 AWG solid .032 (.81mm) bare copper conductor(s); plenum; foam FEP insulation; Beldfoil 00Ω & #43; tinned copper braid shield (85% & #37; coverage); Flammarrest 00Ω jacket.

Part Number	Weight	Min. Quantity
734A1P	N-A	N-A

**6 #20 PE/FHDPE SH PVC FRPVC****Belden**

6 #20 PE/FHDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734A6 008500	N-A	N-A

**#20 FFEP SH FLRST****Belden**

#20 FFEP SH FLRST

Part Number	Weight	Min. Quantity
734A1P 0081000	N-A	N-A

**734AS3P****Belden**

3-20 AWG solid bare copper conductors; foam FEP insulation; Beldfoil 00Ω shield (100% coverage) plus a tinned copper braid shield (85% coverage); Flammarrest 00Ω jacket. Banana Peel 00Ω.

Part Number	Weight	Min. Quantity
734AS3P	N-A	N-A

**#20 FFEP SH FLRST****Belden**


#20 FFEP SH FLRST

Part Number	Weight	Min. Quantity
734A1P 008500	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
734AS3P 0081000	N-A	N-A

**734A6****Belden**

20 AWG solid .032 (.81mm) bare copper conductor(s); gas-injected FHDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (85% & #37; coverage); PVC jacket.

Part Number	Weight	Min. Quantity
734A6	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
734AS3P 008500	N-A	N-A



734AS6P – 734AS6P

**734AS6P****Belden**

6-20 AWG stranded bare copper conductors; foam FEP insulation; Beldfoil shield (100%#37; coverage) plus a tinned copper braid shield (85%#37; coverage); Flammarrest jacket. Banana Peel shield.

Part Number	Weight	Min. Quantity
734AS6P	N-A	N-A

**#20 LDPE/FHDLDP SH FRPVC****Belden**

#20 LDPE/FHDLDP SH FRPVC

Part Number	Weight	Min. Quantity
734C1 0083000	N-A	N-A

BONDED FILLER COMPOSITE CABLE**Belden**

BONDED FILLER COMPOSITE CABLE

Part Number	Weight	Min. Quantity
734AS6P 0081000	N-A	N-A

**#20 LDPE/FHDLDP SH FRPVC****Belden**

#20 LDPE/FHDLDP SH FRPVC

Part Number	Weight	Min. Quantity
734C1 0085000	N-A	N-A

BONDED FILLER COMPOSITE**Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
734AS6P 008500	N-A	N-A

**734C12****Belden**


20 AWG solid .032 silver-plated copper conductors; gas-injected FHDPE insulation; Duobond + tinned copper braid shield (85% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
734C12	N-A	N-A

734C1**Belden**

20 AWG solid .032 silver-plated copper conductors; gas-injected FHDPE insulation; Duobond + #43; tinned copper braid shield (85%#37; coverage); inner PVC jacket; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
734C1	N-A	N-A

**12#20 LDPE/FHDLDPESHFRPVCFRPVC****Belden**

12#20 LDPE/FHDLDPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C12 0081000	N-A	N-A

#20 LDPE/FHDLDP SH FRPVC**Belden**

#20 LDPE/FHDLDP SH FRPVC


Part Number	Weight	Min. Quantity
734C1 0081000	N-A	N-A

**12#20 LDPE/FHDLDPESHFRPVCFRPVC****Belden**

12#20 LDPE/FHDLDPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C12 0082000	N-A	N-A

734D1 – 734D1

3#20LDPE/GIFHDLPESHFRPVCFRPVC**Belden**

3#20LDPE/GIFHDLPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C3 0081000	N-A	N-A

3#20LDPE/GIFHDLPESHFRPVCFRPVC**Belden**

3#20LDPE/GIFHDLPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C3 0083000	N-A	N-A

3#20LDPE/GIFHDLPESHFRPVCFRPVC**Belden**

3#20LDPE/GIFHDLPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C3 0085000	N-A	N-A

734C6**Belden**

20 AWG solid .032 silver-plated copper conductors; gas-injected FHDPE insulation; Duobond 0.001 & #43; tinned copper braid shield (85% coverage); inner PVC jacket; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
734C6	N-A	N-A

6#20LDPE/GIFHDLPESHFRPVCFRPVC**Belden**

6#20LDPE/GIFHDLPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C6 0081000	N-A	N-A

6#20LDPE/GIFHDLPESHFRPVCFRPVC**Belden**

6#20LDPE/GIFHDLPESHFRPVCFRPVC

Part Number	Weight	Min. Quantity
734C6 0082000	N-A	N-A

734C8**Belden**

20 AWG solid .032 silver-plated copper conductors; gas-injected FHDPE insulation; Duobond 0.001 & #43; tinned copper braid shield (85% coverage); inner PVC Jacket; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
734C8	N-A	N-A

8#20LDPE/FHDLDPE SH FRPVCFRPVC**Belden**

8#20LDPE/FHDLDPE SH FRPVCFRPVC

Part Number	Weight	Min. Quantity
734C8 0081000	N-A	N-A

8#20LDPE/FHDLDPE SH FRPVCFRPVC**Belden**

8#20LDPE/FHDLDPE SH FRPVCFRPVC

Part Number	Weight	Min. Quantity
734C8 0082000	N-A	N-A

734D1**Belden**

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); gas-injected FHDPE insulation; Beldfoil 0.001 & #43; tinned copper braid shield (85% coverage); overall PVC jacket.

Part Number	Weight	Min. Quantity
734D1	N-A	N-A

734D1 0081000 – #20 GIFHDLDP SH PVC



#20 GIFHDLDP SH PVC

Belden

#20 GIFHDLDP SH PVC

Part Number	Weight	Min. Quantity
734D1 0081000	N-A	N-A



#20 GIFHDLDP SH PVC

Belden

#20 GIFHDLDP SH PVC

Part Number	Weight	Min. Quantity
734D1 008500	N-A	N-A



734D12

Belden

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); gas-injected FHDPE insulation; Beldfoil 00Ω + tinned copper braid shield (85% coverage); overall PVC jacket.

Part Number	Weight	Min. Quantity
734D12	N-A	N-A



12 #20 GIFPE SH PVC FRPVC

Belden

12 #20 GIFPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734D12 0081000	N-A	N-A



12 #20 GIFPE SH PVC FRPVC

Belden

12 #20 GIFPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
734D12 008500	N-A	N-A



734D1P

Belden

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); foam; foam FEP insulation; Beldfoil 00Ω + tinned copper braid shield (85% coverage); Flamarrest 00Ω jacket.

Part Number	Weight	Min. Quantity
734D1P	N-A	N-A



#20 FPFA SH FLRST

Belden

#20 FPFA SH FLRST

Part Number	Weight	Min. Quantity
734D1P 0081000	N-A	N-A



#20 FPFA SH FLRST

Belden

#20 FPFA SH FLRST

Part Number	Weight	Min. Quantity
734D1P 008500	N-A	N-A



734D1T

Belden

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); gas-injected FHDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (85% & #37; coverage); overall PVC jacket. PVC insulated tracer wire in Siamese (Figure 8) configuration.

Part Number	Weight	Min. Quantity
734D1T	N-A	N-A



#20 GIFHDLDP SH PVC DUAL

Belden

#20 GIFHDLDP SH PVC DUAL

Part Number	Weight	Min. Quantity
734D1T 0081000	N-A	N-A

**#20 GIFHDLDP SH PVC DUAL****Belden**

#20 GIFHDLDP SH PVC DUAL

Part Number	Weight	Min. Quantity
734D1T 008500	N-A	N-A

**#20 GIFHDLDP SH PVC DUAL****Belden**

#20 GIFHDLDP SH PVC DUAL

Part Number	Weight	Min. Quantity
734D2 0081000	N-A	N-A

**#20 GIFHDLDP SH PVC DUAL****Belden**

Coaxial Cables 20AWG 2C SHIELD 500ft SPOOL GRAY

Part Number	Weight	Min. Quantity
734D2 008500	N-A	N-A

**734D2T****Belden**

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); gas-injected FHDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (85% coverage); overall PVC jackets. PVC insulated tracer wire in Siamese configuration as a third parallel member.

Part Number	Weight	Min. Quantity
734D2T	N-A	N-A

**2 #20 GIFHDLDP SH + 1 #22 PVC****Belden**

2 #20 GIFHDLDP SH + 1 #22 PVC

Part Number	Weight	Min. Quantity
734D2T 0081000	N-A	N-A

**2 #20 GIFHDLDP SH + 1 #22 PVC****Belden**

2 #20 GIFHDLDP SH + 1 #22 PVC

Part Number	Weight	Min. Quantity
734D2T 008500	N-A	N-A

**734D6****Belden**

20 AWG solid .032 (.81mm) silver-plated copper conductor(s); gas-injected FHDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (85% coverage); overall PVC jacket.

Part Number	Weight	Min. Quantity
734D6	N-A	N-A

**6 #20 GIFHDLDP SH PVC FRPVC****Belden**

6 #20 GIFHDLDP SH PVC FRPVC

Part Number	Weight	Min. Quantity
734D6 0081000	N-A	N-A

**6 #20 GIFHDLDP SH PVC FRPVC****Belden**

6 #20 GIFHDLDP SH PVC FRPVC

Part Number	Weight	Min. Quantity
734D6 008500	N-A	N-A

**735A1****Belden**

26 AWG solid .016 (.40mm) silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (93% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A1	N-A	N-A



735A1 0081000 – #26 LDPE/FHDPE SH PVC



#26 LDPE/FHDPE SH PVC

Belden

#26 LDPE/FHDPE SH PVC

Part Number	Weight	Min. Quantity
735A1 0081000	N-A	N-A



#26 FPFA SH FLRST

Belden

#26 FPFA SH FLRST

Part Number	Weight	Min. Quantity
735A1P 0081000	N-A	N-A



#26 LDPE/FHDPE SH PVC

Belden

#26 LDPE/FHDPE SH PVC

Part Number	Weight	Min. Quantity
735A1 008500	N-A	N-A



#26 FPFA SH FLRST

Belden

#26 FPFA SH FLRST

Part Number	Weight	Min. Quantity
735A1P 008500	N-A	N-A



735A12

Belden

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (93% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A12	N-A	N-A



735A1T

Belden

26 AWG Solid .016 (.40mm) silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket. PVC insulated tracer wire in Siamese (Figure 8) configuration.

Part Number	Weight	Min. Quantity
735A1T	N-A	N-A



735A16

Belden

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A16	N-A	N-A



#26 PE BRD PVC DUAL

Belden

#26 PE BRD PVC DUAL

Part Number	Weight	Min. Quantity
735A2 0081000	N-A	N-A



735A1P

Belden

26 AWG solid .016 silver-plated copper conductor(s); plenum; foam FEP insulation; Beldfoil 00Ω + tinned copper braid shield (93% coverage); Flamarrest 00Ω jacket.

Part Number	Weight	Min. Quantity
735A1P	N-A	N-A



#26 PE BRD PVC DUAL

Belden

#26 PE BRD PVC DUAL

Part Number	Weight	Min. Quantity
735A2 008500	N-A	N-A

735AS6P – 735AS6P

**735A24****Belden**

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A24	N-A	N-A

**735A9****Belden**

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A9	N-A	N-A

**24 #26 PE/FPE SH PVC FRPVC****Belden**

Coaxial Cables 26AWG 24C UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
735A24 0081000	N-A	N-A

**735AS3P****Belden**

3-26 AWG solid silver plated copper conductors; foam FEP insulation; Beldfoil 00Ω shield (100% coverage) plus a tinned copper braid shield (95% coverage); Flamarrest 00Ω jacket. Banana Peel 00Ω.

Part Number	Weight	Min. Quantity
735AS3P	N-A	N-A

**735A3****Belden**


26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A3	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
735AS3P 0081000	N-A	N-A

**735A6****Belden**

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A6	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
735AS3P 008500	N-A	N-A

**735A8****Belden**

26 AWG solid .016 silver-plated copper conductor(s); foam HDPE insulation; Beldfoil 00Ω & #43; tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
735A8	N-A	N-A

**735AS6P****Belden**

6-26 AWG solid silver plated copper conductors; foam FEP insulation; Beldfoil 00Ω shield (100% coverage) plus a tinned copper braid shield (90% coverage); Flamarrest 00Ω jacket. Banana Peel 00Ω.

Part Number	Weight	Min. Quantity
735AS6P	N-A	N-A



735AS6P 0081000 – BONDED FILLER COMPOSITE

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
735AS6P 0081000	N-A	N-A

**#25H LDPE/FHDLDP SH FRPVC****Belden**

#25H LDPE/FHDLDP SH FRPVC

Part Number	Weight	Min. Quantity
735C1 0085000	N-A	N-A

**BONDED FILLER COMPOSITE****Belden**

BONDED FILLER COMPOSITE

Part Number	Weight	Min. Quantity
735AS6P 008500	N-A	N-A

**735C12****Belden**

25H AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω & #43; tinned copper braid shield (96% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
735C12	N-A	N-A

**735C1****Belden**

25H AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω (100% coverage) plus a tinned copper braid shield (95% coverage); inner PVC jackets; overall PVC jacket

Part Number	Weight	Min. Quantity
735C1	N-A	N-A

**12#25HLDPE/FHDLDP SH PVCFRPVC****Belden**

12#25HLDPE/FHDLDP SH PVCFRPVC

Part Number	Weight	Min. Quantity
735C12 0081000	N-A	N-A

**#25H LDPE/FHDLDP SH FRPVC****Belden**

#25H LDPE/FHDLDP SH FRPVC

Part Number	Weight	Min. Quantity
735C1 0081000	N-A	N-A

**12#25HLDPE/FHDLDP SH PVCFRPVC****Belden**

12#25HLDPE/FHDLDP SH PVCFRPVC

Part Number	Weight	Min. Quantity
735C12 0082000	N-A	N-A

**#25H LDPE/FHDLDP SH FRPVC****Belden**

#25H LDPE/FHDLDP SH FRPVC

Part Number	Weight	Min. Quantity
735C1 0083000	N-A	N-A

**735C24****Belden**

26 AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω Shield (100% Coverage) + tinned copper braid shield (96% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
735C24	N-A	N-A



735C8 0081000 – 8#25HLDPE/FHDLDPE SH PVC FRPVC



24#25LDPE/FHDLDPE SH PVC FRPVC

Belden

24#25LDPE/FHDLDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
735C24 0082000	N-A	N-A



735C6

Belden

25H AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω & #43; tinned copper braid shield (95% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
735C6	N-A	N-A



735C3

Belden

25H AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω & #43; tinned copper braid shield (95% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
735C3	N-A	N-A



6#25HLDPE/FHDLDPE SH PVC FRPVC

Belden

6#25HLDPE/FHDLDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
735C6 0081000	N-A	N-A




3 #25H LDPE/FHDLDPE SHPVCFRPVC

Belden

3 #25H LDPE/FHDLDPE SHPVCFRPVC

Part Number	Weight	Min. Quantity
735C3 0081000	N-A	N-A



6#25HLDPE/FHDLDPE SH PVC FRPVC

Belden

6#25HLDPE/FHDLDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
735C6 0082000	N-A	N-A



3 #25H LDPE/FHDLDPE SHPVCFRPVC

Belden

3 #25H LDPE/FHDLDPE SHPVCFRPVC

Part Number	Weight	Min. Quantity
735C3 0083000	N-A	N-A



735C8

Belden

25H AWG solid .017 silver-plated copper conductors; foam HDPE insulation; Duobond 00Ω & #43; tinned copper braid shield (95% coverage); inner PVC jackets; overall PVC jacket with ripcord.

Part Number	Weight	Min. Quantity
735C8	N-A	N-A




3 #25H LDPE/FHDLDPE SHPVCFRPVC

Belden

3 #25H LDPE/FHDLDPE SHPVCFRPVC

Part Number	Weight	Min. Quantity
735C3 0085000	N-A	N-A



8#25HLDPE/FHDLDPE SH PVC FRPVC

Belden

8#25HLDPE/FHDLDPE SH PVC FRPVC

Part Number	Weight	Min. Quantity
735C8 0081000	N-A	N-A

735C8 0082000 – 8#25HLDPE/FHDLDP SH PVC FRPVC

**8#25HLDPE/FHDLDP SH PVC FRPVC****Belden**

8#25HLDPE/FHDLDP SH PVC FRPVC

Part Number	Weight	Min. Quantity
735C8 0082000	N-A	N-A

**2C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7400A 008250	N-A	N-A

**DUAL #26 SH + 1#22 FRPVC****Belden**

Coaxial Cables 26AWG 2C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
73502T 0081000	N-A	N-A

**2C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7400A 008500	N-A	N-A

**DUAL #26 SH + 1#22 FRPVC****Belden**

DUAL #26 SH + 1#22 FRPVC

Part Number	Weight	Min. Quantity
73502T 008500	N-A	N-A

**7400W****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7400W	N-A	N-A

**7400A****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7400A	N-A	N-A

**2 #20 PVC TPE****Belden**

Multi-Conductor Cables 20AWG 2C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7400W 0601000	N-A	N-A

**2C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7400A 0081000	N-A	N-A

**2 #20 PVC TPE****Belden**

Multi-Conductor Cables 20AWG 2C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7400W 060250	N-A	N-A

7401WS 0601000 – 2 #20 + GRD PVC TPE BRD TPE

**7401A****Belden**

Infinity Cable; 3 conductors 20 AWG stranded (10x30) conductors; PVC insulation; PVC jacket

Part Number	Weight	Min. Quantity
7401A	N-A	N-A

**3C 20 10/30 BC PVC; PVC SH Belden I...****Belden**

Color: GRAY

Part Number	Weight	Min. Quantity
7401AS 008500	35	N-A

**3C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

Infinity Cable; 3 conductors 20 AWG stranded (10x30) conductors; PVC insulation; PVC jacket

Part Number	Weight	Min. Quantity
7401A 0081000	N-A	N-A

**7401W****Belden**

20 AWG stranded (10x30) bare copper conductors plus stranded (10x30) bare copper ground wire; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7401W	N-A	N-A

**3C 20 10/30 Polyvinyl Chloride Poly...****Belden**

Infinity Cable; 3 conductors 20 AWG stranded (10x30) conductors; PVC insulation; PVC jacket

Part Number	Weight	Min. Quantity
7401A 008250	N-A	N-A

**2 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 3C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7401W 0601000	N-A	N-A

**3C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

Infinity Cable; 3 conductors 20 AWG stranded (10x30) conductors; PVC insulation; PVC jacket

Part Number	Weight	Min. Quantity
7401A 008500	N-A	N-A

**2 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 3C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7401W 060250	N-A	N-A

**7401AS****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7401AS	N-A	N-A

**2 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 3C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7401WS 0601000	N-A	N-A



7401WS 060250 – 2 #20 + GRD PVC TPE BRD TPE

**2 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 3C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7401WS 060250	N-A	N-A

**7402AS****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85%#37; coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7402AS	N-A	N-A

**7402A****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7402A	N-A	N-A

**4C 20 10/30 Bc Polyvinyl Chloride P...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7402AS 008250	N-A	N-A

**4C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7402A 0081000	N-A	N-A

**4C 20 10/30 Bc Polyvinyl Chloride P...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7402AS 008500	N-A	N-A

**4C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7402A 008250	N-A	N-A

**7402W****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7402W	N-A	N-A

**4C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7402A 008500	N-A	N-A

**3 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 4C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7402W 0601000	N-A	N-A



7403W 060250 – 4 #20 + GRD PVC TPE

3 #20 + GRD PVC TPE



Belden

Multi-Conductor Cables 20AWG 4C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7402W 060250	N-A	N-A



7403AS

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7403AS	N-A	N-A

7403A



Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7403A	N-A	N-A



5C 20 10/30 Bc Polyvinyl Chloride; ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7403AS 008250	N-A	N-A



5C 20 10/30 Bc Polyvinyl Chloride; ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7403A 0081000	N-A	N-A



7403W

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7403W	N-A	N-A



5C 20 10/30 Polyvinyl Chloride; Pol...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7403A 008250	N-A	N-A



4 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 5C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7403W 0601000	N-A	N-A



5C 20 10/30 Bc Polyvinyl Chloride; ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7403A 008500	N-A	N-A



4 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 5C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7403W 060250	N-A	N-A



7403WS 0601000 – 4 #20 + GRD PVC TPE BRD TPE

**4 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 5C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7403WS 0601000	N-A	N-A

**7C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404A 008250	N-A	N-A

**4 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 5C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7403WS 060250	N-A	N-A

**7C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404A 008500	N-A	N-A

**4 #20 + GRD PVC TPE BRD TPE****Belden**

4 #20 + GRD PVC TPE BRD TPE

Part Number	Weight	Min. Quantity
7403WS 0605000	N-A	N-A

**7404AS****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85%#37; coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7404AS	N-A	N-A

**7404A****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404A	N-A	N-A

**7C 20 10/30 BC PVC PVC BRD PVC****Belden**

7C 20 10/30 BC PVC PVC BRD PVC

Part Number	Weight	Min. Quantity
7404AS 008500	N-A	N-A

**7C 20 10/30 Bc Polyvinyl Chloride; ...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404A 0081000	N-A	N-A

**7404W****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC/Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404W	N-A	N-A



7405A 008250 – 9C 20 10/30 Bc Polyvinyl Chloride P...

**6 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 7C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7404W 0601000	N-A	N-A

**6 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 7C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7404WS 060250	N-A	N-A

**6 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 7C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7404W 060250	N-A	N-A

**6 #20 + GRD PVC TPE BRD TPE****Belden**

6 #20 + GRD PVC TPE BRD TPE

Part Number	Weight	Min. Quantity
7404WS 0605000	N-A	N-A

**6 #20 + GRD PVC TPE****Belden**

6 #20 + GRD PVC TPE

Part Number	Weight	Min. Quantity
7404W 0605000	N-A	N-A

**7405A****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7405A	N-A	N-A

**7404WS****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC/Nylon insulation; shielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7404WS	N-A	N-A

**9C 20 10/30 Bc Polyvinyl Chloride P...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7405A 0081000	N-A	N-A

**6 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 7C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7404WS 0601000	N-A	N-A

**9C 20 10/30 Bc Polyvinyl Chloride P...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7405A 008250	N-A	N-A



7405A 008500 – 9C 20 10/30 Bc Polyvinyl Cholride P...



9C 20 10/30 Bc Polyvinyl Cholride P...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7405A 008500	N-A	N-A



7406A

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7406A	N-A	N-A



7405W

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7405W	N-A	N-A



12C 20 10/30 Bc Polyvinyl Cholride ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7406A 0081000	N-A	N-A



8 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 9C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7405W 0601000	N-A	N-A



12C 20 10/30 Bc Polyvinyl Cholride ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7406A 008250	N-A	N-A



8 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 9C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7405W 060250	N-A	N-A



12C 20 10/30 Bc Polyvinyl Cholride ...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7406A 008500	N-A	N-A



8 #20 + GRD PVC TPE

Belden

8 #20 + GRD PVC TPE

Part Number	Weight	Min. Quantity
7405W 0605000	N-A	N-A



7406W

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7406W	N-A	N-A



7407W 0605000 – 17 #20 + GRD PVC TPE



11 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 12C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7406W 0601000	N-A	N-A



18C 20 10/30 Bc Polyvinyl Chloride;...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7407A 008500	N-A	N-A



11 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 12C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7406W 060250	N-A	N-A



7407W

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7407W	N-A	N-A



11 #20 + GRD PVC TPE

Belden

11 #20 + GRD PVC TPE

Part Number	Weight	Min. Quantity
7406W 0605000	N-A	N-A



17 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 18C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7407W 0601000	N-A	N-A



7407A

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7407A	N-A	N-A



17 #20 + GRD PVC TPE

Belden

Multi-Conductor Cables 20AWG 18C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7407W 060250	N-A	N-A



18C 20 10/30 Bc Polyvinyl Chloride;...

Belden

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7407A 008250	N-A	N-A



17 #20 + GRD PVC TPE

Belden

17 #20 + GRD PVC TPE

Part Number	Weight	Min. Quantity
7407W 0605000	N-A	N-A

7408A – 7408A

**7408A****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7408A	N-A	N-A

**24 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 25C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7408W 060250	N-A	N-A

**25C 20 10/30 Bc Polyvinyl Chloride;...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7408A 008250	N-A	N-A

**24 #20 + GRD PVC TPE****Belden**

24 #20 + GRD PVC TPE

Part Number	Weight	Min. Quantity
7408W 0605000	N-A	N-A

**25C 20 10/30 Bc Polyvinyl Chloride;...****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7408A 008500	N-A	N-A

**24 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 25C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7408WS 0601000	N-A	N-A

**7408W****Belden**

20 AWG stranded (10x30) bare copper conductors; PVC insulation; Unshielded; Oil- and Abrasion-resistant PVC Jacket.

Part Number	Weight	Min. Quantity
7408W	N-A	N-A

**24 #20 + GRD PVC TPE BRD TPE****Belden**

Multi-Conductor Cables 20AWG 25C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7408WS 060250	N-A	N-A

**24 #20 + GRD PVC TPE****Belden**

Multi-Conductor Cables 20AWG 25C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7408W 0601000	N-A	N-A

**24 #20 + GRD PVC TPE BRD TPE****Belden**

24 #20 + GRD PVC TPE BRD TPE

Part Number	Weight	Min. Quantity
7408WS 0605000	N-A	N-A



7410A 0081000 – 3C 18 16/30 Bc Polyvinyl Chloride P...

7409A



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7409A	N-A	N-A

2 #18 PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7409W 0601000	N-A	N-A

2C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7409A 0081000	N-A	N-A



2 #18 PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7409W 060250	N-A	N-A

2C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7409A 008250	N-A	N-A



2 #18 PVC/NYL TPE

Belden

2 #18 PVC/NYL TPE

Part Number	Weight	Min. Quantity
7409W 0605000	N-A	N-A

2C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7409A 008500	N-A	N-A



7410A

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7410A	N-A	N-A

7409W



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7409W	N-A	N-A



3C 18 16/30 Bc Polyvinyl Chloride P...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7410A 0081000	N-A	N-A

7410A 008250 – 3C 18 16/30 Bc Polyvinyl Chloride P...

**3C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7410A 008250	N-A	N-A

**2 #18 + GRD PVC/NYL TPE****Belden**

2 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7410W 0605000	N-A	N-A

**3C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7410A 008500	N-A	N-A

**2#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 3C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7410WS 0601000	N-A	N-A

**7410W****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7410W	N-A	N-A

**2#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 3C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7410WS 060250	N-A	N-A

**2 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7410W 0601000	N-A	N-A

**2#18 + GRD PVC/NYL TPE BRD TPE****Belden**

2#18 + GRD PVC/NYL TPE BRD TPE

Part Number	Weight	Min. Quantity
7410WS 0605000	N-A	N-A

**2 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7410W 060250	N-A	N-A

**7411A****Belden**

18 AWG stranded (16x30) bare copper conductors plus stranded (16x30) ground wire; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7411A	N-A	N-A



7411W 0605000 – 3 #18 + GRD PVC/NYL TPE

4C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7411A 0081000	N-A	N-A

4C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7411A 008250	N-A	N-A

4C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7411A 008500	N-A	N-A

7411AS



Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85%#37; coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7411AS	N-A	N-A

4C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7411AS 008250	N-A	N-A



4C 18 16/30 Bc Polyvinyl Chloride P...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7411AS 008500	N-A	N-A

7411W



Belden

18 AWG stranded (16x30) bare copper conductors plus stranded (16x30) bare copper ground wire; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7411W	N-A	N-A

3 #18 + GRD PVC/NYL TPE



Belden

Multi-Conductor Cables 18AWG 4C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7411W 0601000	N-A	N-A

3 #18 + GRD PVC/NYL TPE



Belden

Multi-Conductor Cables 18AWG 4C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7411W 060250	N-A	N-A

3 #18 + GRD PVC/NYL TPE



Belden

3 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7411W 0605000	N-A	N-A



7411WS 0601000 – 3#18 + GRD PVC/NYL TPE BRD TPE

**3#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 4C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7411WS 0601000	N-A	N-A

**5C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7412A 008250	N-A	N-A

**3#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 4C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7411WS 060250	N-A	N-A

**5C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7412A 008500	N-A	N-A

**3#18 + GRD PVC/NYL TPE BRD TPE****Belden**

3#18 + GRD PVC/NYL TPE BRD TPE

Part Number	Weight	Min. Quantity
7411WS 0605000	N-A	N-A

**7412W****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7412W	N-A	N-A

**7412A****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7412A	N-A	N-A

**4 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 5C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7412W 0601000	N-A	N-A

**5C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7412A 0081000	N-A	N-A

**4 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 5C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7412W 060250	N-A	N-A



7413W 0601000 – 6 #18 + GRD PVC/NYL TPE

4 #18 + GRD PVC/NYL TPE



Belden

4 #18 + GRD PVC/NYL TPE

Part Number	Weight	Min. Quantity
7412W 0605000	N-A	N-A



7413AS

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7413AS	N-A	N-A

7413A



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7413A	N-A	N-A



7C 18 16/30 Bc Polyvinyl Chloride; ...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7413AS 008250	N-A	N-A

7C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7413A 0081000	N-A	N-A



7C 18 16/30 Bc Polyvinyl Chloride; ...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7413AS 008500	N-A	N-A

7C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7413A 008250	N-A	N-A



7413W

Belden

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7413W	N-A	N-A

7C 18 16/30 Bc Polyvinyl Chloride P...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7413A 008500	N-A	N-A



6 #18 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 7C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7413W 0601000	N-A	N-A



7413W 060250 – 6 #18 + GRD PVC/NYL TPE

**6 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 7C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7413W 060250	N-A	N-A

**6#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 7C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7413WS 0601000	N-A	N-A

**6#18 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 7C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7413WS 060250	N-A	N-A

**7414A****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7414A	N-A	N-A

**9C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7414A 0081000	N-A	N-A

**9C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7414A 008250	N-A	N-A

**9C 18 16/30 Bc Polyvinyl Chloride P...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7414A 008500	N-A	N-A

**7414W****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7414W	N-A	N-A

**8 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 9C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7414W 0601000	N-A	N-A

**8 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 9C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7414W 060250	N-A	N-A



7415W 060250 – 11 #18 + GRD PVC/NYL TPE

**7415A****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7415A	N-A	N-A

**12C 18 16/30 Bc Polyvinyl Chloride ...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7415AS 008250	N-A	N-A

**12C 18 16/30 Bc Polyvinyl Chloride ...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7415A 0081000	N-A	N-A

**12C 18 16/30 Bc Polyvinyl Chloride ...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7415AS 008500	N-A	N-A

**12C 18 16/30 Bc Polyvinyl Chloride ...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7415A 008250	N-A	N-A

**7415W****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7415W	N-A	N-A

**12C 18 16/30 Bc Polyvinyl Chloride ...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7415A 008500	N-A	N-A

**11 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 12C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7415W 0601000	N-A	N-A

**7415AS****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7415AS	N-A	N-A

**11 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 12C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7415W 060250	N-A	N-A



7415WS 0601000 – 11#18 +GRD PVC/NYL TPE BRD TPE



11#18 +GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 18AWG 12C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7415WS 0601000	N-A	N-A



7416AS

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7416AS	N-A	N-A



11#18 +GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 18AWG 12C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7415WS 060250	N-A	N-A



18C 18 16/30 Bc Polyvinyl Chloride;...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7416AS 008250	N-A	N-A



7416A

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7416A	N-A	N-A



7416W

Belden

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7416W	N-A	N-A



18C 18 16/30 Bc Polyvinyl Chloride ...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7416A 008250	N-A	N-A



17 #18 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 18C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7416W 0601000	N-A	N-A



18C 18 16/30 Bc Polyvinyl Chloride ...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7416A 008500	N-A	N-A



17 #18 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 18C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7416W 060250	N-A	N-A



7417W 0601000 – 24 #18 + GRD PVC/NYL TPE



17#18 +GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 18AWG 18C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7416WS 0601000	N-A	N-A



7417AS

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7417AS	N-A	N-A



17#18 +GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 18AWG 18C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7416WS 060250	N-A	N-A



25C 18 16/30 Bc Polyvinyl Chloride;...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7417AS 008250	N-A	N-A



7417A

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7417A	N-A	N-A



25C 18 16/30 Bc Polyvinyl Chloride;...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC Insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7417AS 008500	N-A	N-A



25C 18 16/30 Bc Polyvinyl Chloride;...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7417A 008250	N-A	N-A



7417W

Belden

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7417W	N-A	N-A



25C 18 16/30 Bc Polyvinyl Chloride;...

Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7417A 008500	N-A	N-A



24 #18 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 18AWG 25C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7417W 0601000	N-A	N-A



7417W 060250 – 24 #18 + GRD PVC/NYL TPE

**24 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 25C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7417W 060250	N-A	N-A

**24#18 +GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 25C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7417WS 0601000	N-A	N-A

**24#18 +GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 18AWG 25C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7417WS 060250	N-A	N-A

**7418A****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7418A	N-A	N-A

**34C 18 16/30 Bc Polyvinyl Chloride;...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7418A 008250	N-A	N-A

**34C 18 16/30 Bc Polyvinyl Chloride;...****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7418A 008500	N-A	N-A

**7418W****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7418W	N-A	N-A

**33 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 34C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7418W 0601000	N-A	N-A

**33 #18 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 18AWG 34C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7418W 060250	N-A	N-A

**7419A****Belden**

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7419A	N-A	N-A

7421W 060250 – 2 #16 PVC/NYL TPE

41C 18 16/30 Bc Polyvinyl Chloride;...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7419A 008500	N-A	N-A

2C 16 26/30 Bc Polyvinyl Chloride; ...



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7421A 008250	N-A	N-A

7420A



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7420A	N-A	N-A

2C 16 26/30 Bc Polyvinyl Chloride; ...



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7421A 008500	N-A	N-A

50C 18 16/30 Bc Polyvinyl Chloride;...



Belden

18 AWG stranded (16x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7420A 008250	N-A	N-A

7421W



Belden

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7421W	N-A	N-A

7421A



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7421A	N-A	N-A

2 #16 PVC/NYL TPE



Belden

Multi-Conductor Cables 16AWG 2C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7421W 0601000	N-A	N-A

2C 16 26/30 Bc Polyvinyl Chloride; ...



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7421A 0081000	N-A	N-A



Belden

Multi-Conductor Cables 16AWG 2C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7421W 060250	N-A	N-A

7422A – 7422A

**7422A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7422A	N-A	N-A

**2 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7422W 0601000	N-A	N-A

**3C 16 26/30 Bc Polyvinyl Chloride; ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7422A 0081000	N-A	N-A

**2 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7422W 060250	N-A	N-A

**3C 16 26/30 Bc Polyvinyl Chloride; ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7422A 008250	N-A	N-A

**7422WS****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; shielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7422WS	N-A	N-A

**3C 16 26/30 Bc Polyvinyl Chloride; ...****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 500' SPOOL GRAY

Part Number	Weight	Min. Quantity
7422A 008500	N-A	N-A

**2 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 3C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7422WS 0601000	N-A	N-A

**7422W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7422W	N-A	N-A

**2 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 3C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7422WS 060250	N-A	N-A

7423W 060250 – 3 #16 + GRD PVC/NYL TPE

7423A



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7423A	N-A	N-A



4C 16 26/30 Bc Polyvinyl Chloride; ...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7423AS 008250	N-A	N-A

4C 16 26/30 Bc Polyvinyl Chloride; ...



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7423A 0081000	N-A	N-A



4C 16 26/30 Bc Polyvinyl Chloride; ...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7423AS 008500	N-A	N-A



4C 16 26/30 Bc Polyvinyl Chloride; ...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7423A 008250	N-A	N-A



7423W

Belden

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7423W	N-A	N-A



4C 16 26/30 Bc Polyvinyl Chloride; ...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7423A 008500	N-A	N-A



3 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 4C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7423W 0601000	N-A	N-A

7423AS



Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7423AS	N-A	N-A



3 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 4C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7423W 060250	N-A	N-A



7423WS 0601000 – 3 #16+GRD PVC/NYL TPE BRD TPE

**3 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 4C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7423WS 0601000	N-A	N-A

**5C 16 26/30 BC PVC Multiconductor C...****Belden**

5C 16 26/30 BC PVC PVC

Part Number	Weight	Min. Quantity
7424A 008500	N-A	N-A

**3 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 4C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7423WS 060250	N-A	N-A

**7424W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7424W	N-A	N-A

**7424A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7424A	N-A	N-A

**4 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 5C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7424W 0601000	N-A	N-A

**5C 16 26/30 Bc Polyvinyl Chloride P...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7424A 0081000	N-A	N-A

**4 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 5C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7424W 060250	N-A	N-A

**5C 16 26/30 Bc Polyvinyl Chloride P...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7424A 008250	N-A	N-A

**7425A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7425A	N-A	N-A



7426A 008500 – 9C 16 26/30 Bc Polyvinyl Chloride P...



7C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7425A 0081000	N-A	N-A



6 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 7C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7425W 060250	N-A	N-A



7C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7425A 008250	N-A	N-A



7426A

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7426A	N-A	N-A



7C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7425A 008500	N-A	N-A



9C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7426A 0081000	N-A	N-A



7425W

Belden

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7425W	N-A	N-A



9C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7426A 008250	N-A	N-A



6 #16 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 16AWG 7C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7425W 0601000	N-A	N-A



9C 16 26/30 Bc Polyvinyl Chloride P...

Belden

16 AWG stranded (26x30) bare copper conductors; PVC insulation ; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7426A 008500	N-A	N-A



7426W – 7426W

**7426W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7426W	N-A	N-A

**8 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 9C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7426W 0601000	N-A	N-A

**8 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 9C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7426W 060250	N-A	N-A

**7427A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7427A	N-A	N-A

**12C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7427A 0081000	N-A	N-A

**12C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

Multi-Conductor Cables 16AWG 12C UNSHLD 250' SPOOL GRAY

Part Number	Weight	Min. Quantity
7427A 008250	N-A	N-A

**12C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7427A 008500	N-A	N-A

**7427AS****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7427AS	N-A	N-A

**12C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7427AS 008250	N-A	N-A

**12C 16 26/30 BC PVC PVCBRD Multicon...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7427AS 008500	N-A	N-A



7428AS 008500 – 18C 16 26/30 Bc Polyvinyl Chloride;...

**7427W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7427W	N-A	N-A

**7428A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7428A	N-A	N-A

**11 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 12C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7427W 0601000	N-A	N-A

**18C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7428A 008250	N-A	N-A

**11 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 12C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7427W 060250	N-A	N-A

**18C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7428A 008500	N-A	N-A

**11 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 12C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7427WS 0601000	N-A	N-A

**7428AS****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7428AS	N-A	N-A

**11 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 12C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7427WS 060250	N-A	N-A

**18C 16 26/30 Bc Polyvinyl Chloride;...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7428AS 008500	N-A	N-A



7428W – 7428W

**7428W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7428W	N-A	N-A

**7429A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7429A	N-A	N-A

**17 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 18C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7428W 0601000	N-A	N-A

**25C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7429A 008250	N-A	N-A

**17 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 18C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7428W 060250	N-A	N-A

**25C 16 26/30 Bc Polyvinyl Chloride ...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7429A 008500	N-A	N-A

**17 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 18C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7428WS 0601000	N-A	N-A

**7429W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7429W	N-A	N-A

**17 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 18C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7428WS 060250	N-A	N-A

**24 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 25C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7429W 0601000	N-A	N-A

7434A 008250 – 2C 14 41/30 BC PVC Multiconductor C...

**24 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 25C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7429W 060250	N-A	N-A

**7430W****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7430W	N-A	N-A

**24 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 25C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7429WS 0601000	N-A	N-A

**33 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 34C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7430W 0601000	N-A	N-A

**24 #16+GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 16AWG 25C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7429WS 060250	N-A	N-A

**33 #16 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 16AWG 34C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7430W 060250	N-A	N-A

**7430A****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7430A	N-A	N-A

**7434A****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7434A	N-A	N-A

**34C 16 26/30 Bc Polyvinyl Chloride;...****Belden**

16 AWG stranded (26x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7430A 008250	N-A	N-A

**2C 14 41/30 BC PVC Multiconductor C...****Belden**

2C 14 41/30 BC PVC;PVC

Part Number	Weight	Min. Quantity
7434A 008250	N-A	N-A

7434A 008500 – 2C 14 41/30 BC PVC Multiconductor C...



2C 14 41/30 BC PVC Multiconductor C...

Belden

2C 14 41/30 BC PVC;PVC

Part Number	Weight	Min. Quantity
7434A 008500	N-A	N-A



7435A

Belden

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7435A	N-A	N-A



3C 14 41/30 Bc Polyvinyl Chloride P...

Belden

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7435A 0081000	N-A	N-A



3C 14 41/30 Bc Polyvinyl Chloride P...

Belden

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7435A 008250	N-A	N-A



3C 14 41/30 BC PVC Multiconductor C...

Belden

3C 14 41/30 BC PVC PVC

Part Number	Weight	Min. Quantity
7435A 008500	N-A	N-A



7435W

Belden

14 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7435W	N-A	N-A



2 #14 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 14AWG 3C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7435W 0601000	N-A	N-A



2 #14 + GRD PVC/NYL TPE

Belden

Multi-Conductor Cables 14AWG 3C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7435W 060250	N-A	N-A



2#14 + GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 14AWG 3C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7435WS 0601000	N-A	N-A



2#14 + GRD PVC/NYL TPE BRD TPE

Belden

Multi-Conductor Cables 14AWG 3C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7435WS 060250	N-A	N-A

7436W 060250 – 3 #14 + GRD PVC/NYL TPE

**7436A****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7436A	N-A	N-A

**4C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7436AS 008250	N-A	N-A

**4C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7436A 0081000	N-A	N-A

**4C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7436AS 008500	N-A	N-A

**4C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7436A 008250	N-A	N-A

**7436W****Belden**

14 AWG stranded (26x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7436W	N-A	N-A

**4C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7436A 008500	N-A	N-A

**3 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 4C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7436W 0601000	N-A	N-A

**7436AS****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7436AS	N-A	N-A

**3 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 4C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7436W 060250	N-A	N-A



7438A – 7438A

**7438A****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7438A	N-A	N-A

**7438W****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7438W	N-A	N-A

**7C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7438A 008500	N-A	N-A

**6 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 7C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7438W 0601000	N-A	N-A

**7438AS****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7438AS	N-A	N-A

**6 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 7C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7438W 060250	N-A	N-A

**7C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7438AS 008250	N-A	N-A

**6#14 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 14AWG 7C SHIELD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7438WS 0601000	N-A	N-A

**7C 14 41/30 Bc Polyvinyl Chloride P...****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7438AS 008500	N-A	N-A

**6#14 + GRD PVC/NYL TPE BRD TPE****Belden**

Multi-Conductor Cables 14AWG 7C SHIELD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7438WS 060250	N-A	N-A



7439A**Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7439A	N-A	N-A

**8 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 9C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7439W 060250	N-A	N-A

9C 14 41/30 Bc Polyvinyl Chloride P...**Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7439A 008250	N-A	N-A

**7440A****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7440A	N-A	N-A

9C 14 41/30 Bc Polyvinyl Chloride P...**Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7439A 008500	N-A	N-A

**12C 14 41/30 Bc Polyvinyl Chloride;...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7440A 008250	N-A	N-A

7439W**Belden**

14 AWG stranded (41x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7439W	N-A	N-A

**12C 14 41/30 BC PVC Multiconductor ...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7440A 008500	N-A	N-A

8 #14 + GRD PVC/NYL TPE**Belden**

Multi-Conductor Cables 14AWG 9C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7439W 0601000	N-A	N-A

**7440W****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7440W	N-A	N-A

7440W 0601000 – 11 #14 + GRD PVC/NYL TPE

**11 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 12C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7440W 0601000	N-A	N-A

**24 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 25C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7442W 0601000	N-A	N-A

**11 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 12C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7440W 060250	N-A	N-A

**24 #14 + GRD PVC/NYL TPE****Belden**

Multi-Conductor Cables 14AWG 25C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7442W 060250	N-A	N-A

**7442A****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7442A	N-A	N-A

**7444A****Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7444A	N-A	N-A

**25C 14 41/30 Bc Polyvinyl Chloride ...****Belden**

14 AWG stranded (41x30) bare copper conductors; unshielded; PVC insulation; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7442A 008250	N-A	N-A

**3C 12 65/30 Bc Polyvinyl Chloride P...****Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7444A 008250	N-A	N-A

**7442W****Belden**

14 AWG stranded (41x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7442W	N-A	N-A

**3C 12 65/30 Bc Polyvinyl Chloride P...****Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7444A 008500	N-A	N-A



7444W**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7444W	N-A	N-A

2 #12 + GRD PVC/NYL TPE**Belden**

Multi-Conductor Cables 12AWG 3C UNSHLD 1000ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7444W 0601000	N-A	N-A

2 #12 + GRD PVC/NYL TPE**Belden**

Multi-Conductor Cables 12AWG 3C UNSHLD 250ft SPOOL CHROME

Part Number	Weight	Min. Quantity
7444W 060250	N-A	N-A

7445A**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7445A	N-A	N-A

4C 12 65/30 Bc Polyvinyl Chloride P...**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7445A 008250	N-A	N-A

**4C 12 65/30 Bc Polyvinyl Chloride P...****Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7445A 008500	N-A	N-A

7445AS**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7445AS	N-A	N-A

4C 12 65/30 Bc Polyvinyl Chloride P...**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7445AS 008250	N-A	N-A

4C 12 65/30 Bc Polyvinyl Chloride P...**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC insulation; PVC inner jacket; tinned copper braid shield (85% coverage); oil- and abrasion-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
7445AS 008500	N-A	N-A

7445W**Belden**

12 AWG stranded (65x30) bare copper conductors; PVC-Nylon insulation; unshielded; oil- and abrasion-resistant PVC jacket.

Part Number	Weight	Min. Quantity
7445W	N-A	N-A